



papiNet

**Statement**

**papiNet Standard Version 2.31**

**Documentation**

**Global Standard for the Paper and Forest  
Products Supply Chain**

**January 2009**

# Statement

## papiNet Standard Version 2.31

---

---

### Copyright

Copyright 2000 – 2009 papiNet G.I.E (“papiNet”), International Digital Enterprise Alliance, Inc. (“IDEAlliance”), and American Forest & Paper Association, Inc. (“AF&PA”), collectively “Copyright Owner”. All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the papiNet specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

papiNet (formerly known as the European Paper Consortium for e-business - EPC), IDEAlliance (formerly known as the Graphic Communications Association - GCA), the parent organisation of IDEAlliance the Printing Industries of America (PIA), the American Forest and Paper Association (AF&PA), and the members of the papiNet Working Group (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

---

### **Use of Documents in papiNet Implementations**

Documents may be used as templates for a papiNet implementation. The Presenters grant the right to modify and edit them to fit an actual

---

## **Statement papiNet Standard Version 2.31**

---

---

implementation project provided all copies display the copyright and any other proprietary notices contained in this document. Such modified documents must not be distributed beyond the trading partners implementing or maintaining a papiNet connection.

---

### **Additional Copyright Information**

Additional copyrights may be referenced throughout this document in the appropriate section.

# Statement

## papiNet Standard Version 2.31

---

---

### Table of Contents

Copyright .....	2
Use of Documents in papiNet Implementations .....	2
Additional Copyright Information .....	3
Table of Contents .....	4
Statement Documentation .....	5
An Overview of the Statement Message .....	5
The Scope of the Statement Message .....	5
StatementType [attribute] .....	5
Statement Business Rules .....	6
Processing the Statement message .....	6
Graphical Representation of the Statement .....	8
Understanding the Diagrams and Content .....	9
Statement Root Element .....	11
Statement .....	11
Primary Elements .....	13
StatementHeader .....	13
StatementDetail .....	15
Statement Business Scenarios .....	18
Statement Business Scenarios .....	18
Scenario A .....	18
Scenario B .....	18

# Statement

## papiNet Standard Version 2.31

---

---

### Statement Documentation

---

#### An Overview of the Statement Message

The purpose of the Statement message is for the manufacturer or supplier to report the current status of an invoice, or a list of invoices based upon specified criteria. The message enables the sender to indicate payment status for the invoice.

Prior to implementing the Statement business document it is assumed that the parties involved have already opened a trading partner relationship and a collaborative agreement has been reached. Such an agreement might include frequency of messages, content details, etc.

A trading partner sends a Statement message to another trading partner on an event basis agreed between them. The event that triggers a Statement message might be the receipt of an InfoRequest message, a time interval, or perhaps a payment stage.

---

#### The Scope of the Statement Message

The Statement message includes:

- A specific date upon which the Statement is generated
- Invoice information such as invoice number, invoice date
- Invoice information such as the original invoice value, the invoice payment status and the remaining open value
- SenderParty

The Statement message may include:

- Payment date, general ledger account
- An invoice status code

---

#### StatementType [attribute]

Communicates how statement information is filtered.

*This item is restricted to the following list.*

##### **ByCreditDebit**

The statement presents credit and debit note information.

##### **ByInvoiceNumber**

The statement presents invoice information.



# Statement papiNet Standard Version 2.31

---

---

## Statement Business Rules

The following table lists the business rules that apply.

Identifier	BusinessRule
<b>ST001</b>	The Statement must apply to the invoice as a whole (i.e., an invoice cannot be considered to be "fully paid" unless each line item is "fully paid")
<b>ST002</b>	If the Statement message is in response to an InfoRequest message, the RequestNumber must be included and reflect the RequestNumber of the InfoRequest.
<b>ST003</b>	Pro-forma invoices are excluded from this invoice status message as they are not paid
<b>ST004</b>	Cancelled invoices and the corresponding cancellation invoices are also not reported with this invoice status message as the invoice status for these messages is always the same
<b>ST005</b>	In case this message is sent as a reply to an InfoRequest and no invoices match the request type or scope the Statement message contains a header but no details
<b>ST006</b>	The statement message contains invoices and debit notes, even if these two documents are treated separately in other papiNet messages. In this sense the term "Invoice" stands in this document for invoice or debit note.  Credit notes are not included in a statement message as they are not paid by the customer.

## Processing the Statement message

- The Statement message is the proper response to an InfoRequest message containing an InfoRequestType of "Statement". Alternatively, it may be published on a previously agreed upon schedule based on time intervals or process payment stages. Under this second scenario, the supplier would publish the message at the agreed upon schedule without requiring an InfoRequest message as the trigger.
- It is possible that the Statement message would not be received and

## **Statement**

### **papiNet Standard Version 2.31**

---


---

processed by the recipient's procurement or order generation system. In this scenario, the Statement message would be received and printed out for distribution to interested parties or alternatively published 'on line' and viewed via a URL or some form of website access designed to display the status.

- The Statement message is an information-only message.

# Statement papiNet Standard Version 2.31

## Graphical Representation of the Statement





# Statement

## papiNet Standard Version 2.31

---

---

### Understanding the Diagrams and Content

This section provides a graphical view of the schema structures, a discussion of the item's children. You can find additional information about papiNet and the standard at [www.papiNet.org](http://www.papiNet.org).

The graphics contain content model indicators, cardinality indicators, and data type information.

Associated with each graphic are the definitions for the parent item and any associated child items. All attributes are listed first, followed by the elements.

The following information should help you interpret and understand this standard. Please note the following:

- Content Model and Cardinality operate together to determine if the element or attribute are required in the instance document.
- The same attribute can never appear multiple times in the same element so, you will never see a multiple cardinality indicator.

#### Content model indicators:

There are three possible types of content: "sequence", "choice", and "all". The papiNet standard currently does not use the "all" construct.

- (sequence)  
The sequence of the items to the right of the graphic (or below the text) is required.
- (choice)  
A choice of the items to the right of the graphic (or below the text) is permitted.
- (all)  
All the items to the right of the graphic are required.

#### Cardinality indicators:

- Dotted line around element or attribute.  
A single instance of the item can optionally exist.
- Dotted line around item with range indicated below.  
Multiple instances of the item can optionally exist.
- Solid line around item.  
A single instance of the item must exist.
- Solid line around item with range indicated below  
At least one instance must exist; multiple instances can optionally exist.

#### Datatype indication:

When a data type is assigned to an element (either a simple type or complex type the name of the data type is presented beneath the item name in the graphic.

- In some cases additional information about the data type is presented (the default value).

## **Statement**

### **papiNet Standard Version 2.31**

---

---

Elements can either have content that is textual/numeric in nature or content that is made up of additional elements and/or attributes.

- When the content is textual/numeric in nature “three straight horizontal lines” will appear in the upper left-hand corner of the graphic. Pay attention to these elements because they are where you will be entering your information.
- When the content is made up of additional elements and/or attributes a “gray-box” will appear on the right-hand side of the graphic.
- If the graphic shows both the horizontal lines and the gray-box then, in the papiNet standard, the content below the element are attributes.

# Statement

## papiNet Standard Version 2.31

### Statement Root Element

#### Statement

The Statement business document permits the sender to report the current status of an invoice, or a list of invoices based upon some specified criteria.

#### StatementType [attribute]

*StatementType is optional. A single instance might exist.*

Communicates how statement information is filtered.

*This item is restricted to the following list.*

#### ByCreditDebit

The statement presents credit and debit note information.

#### ByInvoiceNumber

The statement presents invoice information.

#### Language [attribute]

*Language is optional. A single instance might exist.*

XML has embraced 2 and 3 digit language codes through the application of an addendum to the standard.

Information on the content of this attribute is available at <http://www.loc.gov/standards/iso639-2/> this is the official site of the ISO 639-2 Registration Authority.

- <http://www.w3.org/International/O-HTML-tags.html> provides an explanation of the errata updating XML.
- <http://www.ietf.org/rfc/rfc3066.txt> is the key document that is referenced in the above errata.

#### Reissued [attribute]

*Reissued is optional. A single instance might exist.*

Either "Yes" or "No".

*This item is restricted to the following list.*

**Yes**


**No**

#### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

#### StatementHeader

*StatementHeader is mandatory. A single instance is required.*



# Statement

## papiNet Standard Version 2.31

---

---

Information that applies to the entire Statement message.

### **StatementDetail**

*StatementDetail is mandatory. One instance is required, multiple instances might exist.*

The specifics of the information being communicated in the Statement message.

# Statement

## papiNet Standard Version 2.31

### Primary Elements

#### StatementHeader

Information that applies to the entire Statement message.


##### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

##### StatementNumber

*StatementNumber is mandatory. A single instance is required.*

A number used to identify the Statement.



##### StatementResponseDate

*StatementResponseDate is mandatory. A single instance is required.*

##### RequestNumber

*RequestNumber is optional. A single instance might exist.*

A unique tracking number specifically identifying the InfoRequest message to the originator. The tracking number is returned with the "information", the answer, to help match the answer to the request.

##### RequestingParty

*RequestingParty is optional. A single instance might exist.*

The party requesting the information.

##### RespondToParty

*RespondToParty is optional. Multiple instances might exist.*

The party the document should be responded to.

##### SenderParty

*SenderParty is optional. A single instance might exist.*


The business entity issuing the business document, the source of the document.

- This is the same entity as the "From" party in the ebXML message service envelope. The entity responsible for the content. If the sender party has outsourced the transmission function to a third party the sender party is the original party not the party performing the transmission service.

##### ReceiverParty

*ReceiverParty is optional. Multiple instances might exist.*

The business entity for whom the business document is intended, the destination of



# Statement

## papiNet Standard Version 2.31

---

---

the document.

- This is the same entity as the "To" party in the ebXML message service envelop. The entity interested in the content. If the receiver party has outsourced the message receipt function to a third party the receiver party is the intended party not the party performing the receiving process.

### **DateTimeRange**

*DateTimeRange is optional. A single instance might exist.*

The delivery date and/or time range.

### **AdditionalText**

*AdditionalText is optional. Multiple instances might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

# Statement papiNet Standard Version 2.31

## StatementDetail

The specifics of the information being communicated in the Statement message.

### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

#### InvoiceNumber

*InvoiceNumber is mandatory. A single instance is required.*

The identification number of the invoice, generated by the seller.

#### InvoiceDate

*InvoiceDate is mandatory. A single instance is required.*

The issue date of the invoice. This date often drives payment terms. Note that this date is not necessarily the same as the creation date of the invoice.

#### InvoiceReference

*InvoiceReference is optional. Multiple instances might exist.*

A group item detailing relevant references pertaining to the invoice message. InvoiceReferenceType describes the content.

#### BillToParty

*BillToParty is mandatory. A single instance is required.*


The address where the invoice is to be sent.

#### SupplierParty

*SupplierParty is mandatory. A single instance is required.*

The organisation or business entity responsible for providing the product.

SupplierParty is also the seller of the product, if Seller is not specified as OtherParty



# Statement

## papiNet Standard Version 2.31

---

---

= Seller.

### **BuyerParty**

*BuyerParty is mandatory. A single instance is required.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

### **RemitToParty**

*RemitToParty is optional. A single instance might exist.*

A group item containing details of the party to whom payment will be made. The RemitToParty contains all information related to remittance.

### **OtherParty**

*OtherParty is optional. Multiple instances might exist.*

An organisation or business entity other than those specifically detailed within a business document.

### **LocationParty**

*LocationParty is optional. Multiple instances might exist.*

The organization or business entity where the business event took place or will take place.

### **TotalAmount**

*TotalAmount is mandatory. A single instance is required.*

A field containing the total amount including tax.

- PurchaseOrder: The total amount, using a valid unit of measure of all the items in the message. Multiple total amounts are allowed so different units of measure or grade sub-totals can be communicated.
- CreditDebitNote and Invoice: TotalAmount is equal to TotalNetAmount plus TotalTaxAmount. In certain countries this is the amount that is due for payment based upon the terms of payment.

### **InformationalAmount**

*InformationalAmount is optional. Multiple instances might exist.*

A monetary amount used for information purposes only (not for calculation). For example, the invoice price adjustment subtotal is expressed in sterling pounds, and the buyer wants this information expressed in U.S. dollars.

- CreditDebitNote and Invoice - The TaxAmount is displayed in the currency that is applicable throughout the message. When a TaxAmount needs to be displayed in a different national currency, this field is used.

### **(sequence)**

*The contents of (sequence) are optional. Multiple instances might exist.*

### **TermsOfPayment**

*TermsOfPayment is mandatory. A single instance is required.*

A group item that contains agreed-to terms defining when, how, and under what conditions the payment is to be made.



# Statement

## papiNet Standard Version 2.31

---

---

When TermsOfPayment is optional; if omitted, TermsOfPayment is controlled through previous negotiation.

### **TotalNetOfTermsDiscount**

*TotalNetOfTermsDiscount is optional. A single instance might exist.*

The components of the amount to be paid if payment terms are met, including the amount that is subject to the payment terms discount, the discount amount, and the net amount due.

### **TotalPaymentAmount**

*TotalPaymentAmount is mandatory. A single instance is required.*

The amounts which were paid and booked against the original invoice.

### **TotalOpenAmount**

*TotalOpenAmount is mandatory. A single instance is required.*

InvoiceAmount less the sum of all payment amounts, translated to one common currency.

### **StatementInformation**

*StatementInformation is mandatory. A single instance is required.*

Invoice information for the statement.

### **OtherDate**

*OtherDate is optional. Multiple instances might exist.*

A date that may not be specifically detailed within a document (example: print date at the PurchaseOrderLineItem).

### **GeneralLedgerAccount**

*GeneralLedgerAccount is optional. A single instance might exist.*

The general ledger account to be referenced for the item.

### **AdditionalText**

*AdditionalText is optional. Multiple instances might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

# Statement papiNet Standard Version 2.31

## Statement Business Scenarios

### Statement Business Scenarios

#### Scenario A

<b>Document</b>	Statement
<b>Scenario</b>	Partners have previously agreed upon the Supplier publishing a periodic Statement update on a specific schedule.
<b>Outcome</b>	A Statement is generated by the Supplier's system and received into the Buyer's system
<b>Initiator</b>	scheduled
<b>Receiver</b>	Buyer
<b>Step 1</b>	<p>Supplier initiates a Statement message at predefined intervals. At a minimum, all required elements and corresponding attributes are recorded.</p> <ul style="list-style-type: none"> <li>• StatementType = ByBuyerParty</li> <li>• StatementNumber = unique number</li> <li>• StatementResponseDate = response date</li> <li>• SenderParty = supplier</li> <li>• RequestingParty = publisher / buyer</li> <li>• RespondToParty = publisher / buyer</li> <li>• BuyerParty = filter according to scheduler</li> </ul>

#### Scenario B

<b>Document</b>	Statement
<b>Scenario</b>	A sales agent wants to import the payment status of his customers in his IT system. The Supplier publishes the currently open invoices after receiving the InfoReuestType "Statement", not "Paid", "ByBuyerParty".
<b>Outcome</b>	A Statement is generated by the Supplier's system and received into the agent's IT system.
<b>Initiator</b>	Agent
<b>Receiver</b>	Supplier

## Statement papiNet Standard Version 2.31

---

---

<b>Trigger</b>	InfoRequest
<b>Step 1</b>	The agent logs onto his IT system and views invoices. Indicates for which invoices status is requested. An InfoRequest is created and sent to the Supplier.
<b>Step 2</b>	IT system of agent flags all invoices for the specific customers as "unpaid" or "PartiallyPaid" which are sent in the Statement message.