



papiNet



Book Order Status Documentation

papiNet Standard - Version 2.31

**Global Standard for the Paper and Forest
Products Supply Chain**

Build V2R31_20100415

Date 2010-04-26

Production Release

Book Order Status Documentation

papiNet Standard - Version 2.31

Copyright

Copyright 2000 – 2010 papiNet G.I.E (“papiNet”), International Digital Enterprise Alliance, Inc. (“IDEAlliance”), and American Forest & Paper Association, Inc. (“AF&PA”), collectively “Copyright Owner”. All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the papiNet specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

papiNet (formerly known as the European Paper Consortium for e-business - EPC), IDEAlliance (formerly known as the Graphic Communications Association - GCA), the parent organisation of IDEAlliance the Printing Industries of America (PIA), the American Forest and Paper Association (AF&PA), and the members of the papiNet Working Group (collectively and individually, “Presenters”) make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

Book Order Status Documentation

papiNet Standard - Version 2.31

Use of Documents in papiNet Implementations

Documents may be used as templates for a papiNet implementation. The Presenters grant the right to modify and edit them to fit an actual implementation project provided all copies display the copyright and any other proprietary notices contained in this document. Such modified documents must not be distributed beyond the trading partners implementing or maintaining a papiNet connection.

Additional Copyright Information

Additional copyrights may be referenced throughout this document in the appropriate section.

Book Order Status Documentation

papiNet Standard - Version 2.31

Table of Contents

Copyright.....	2
Use of Documents in papiNet Implementations.....	3
Additional Copyright Information.....	3
Table of Contents.....	4
Order Status Documentation.....	5
Introduction.....	5
An Overview of the OrderStatus Message.....	5
The Scope of the OrderStatus Message.....	5
Order Status Message Types.....	6
OrderStatus Business Rules.....	6
Processing the OrderStatus message.....	7
OrderStatus Schema Structure and Processing Logic.....	8
Book Order Status Documentation.....	9
OrderStatus.....	9
Primary Elements.....	10
OrderStatusHeader.....	10
OrderStatusDetail.....	12
Order Status Business Scenarios.....	16
OrderStatus Business Scenarios.....	16

Book Order Status Documentation

papiNet Standard - Version 2.31

Order Status Documentation

Introduction

This document is designed for use within the Book Manufacturing Industry, consisting of publishers, printers, and component suppliers including paper. It is based upon the standard papiNet Order Status Message, but customized to fit the Book Manufacturing Industry usage. It will be useful to become acquainted with certain papiNet documents such as the Data Dictionary and Business Process. These can be found at the papiNet site, <http://www.papinet.org>.

An Overview of the OrderStatus Message

The purpose of the OrderStatus message is for the Printer/Binder or Component vendor to report the current status of an order, specific order line items, or to report status of multiple orders based upon some specified criteria. The message enables the sender to indicate a primary status as well as an additional secondary status at the order level as well as for each line and component.

Prior to implementing an OrderStatus message it is assumed that the parties involved have already opened a trading partner relationship and a collaborative agreement has been reached. Such an agreement might include frequency of messages, content details, etc.

A trading partner sends an OrderStatus message to another trading partner based on a schedule or on an event basis agreed between them. The event that triggers an OrderStatus message might be the receipt of an InfoRequest message, or a manufacturing stage.

The Scope of the OrderStatus Message

The OrderStatus message includes:

- A specific date upon which the OrderStatus is generated;
- Purchase order information such as PO number, release number, PO date; and/or product information such as ISBN Number, Title, Author;
- SenderParty
- OrderPrimaryStatus

The OrderStatus message may include:

- Quantity information such as the original order quantity as well as the current order status quantities (such as the number of reels in a

Book Order Status Documentation

papiNet Standard - Version 2.31

certain manufacturing stage; the number of reels shipped, etc.)

- Order product details such as item numbers, and paper characteristics
- Dates, such as press date, last date of change, and estimated delivery date
- OrderSecondaryStatus
- Order line level Primary Status and Secondary Status
- Carrier and transportation information

Order Status Message Types

There are three message types for the OrderStatus message:

- ByPurchaseOrder
- BySupplierOrderNumber
- ByProduct

OrderStatus Business Rules

The following table list the business rules that apply to OrderStatus message

Identifier Business Rule

OS001	The OrderPrimaryStatus must apply to the order as a whole (i.e., an order cannot be considered to be "Complete" unless each line item is "Complete")
OS002	If the OrderStatus message is in response to an InfoRequest message, the RequestNumber must be included and reflect the RequestNumber of the InfoRequest.
OS003	If the InfoRequest message does not indicate a specific line item, the response must include each line item and its corresponding status.
OS004	If the InfoRequest message order status request type indicates a response type of "ByPurchaseOrder", then the OrderStatusType must also be "ByPurchaseOrder". Similarly for InfoRequest order status request types of "ByProduct" and "BySupplierOrderNumber". The

Book Order Status Documentation

papiNet Standard - Version 2.31

OrderStatusType must be of "ByProduct" and "BySupplierOrderNumber" respectively.
--

Processing the OrderStatus message

- The OrderStatus message is the proper response to an InfoRequest message containing an InfoRequestType of "OrderStatus". Alternatively, it may be published on a previously agreed upon schedule based on time intervals or process manufacturing stages. Under this second scenario, the supplier would publish the message at the agreed upon schedule without requiring an InfoRequest message as the trigger.
- It is possible that the OrderStatus message would not be received and processed by the recipient's procurement or order generation system. In this scenario, the OrderStatus message would be received and printed out for distribution to interested parties or alternatively published 'on line' and viewed via a URL or some form of website access designed to display the status.
- The OrderStatus message is an information-only message. It does not alter the legal agreement between the parties regarding the order submission and fulfilment. If the OrderStatus message indicates a serious problem or issue with the ability of the supplier to fulfil the order, then the parties involved must resolve the issue. If the OrderStatus message indicates that the PurchaseOrder cannot be fulfilled, then the Parties to this transaction must resolve this open transaction through other means. (It is recommended that an Amended OrderConfirmation message be sent when a PurchaseOrder cannot be fulfilled.)
- Based on the message information requested by the customer, the OrderStatus is processed automatically in the supplier's system.

Book Order Status Documentation

papiNet Standard - Version 2.31

OrderStatus Schema Structure and Processing Logic

This section provides a detailed graphical view of the OrderStatus Schema structure; the InventoryStatus root element, the OrderStatusHeader and the OrderStatus. Discussions of the subordinates to Invoice can be found in the Glossary document and a review of the data-types can be found in the Design document (available at www.papiNet.org). This section also contains a review of the processing logic that is special to the OrderStatus message.

The graphical display of the Schema contains occurrence indicators and data type information. These indicators appear to the left of the boxes in the schema graphic and they have the following meanings:

- (Blank) Required, single instance
- (+) Required, multiple instances
- (?) Optional, single instance
- (*) Optional, multiple instances

Book Order Status Documentation

papiNet Standard - Version 2.31

Book Order Status Documentation


OrderStatus

The root element of the Order Status message.

OrderStatusType [attribute] Type (Order Status Message Definition)

OrderStatusType is mandatory. A single instance is required.

Be aware that this attribute has two rather dissimilar definitions depending on where it is used.



OrderStatus

- Communicates the method in which the order status has been summarized.

PurchaseOrderWood

- Communicates the stage of the wood Purchase Order.

Refer to the main item definition for any enumerations.

Language [attribute]

Language is optional. A single instance might exist.

XML has embraced 2 and 3 digit language codes through the application of an addendum to the standard.

Refer to the main item definition for any enumerations.

OrderStatusHeader

OrderStatusHeader is mandatory. A single instance is required.

Information that applies to the entire Order Status message.

OrderStatusDetail

OrderStatusDetail is mandatory. One instance is required, multiple instances might exist.

The specifics of the information being communicated in the Order Status message.

Book Order Status Documentation

papiNet Standard - Version 2.31

Primary Elements

OrderStatusHeader

Information that applies to the entire Order Status e-document.

(sequence)

The sequence of items below is mandatory. A single instance is required.

OrderStatusNumber

OrderStatusNumber is mandatory. A single instance is required.

A number used to identify the Order Status report.



OrderStatusResponseDate

OrderStatusResponseDate is mandatory. A single instance is required.

The Date and Time that the OrderStatus message was created.

RequestNumber

RequestNumber is optional. A single instance might exist.

A unique tracking number specifically identifying the InfoRequest message to the originator. The tracking number is returned with the "information", the answer, to help match the answer to the request.

RequestingParty

RequestingParty is optional. A single instance might exist.

The party requesting the information.

RespondToParty


RespondToParty is optional. Multiple instances might exist.

The party the document should be responded to.

SenderParty

SenderParty is optional. A single instance might exist.

The business entity issuing the business document, the source of the document.



Book Order Status Documentation

papiNet Standard - Version 2.31

The entity responsible for the content. If the sender party has out sourced the message service to a third party the SenderParty is the issuer of the e-document and not the party performing the transmission service of the electronic message.

ReceiverParty

ReceiverParty is optional. Multiple instances might exist.

The business entity for whom the business document is intended, the destination of the document.

The entity interested in the content. If the receiver party has outsourced the message service to a third party the ReceiverParty is the intended party for the e-document and not the party performing the receiving service of the electronic message.

AdditionalText

AdditionalText is optional. Multiple instances might exist.

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

OrderStatusReference

OrderStatusReference is optional. Multiple instances might exist.

An item detailing relevant references (such as contract number) pertaining to the Order status. The type of reference is identified by the attribute OrderStatusReferenceType.

Book Order Status Documentation

papiNet Standard - Version 2.31

OrderStatusDetail

The specifics of the information being communicated in the Order Status e-document.

(sequence)

The sequence of items below is mandatory. A single instance is required.

PurchaseOrderInformation

PurchaseOrderInformation is mandatory. A single instance is required.

A group item containing information unique to this purchase order, which is provided by the buyer. PurchaseOrderInformation can be optional in the supply chain. Invoices are created without having a Purchase Order in Vendor Managed Inventory. Freight invoices also will not have a Purchase Order number.

PurchaseOrderLineItemNumber

PurchaseOrderLineItemNumber is mandatory. A single instance is required.

The sequential number that uniquely identifies the purchase order line item.

(sequence)

The sequence of items below is optional. Multiple instances might exist.

SupplierOrderNumber

SupplierOrderNumber is mandatory. A single instance is required.

The number of the supplier order.


SupplierOrderLineItemNumber

SupplierOrderLineItemNumber is optional. A single instance might exist.

The number of the line item on the supplier order.

LocationParty

LocationParty is optional. A single instance might exist.



Book Order Status Documentation

papiNet Standard - Version 2.31

The organization or business entity where the business event took place or will take place.

Product

Product is mandatory. A single instance is required.

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.

SupplierParty

SupplierParty is optional. A single instance might exist.

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

BuyerParty

BuyerParty is optional. A single instance might exist.

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

ShipToParty

ShipToParty is optional. A single instance might exist.

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

EndUserParty

EndUserParty is optional. A single instance might exist.

The party using, consuming, or converting the product. For example, a printer using paper reels for a print job for a publisher. The final ShipTo destination for a product is normally to the end user's facilities.

ForwarderParty

ForwarderParty is optional. A single instance might exist.

The trading partner involved in the forwarding of the shipment.

MerchantParty

MerchantParty is optional. A single instance might exist.

This named party represents the merchant involved in the business transaction. This party is only used in the communication of Order Status otherwise it is handled via OtherParty.

SalesOfficeParty

Book Order Status Documentation

papiNet Standard - Version 2.31

SalesOfficeParty is optional. A single instance might exist.

This named party represents the sales office involved in the business transaction. This party is only used in the communication of Order Status otherwise it is handled via OtherParty.

LocationParty

LocationParty is optional. A single instance might exist.

The organization or business entity where the business event took place or will take place.

OtherParty

OtherParty is optional. Multiple instances might exist.

An organisation or business entity other than those specifically detailed within a business document.

OrderStatusInformation

OrderStatusInformation is optional. A single instance might exist.

A group element that stores two levels of Order status codes.

Quantity

Quantity is optional. A single instance might exist.

The Quantity element contains attributes that provide information about the type of quantity that is being communicated, the context in which the particular quantity is to be viewed, and (if the quantity represents an adjustment) an adjustment type.

The Quantity element contains three child elements that enable you to communicate a range of values for the quantity and a target or actual value. It is at this level (Value, RangeMin, and RangeMax) that the unit of measure is specified. This permits the range to be specified in a different unit of measure than the target.

InformationalQuantity

InformationalQuantity is optional. Multiple instances might exist.

A quantity given in a valid UOM used for information purposes only (not for calculation). For example, an ordered quantity was 100 reels as opposed to the invoice quantity of 20,000 pounds.

LastDateOfChange

LastDateOfChange is optional. A single instance might exist.

The last date for which changes to the line item may occur before it is "locked" in the production process. LastDateOfChange encapsulates Date.

DeliveryDateWindow

DeliveryDateWindow is optional. A single instance might exist.

Book Order Status Documentation

papiNet Standard - Version 2.31

A group item defining the date/time interval for delivery to take place. An element which may contain the estimated date for which delivery is expected. This date is not absolute.

OtherDate

OtherDate is optional. Multiple instances might exist.

A date that may not be specifically detailed within a document (example: print date at the PurchaseOrderLineItem).

ShipmentDetails

ShipmentDetails is optional. Multiple instances might exist.

A group element containing information that relates to the shipment details for the line item.

AdditionalText

AdditionalText is optional. Multiple instances might exist.

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

OrderStatusReference

OrderStatusReference is optional. Multiple instances might exist.

An item detailing relevant references (such as contract number) pertaining to the Order status. The type of reference is identified by the attribute OrderStatusReferenceType.

Book Order Status Documentation

papiNet Standard - Version 2.31

Order Status Business Scenarios

OrderStatus Business Scenarios

Scenario A	Buyer/Publisher issues a Purchase Order to a Supplier and issues an InfoRequest to learn about the status of the order within the supplier's system. The InfoRequestType is "OrderStatus".
Scenario B	Buyer/Publisher issues a Purchase Order and later issues an InfoRequest to learn about the status of a specific product on that PO which has been ordered. The InfoRequestType is "OrderStatus".
Scenario C	Scenario C is skipped in the Book model for consistency at the documentation level with the broader papiNet Standard.
Scenario D	Partners have previously agreed upon the Supplier publishing a periodic OrderStatus update on a specific schedule. There is no InfoRequest message.
Scenario E	A small enterprise wants to check the status of an order via a web browser at an online marketplace. The Supplier publishes the current complete order status. The InfoRequestType is "OrderStatus".
Scenario F	Printer/Binder issues an InfoRequest to a Component Vendor to learn about the status of a Purchase Order issued by a Publisher to the Component Vendor for a product to be shipped to the Printer/Binder.

Book Order Status Documentation papiNet Standard - Version 2.31

Scenario A

Message	OrderStatus
Type	ByPurchaseOrder
Business Scenario	<p>Buyer/Publisher issues a Purchase Order to a Supplier and issues an InfoRequest to learn about the status of the order within the Mill system. The InfoRequestType is "OrderStatus" and the OrderStatusRequestDetailType is "ByPurchaseOrder".</p> <pre> sequenceDiagram participant Buyer as Buyer : RequestingParty participant Supplier as Supplier : ReceiverParty Buyer->>Supplier: Receive InfoRequest() Supplier-->>Buyer: BusinessAcknowledgement participant Supplier as Supplier : SenderParty participant Publisher as Publisher : ReceiverParty Supplier->>Publisher: Receive OrderStatus() Publisher-->>Supplier: BusinessAcknowledgement </pre>
Scenario Outcome	An InfoRequest is generated by the Buyer's system and received into the Supplier's system.
Initiator	Buyer
Receiver	Supplier
Trigger	None
Step 1	<p>Buyer records an original request into their system then sends it to the Supplier. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"> • InfoRequestType = OrderStatus • RequestNumber = unique number • SenderParty = publisher • RequestingParty = publisher • RespondToParty = publisher • OrderStatusRequestDetailType = ByPurchaseOrder


Book Order Status Documentation papiNet Standard - Version 2.31

	<ul style="list-style-type: none">• ByPurchaseOrder = specified PO
Step 2	<p>Seller receives an InfoRequest and responds with OrderStatus. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none">• OrderStatusType = ByPurchaseOrder• OrderStatusNumber = unique number• OrderStatusResponseDate = response date• RequestNumber = unique number• SenderParty = supplier• RequestingParty = publisher• RespondToParty = publisher• For each PO line item:<ul style="list-style-type: none">• PurchaseOrderInformation = specified PO• PurchaseOrderLineItemNumber = PO line item• OrderStatusCode = status of PO line item• Product = product identifier <p>It is likely that many of the optional elements in the OrderStatus message will also be populated in the response message.</p>

Book Order Status Documentation

papiNet Standard - Version 2.31

Scenario B

Message	OrderStatus
Type	ByPurchaseOrder
Business Scenario	<p>Buyer/Publisher issues a Purchase Order and later issues an InfoRequest to learn about the status of two specific line items contained within the Order. The InfoRequestType is "OrderStatus" and the OrderStatusRequestDetailType is "ByPurchaseOrder".</p>  <pre> sequenceDiagram participant Buyer as Buyer : RequestingParty participant Supplier as Supplier : ReceiverParty Buyer->>Supplier: Receive InfoRequest() activate Supplier Supplier-->>Buyer: BusinessAcknowledgement deactivate Supplier participant Supplier as Supplier : SenderParty participant Publisher as Publisher : ReceiverParty Supplier->>Publisher: Receive OrderStatus() activate Publisher Publisher-->>Supplier: BusinessAcknowledgement deactivate Publisher </pre>
Outcome	An InfoRequest is generated by the Buyer's system and received into the Supplier's system.
Initiator	Buyer
Receiver	Supplier
Trigger	None
Step 1	<p>Buyer records an original request into their system then sends it to the Supplier. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"> • InfoRequestType = OrderStatus • RequestNumber = unique number • SenderParty = publisher • RequestingParty = publisher • RespondToParty = publisher • OrderStatusRequestDetailType = ByPurchaseOrder


Book Order Status Documentation papiNet Standard - Version 2.31

	<ul style="list-style-type: none"> • ByPurchaseOrder = specified PO • PurchaseOrderLineItemNumber = specified PO line item 1 • PurchaseOrderLineItemNumber = specified PO line item 2
Step 2	<p>Seller receives an InfoRequest and responds with OrderStatus. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"> • OrderStatusType = ByPurchaseOrder • OrderStatusNumber = unique number • OrderStatusResponseDate = response date • RequestNumber = unique number • SenderParty = supplier • RequestingParty = publisher • RespondToParty = publisher • For each PO line item: <ul style="list-style-type: none"> • PurchaseOrderInformation = specified PO • PurchaseOrderLineItemNumber = PO line item • OrderStatusCode = status of PO line item • Product = product identifier <p>It is likely that many of the optional elements in the OrderStatus message will also be populated in the response message.</p>

Book Order Status Documentation

papiNet Standard - Version 2.31

Scenario D

Message	OrderStatus
Type	ByPurchaseOrder or ByProduct
Business Scenario	<p>Partners have previously agreed upon the Supplier publishing a periodic OrderStatus update on a specific schedule.</p>  <pre> sequenceDiagram participant S as Supplier : SenderParty participant P as Publisher : ReceiverParty S->>P: Receive OrderStatus() P-->>S: BusinessAcknowledgement </pre>
Outcome	An OrderStatus is generated by the Supplier's system and received into the Buyer's system.
Initiator	NA
Receiver	Buyer
Trigger	Prearranged schedule
Step 1	<p>Supplier initiates an OrderStatus message at predefined intervals. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"> • OrderStatusType = ByPurchaseOrder or ByProduct • OrderStatusNumber = unique number • OrderStatusResponseDate = response date • SenderParty = supplier • RequestingParty = publisher • RespondToParty = publisher • For each PO line item: <ul style="list-style-type: none"> • PurchaseOrderInformation = specified PO • PurchaseOrderLineItemNumber = PO line item <p>and/or</p> <ul style="list-style-type: none"> • Product = product identifier

Book Order Status Documentation papiNet Standard - Version 2.31

- OrderStatusCode = status of PO line item

It is likely that many of the optional elements in the OrderStatus message will also be populated in the response message.

Book Order Status Documentation

papiNet Standard - Version 2.31

Scenario E

Message	OrderStatus
Type	ByPurchaseOrder
Business Scenario	<p>A small enterprise wants to check the status of an order via a web browser at an online marketplace. The Supplier publishes the current complete order status. The InfoRequestType is "OrderStatus" and the OrderStatusRequestDetailType is "ByPurchaseOrder".</p> <pre> sequenceDiagram participant Buyer as Buyer : RequestingParty participant Supplier as Supplier : ReceiverParty Buyer->>Supplier: Receive InfoRequest() activate Supplier Supplier-->>Buyer: BusinessAcknowledgement deactivate Supplier participant Supplier as Supplier : SenderParty participant Publisher as Publisher : ReceiverParty Supplier->>Publisher: Receive OrderStatus() activate Publisher Publisher-->>Supplier: BusinessAcknowledgement deactivate Publisher </pre>
Outcome	An OrderStatus is generated by the Supplier's system and received into the Buyer's/Marketplace's system.
Initiator	Buyer/website
Receiver	Supplier
Trigger	InfoRequest
Step 1	<p>The Buyer logs on to the website and views open orders online and indicate orders for which status is requested. Website creates InfoRequest and sends it to the Supplier. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"> • InfoRequestType = OrderStatus • RequestNumber = unique number • SenderParty = website or e-marketplace • RequestingParty = publisher • RespondToParty = website or e-marketplace

Book Order Status Documentation papiNet Standard - Version 2.31

	<ul style="list-style-type: none"> • OrderStatusRequestDetailType = ByPurchaseOrder • ByPurchaseOrder = specified PO
Step 2	<p>Seller receives InfoRequest and responds with OrderStatus. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"> • OrderStatusType = ByPurchaseOrder • OrderStatusNumber = unique number • OrderStatusResponseDate = response date • RequestNumber = unique number • SenderParty = supplier • RequestingParty = website or e-marketplace • RespondToParty = publisher • For each PO line item: <ul style="list-style-type: none"> • PurchaseOrderInformation = specified PO • PurchaseOrderLineItemNumber = PO line item • OrderStatusCode = status of PO line item • Product = product identifier <p>It is likely that many of the optional elements in the OrderStatus message will also be populated in the response message.</p>

Book Order Status Documentation

papiNet Standard - Version 2.31

Scenario F

Message	OrderStatus
Type	ByPurchaseOrder
Business Scenario	<p>Buyer/Publisher issues a PurchaseOrder to the Component Vendor for a cover to be sent to a printer/binder and transmits a copy of the PurchaseOrder to the printer/binder. The Printer/Binder later issues an InfoRequest to learn about the status of the covers on which had been sent to the component vendor. The InfoRequestType is "OrderStatus" and the OrderStatusRequestDetailType is "ByPurchaseOrder".</p> <pre> sequenceDiagram participant Buyer as Buyer : RequestingParty participant Supplier as Supplier : ReceiverParty Buyer->>Supplier: Receive InfoRequest() Supplier-->>Buyer: BusinessAcknowledgement participant Supplier as Supplier : SenderParty participant Publisher as Publisher : ReceiverParty Supplier->>Publisher: Receive OrderStatus() Publisher-->>Supplier: BusinessAcknowledgement </pre>
Outcome	An InfoRequest is generated by the Printer/Binder's system and received in the Component Vendor's system.
Initiator	Printer/Binder
Receiver	Supplier (Component Vendor)
Trigger	None
Step 1	Printer/Binder records an original request in their system then sends it to the Supplier (component vendor). At a minimum, a list of cover elements and corresponding attributes are recorded:

Book Order Status Documentation papiNet Standard - Version 2.31

	<ul style="list-style-type: none"> • InfoRequestType = OrderStatus • RequestNumber = unique number • SenderParty = printer/binder • RequestingParty = printer/binder • RespondToParty = printer/binder • OrderStatusRequestDetailType = ByPurchaseOrder • ByPurchaseOrder = specified PO • Product = specified product identifier
Step 2	<p>Supplier (Component Vendor) receives InfoRequest and responds with OrderStatus. At a minimum, all required elements and their corresponding attributes are recorded:</p> <ul style="list-style-type: none"> • OrderStatusType = ByPurchaseOrder • OrderStatusNumber = unique number • OrderStatusResponseDate = response date • RequestNumber = unique number • SenderParty = supplier • RequestingParty = publisher • RespondToParty = publisher • For each PO: <ul style="list-style-type: none"> • PurchaseOrderInformation = specified PO • OrderStatusCode = status of PO line • Product = product identifier <p>It is likely that many of the optional elements in the OrderStatus message will also be present in the response message.</p>

Element	Type	Required	Occurrence	Value/Notes
OrderStatus	Root	Required	Single	
Language	Attribute	Optional	Single	

Book Order Status Documentation papiNet Standard - Version 2.31

	OrderStatusType	Attribute	Required	Single	ByPurchaseOrd
	OrderStatusHeader	Group	Required	Single	
	OrderStatusNumber	Element	Required	Single	CG08134A
	OrderStatusResponseDate	Group	Required	Single	
	Date	Group	Required	Single	
	Year	Element	Required	Single	2002
	Month	Element	Required	Single	07
	Date	Element	Required	Single	22
	Time	Element	Optional	Single	
	RequestNumber	Element	Optional	Single	QM0802C07654
	RequestingParty	Group	Optional	Single	
	PartyIdentifier	Element	Optional	Multiple	9876534
	PartyIdentifierType	Attribute	Required	Single	SAN
	NameAddress	Group	Required	Single	
	Name1	Element	Required	Single	Harper Collins P
	RespondToParty	Group	Optional	Multiple	Party Construct
	PartyIdentifier	Element	Optional	Multiple	7778888
	PartyIdentifierType	Attribute	Required	Single	SAN
	NameAddress	Group	Required	Single	
	Name1	Element	Required	Single	Quebecor - Mart
	SenderParty	Group	Optional	Single	Party Construct
	PartyIdentifier	Element	Optional	Multiple	6665555
	PartyIdentifierType	Attribute	Required	Single	SAN
	NameAddress	Group	Required	Single	
	Name1	Element	Required	Single	Coral Graphics
	ReceiverParty	Group	Optional	Multiple	Party Construct
	PartyIdentifier	Element	Optional	Multiple	9876534
	PartyIdentifierType	Attribute	Required	Single	SAN
	NameAddress	Group	Required	Single	
	Name1	Element	Required	Single	Harper Collins P
	AdditionalText	Element	Optional	Multiple	
	OrderStatusDetail	Element	Required	Multiple	
	PurchaseOrderInformation	Group	Required	Single	
	PurchaseOrderNumber	Element	Required	Single	C-01056065
	PurchaseOrderReleaseNumber	Element	Optional	Single	
	PurchaseOrderIssuedDate	Group	Optional	Single	
	PurchaseOrderReference	Element	Optional	Multiple	
	PurchaseOrderReferenceType	Attribute	Required	Single	
	PurchaseOrderLineItemNumber	Element	Optional	Single	001
	"Supplier Order Group"	Group	Optional	Multiple	
	SupplierOrderNumber	Element	Required	Single	
	SupplierOrderLineItemNumber	Element	Optional	Single	

Book Order Status Documentation papiNet Standard - Version 2.31

		LocationParty	Group	Optional	Single	Party Construct
		Product	Group	Optional	Single	
		ProductIdentifier	Element	Required	Multiple	Jacket00603924
		ProductIdentifierType	Attribute	Required	Single	PartNumber
		Agency	Attribute	Required	Single	Buyer
		ProductDescription	Group	Optional	Multiple	
		Language	Attribute	Required	Single	
		Text	Element	Required	Single	
		Classification	Group	Optional	Multiple	
		ClassificationCode	Element	Required	Single	
		Agency	Attribute	Required	Single	
		ClassificationDescription	Element	Optional	Multiple	
		Book Manufacturing	Group	Optional	Single	
		SupplierParty	Group	Optional	Single	
		BuyerParty	Group	Optional	Single	
		ShipToParty	Group	Optional	Single	
		EndUserParty	Group	Optional	Single	
		ForwarderParty	Group	Optional	Single	
		MerchantParty	Group	Optional	Single	
		SalesOfficeParty	Group	Optional	Single	
		LocationParty	Group	Optional	Single	
		OtherParty	Group	Optional	Multiple	
		OrderStatusInformation	Group	Optional	Single	
		OrderPrimaryStatus	Element	Required	Single	Accepted
		OrderStatusCode	Attribute	Required	Single	Packed
		OrderSecondaryStatus	Element	Optional	Single	Accepted
		OrderStatusCode	Attribute	Optional	Single	Unshipped
		Quantity	Group	Optional	Single	
		Value	Element	Required	Single	16110
		UOM	Attribute	Required	Single	Unit
		RangeMin	Element	Optional	Single	
		RangeMax	Element	Optional	Single	
		InformationalQuantity	Group	Optional	Multiple	
		Value	Element	Required	Single	
		RangeMin	Element	Optional	Single	
		RangeMax	Element	Optional	Single	
		LastDateOfChange	Group	Optional	Single	
		DeliveryDateWindow	Group	Optional	Multiple	
		DeliveryDateType	Attribute	Required	Single	DeliveryRequestedD
	1	DateTimeRange	Group	Optional	Single	
	1	Date	Group	Required	Single	
		Year	Element	Required	Single	2002
		Month	Element	Required	Single	07

Book Order Status Documentation papiNet Standard - Version 2.31

			Date	Element	Required	Single	23
			Time	Element	Optional	Single	
		OtherDate		Group	Optional	Multiple	
	1		Date	Group	Required	Single	
			Time	Element	Optional	Single	
	1		Week	Element	Required	Single	
		ShipmentDetails		Element	Optional	Multiple	
		AdditionalText		Element	Optional	Multiple	
Element				Type	Required	Occur- rence	Value/Notes
OrderStatus				Root	Required	Single	
	Language			Attribute	Optional	Single	
	OrderStatusType			Attribute	Required	Single	ByProduct
	OrderStatusHeader			Element	Required	Single	
	OrderStatusNumber			Element	Required	Single	2VNH09212002
	OrderStatusResponseDate			Group	Required	Single	
		Date		Group	Required	Single	
			Year	Element	Required	Single	2002
			Month	Element	Required	Single	09
			Date	Element	Required	Single	21
		Time		Element	Optional	Single	
	RequestNumber			Element	Optional	Single	
	RequestingParty			Group	Optional	Single	
	RespondToParty			Group	Optional	Multiple	
	SenderParty			Group	Optional	Single	
		PartyIdentifier		Element	Optional	Multiple	1234567
			PartyIdentifierType	Attribute	Optional	Single	SAN
		NameAddress		Group	Required	Single	
			Name1	Element	Required	Single	VonHoffmannPress
	ReceiverParty			Group	Optional	Multiple	
	AdditionalText			Element	Optional	Multiple	
1	OrderStatusDetail			Element	Required	Multiple	
	PurchaseOrderInformation			Group	Required	Single	
		PurchaseOrderNumber		Element	Required	Single	30-B88766A
		PurchaseOrderReleaseNumber		Element	Optional	Single	
		PurchaseOrderIssuedDate		Group	Optional	Single	
		PurchaseOrderReference		Element	Optional	Multiple	007111511X
			PurchaseOrderReferenceType	Attribute	Required	Single	ISBN10
		PurchaseOrderReference		Element	Optional	Multiple	Chang
			PurchaseOrderReferenceType	Attribute	Required	Single	Author
	PurchaseOrderLineItemNumber			Element	Required	Single	001
	"Supplier Order Group"			Group	Optional	Multiple	
		SupplierOrderNumber		Element	Required	Single	
		SupplierOrderLineItemNumber		Element	Optional	Single	
		LocationParty		Group	Optional	Single	

Book Order Status Documentation papiNet Standard - Version 2.31

		Product	Group	Optional	Single	
	1	ProductIdentifier	Element	Required	Multiple	
		ProductIdentifierType	Element	Required	Single	
		Agency	Attribute	Required	Single	
		ProductDescription	Group	Optional	Multiple	
		Classification	Group	Optional	Multiple	
		SupplierParty	Group	Optional	Single	
		PartyIdentifier	Element	Optional	Multiple	1234567
		PartyIdentifierType	Attribute	Optional	Single	SAN
		NameAddress	Group	Required	Single	
		Name1	Element	Required	Single	VonHoffmannPress
		BuyerParty	Group	Optional	Single	
		ShipToParty	Group	Optional	Single	
		PartyIdentifier	Element	Optional	Multiple	1119999
		PartyIdentifierType	Attribute	Optional	Single	SAN
		NameAddress	Group	Required	Single	
		Name1	Element	Required	Single	McGraw-Hill
		Name2	Element	Optional	Single	Gahanna Warehouse
		OrderStatusInformation	Element	Optional	Single	
		OrderPrimaryStatus	Element	Required	Single	Accepted
		OrderStatusCode	Attribute	Required	Single	ActiveFree
		DeliveryDateWindow	Group	Optional	Multiple	
		DeliveryDateType	Attribute	Required	Single	DeliveryRequestedD
	1	Date	Group	Required	Single	
		Year	Element	Required	Single	2002
		Month	Element	Required	Single	10
		Date	Element	Required	Single	04
		Time	Element	Optional	Single	
		ShipmentDetails	Element	Optional	Multiple	
		ShipToParty	Group	Required	Single	
		PartyIdentifier	Element	Optional	Multiple	1119999
		PartyIdentifierType	Attribute	Optional	Single	SAN
		NameAddress	Group	Required	Single	
		Name1	Element	Required	Single	McGraw-Hill
		Name2	Element	Optional	Single	Gahanna Warehouse
2		OrderStatusDetail	Element	Required	Multiple	
		PurchaseOrderInformation	Group	Required	Single	
		PurchaseOrderNumber	Element	Required	Single	30-B91337
		PurchaseOrderReleaseNumber	Element	Optional	Single	
		PurchaseOrderIssuedDate	Group	Optional	Single	
		PurchaseOrderReference	Element	Optional	Multiple	0072380128
		PurchaseOrderReferenceType	Attribute	Required	Single	ISBN10
		PurchaseOrderReference	Element	Optional	Multiple	Mason
		PurchaseOrderReferenceType	Attribute	Required	Single	Author
		PurchaseOrderLineItemNumber	Element	Required	Single	001
		"Supplier Order Group"	Group	Optional	Multiple	

Book Order Status Documentation papiNet Standard - Version 2.31

		SupplierOrderNumber	Element	Required	Single	
		SupplierOrderLineItemNumber	Element	Optional	Single	
		LocationParty	Group	Optional	Single	
		Product	Group	Optional	Single	
	1	ProductIdentifier	Element	Required	Multiple	
		ProductIdentifierType	Element	Required	Single	
		Agency	Attribute	Required	Single	
		SupplierParty	Group	Optional	Single	
		PartyIdentifier	Element	Optional	Multiple	1234567
		PartyIdentifierType	Attribute	Optional	Single	SAN
		NameAddress	Group	Required	Single	
		Name1	Element	Required	Single	VonHoffmannPress
		OrderPrimaryStatus	Element	Required	Single	Cancelled
		OrderStatusCode	Attribute	Required	Single	Cancelled
		DeliveryDateWindow	Group	Optional	Multiple	
		DeliveryDateType	Attribute	Required	Single	DeliveryRequestedD
	1	Date	Group	Required	Single	
		Year	Element	Required	Single	2002
		Month	Element	Required	Single	11
		Date	Element	Required	Single	29
		Time	Element	Optional	Single	
3		OrderStatusDetail	Element	Required	Multiple	
		PurchaseOrderInformation	Group	Required	Single	
		PurchaseOrderNumber	Element	Required	Single	30-B89969
		PurchaseOrderReleaseNumber	Element	Optional	Single	
		PurchaseOrderIssuedDate	Group	Optional	Single	
		PurchaseOrderReference	Element	Optional	Multiple	0072315679
		PurchaseOrderReferenceType	Attribute	Required	Single	ISBN10
		PurchaseOrderReference	Element	Optional	Multiple	Hybels
		PurchaseOrderReferenceType	Attribute	Required	Single	Author
		PurchaseOrderLineItemNumber	Element	Required	Single	001
		"Supplier Order Group"	Group	Optional	Multiple	
		SupplierOrderNumber	Element	Required	Single	
		SupplierOrderLineItemNumber	Element	Optional	Single	
		LocationParty	Group	Optional	Single	
		Product	Group	Optional	Single	
	1	ProductIdentifier	Element	Required	Multiple	
		ProductIdentifierType	Element	Required	Single	
		Agency	Attribute	Required	Single	
		SupplierParty	Group	Optional	Single	
		PartyIdentifier	Element	Optional	Multiple	1234567
		PartyIdentifierType	Attribute	Optional	Single	SAN
		NameAddress	Group	Required	Single	
		Name1	Element	Required	Single	VonHoffmannPress
		BuyerParty	Group	Optional	Single	
		ShipToParty	Group	Optional	Single	

Book Order Status Documentation papiNet Standard - Version 2.31

		PartyIdentifier	Element	Optional	Multiple	1119999
		PartyIdentifierType	Attribute	Optional	Single	SAN
		NameAddress	Group	Required	Single	
		Name1	Element	Required	Single	McGraw-Hill
		Name2	Element	Optional	Single	Gahanna Warehouse
		OrderStatusInformation	Element	Optional	Single	
		OrderPrimaryStatus	Element	Required	Single	Accepted
		OrderStatusCode	Attribute	Required	Single	Packed
		OrderSecondaryStatus	Type	Optional	Single	Accepted
		OrderStatusCode	Attribute	Optional	Single	Unshipped
		Quantity	Group	Optional	Single	
		Value	Element	Required	Single	
		RangeMin	Element	Optional	Single	
		RangeMax	Element	Optional	Single	
		InformationalQuantity	Group	Optional	Multiple	
		Value	Element	Required	Single	
		RangeMin	Element	Optional	Single	
		RangeMax	Element	Optional	Single	
		LastDateOfChange	Group	Optional	Single	
		DeliveryDateWindow	Group	Optional	Multiple	
		DeliveryDateType	Attribute	Required	Single	DeliveryRequestedD
	1	DateTimeRange	Group	Optional	Single	
		DateTimeFrom	Group	Required	Single	
		Date	Element	Required	Single	
		Time	Element	Optional	Single	
		DateTimeTo	Group	Required	Single	
		Date	Element	Required	Single	
		Time	Element	Optional	Single	
	1	Month	Element	Required	Single	
	1	Week	Element	Required	Single	
	1	Date	Element	Required	Single	
		Year	Group	Required	Single	2002
		Month	Element	Required	Single	09
		Date	Element	Required	Single	20
		Time	Element	Optional	Single	
		OtherDate	Group	Optional	Multiple	
		ShipmentDetails	Element	Optional	Multiple	
		ShipToParty	Group	Required	Single	
		Quantity	Group	Optional	Single	