



**papiNet**

**ScaleTicket**

**papiNet Standard - Version 2.31**

**Documentation**

**Global Standard for the Paper and Forest  
Products Supply Chain**

**Build V2R31\_20100415**

**Date 2010-04-26**

**Production Release**

# ScaleTicket

## papiNet Standard - Version 2.31

---

---

### Copyright

Copyright 2000 – 2010 papiNet G.I.E (“papiNet”), International Digital Enterprise Alliance, Inc. (“IDEAlliance”), and American Forest & Paper Association, Inc. (“AF&PA”), collectively “Copyright Owner”. All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the papiNet specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

papiNet (formerly known as the European Paper Consortium for e-business - EPC), IDEAlliance (formerly known as the Graphic Communications Association - GCA), the parent organisation of IDEAlliance the Printing Industries of America (PIA), the American Forest and Paper Association (AF&PA), and the members of the papiNet Working Group (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

---

### Use of Documents in papiNet Implementations

Documents may be used as templates for a papiNet implementation. The Presenters grant the right to modify and edit them to fit an actual

---

# ScaleTicket

## papiNet Standard - Version 2.31

---

---

implementation project provided all copies display the copyright and any other proprietary notices contained in this document. Such modified documents must not be distributed beyond the trading partners implementing or maintaining a papiNet connection.

---

### **Additional Copyright Information**

Additional copyrights may be referenced throughout this document in the appropriate section.

# ScaleTicket

## papiNet Standard - Version 2.31

---

---

### Table of Contents

Copyright.....	2
Use of Documents in papiNet Implementations.....	2
Additional Copyright Information.....	3
Table of Contents.....	4
ScaleTicket Documentation.....	5
An Overview of the Scale Ticket Message.....	5
The Scope of Scale Ticket Message.....	6
ScaleTicketAcceptance [attribute].....	7
ScaleTicketRejectedType [attribute].....	8
Business Rules for ScaleTicket.....	9
Processing the Scale Ticket Message.....	9
ScaleTicket Structure.....	11
Understanding the Diagrams and Content.....	12
ScaleTicket Root Element.....	14
ScaleTicket.....	14
Primary Elements.....	18
ScaleTicketHeader.....	18
ScaleTicketLineItem.....	21
ScaleTicketSummary.....	24
ScaleTicket Business Scenarios.....	25
ScaleTicket Scenario Listing.....	25
Scenario A.....	25

# ScaleTicket

## papiNet Standard - Version 2.31

---

---

### ScaleTicket Documentation

---

#### **An Overview of the Scale Ticket Message**

The purpose of the Scale Ticket Message is to provide wood or fibre suppliers with a means to electronically receive scale system receiving data into their accounting systems from buying entities' back office systems.

Mill scale houses generate a paper receiving ticket that is usually in multi-part form that is the only documentation that ever gets taken away with the delivering truck driver and back to the supplier's office. This paper ticket is the sole means of tracking production, proof of delivery, and reconciling a mill's weekly or monthly settlement statement against the supplier's records to audit accuracy of the settlement statement. The paper ticket in most cases is still required to be presented by law as the legal document of the transaction, however significant work process savings can be gained by electronically moving this receiving data from the buyer's back office systems directly into the supplier's accounting system – thus eliminating potentially thousands of tickets from having to be manually entered. The value proposition around adoption of this message is all about supply chain information visibility, operational efficiencies for suppliers, and reduced errors and administrative burden on the buyer.

The Scale Ticket message assumes that a previous agreement between buyer and seller has taken place (usually in the form of a wood purchase contract or purchase order).

Prior to implementing business processes that require a Scale Ticket message, it is necessary for the parties involved to have already opened a dialogue and have reached a collaborative agreement including such items as:

- frequency of messages,
- form of detail, whether by period, purchase order, or shipment.

content detail, such as

- the particular quality properties to be sent,
- which statistical values associated with the properties will be sent,
- level of aggregation, whether summary and/or detailed information
- rules for arriving at measurement values,
- rules for replacing and cancelling messages, and
- units of measure.

A Supplier sends a Scale Ticket message to another trading partner on a frequency or event basis agreed between them.

The degree of detail and extent of the information exchanged will vary

# ScaleTicket

## papiNet Standard - Version 2.31

---

---

between Suppliers and their trading partners. The ScaleTicket message has been designed to support the majority of data fields in use today by the large wood-buying entities.

---

### **The Scope of Scale Ticket Message**

The Scale Ticket message must include:

- Buyer Party (Sender) and Supplier Party (Receiver)
- Context of the data in the message, i.e. purpose: original, changed, cancellation, replace
- Business type for the report, i.e. Timber, Recycling, Pulp, or Containerboard
- Product for which the data applies
- Scale data, Gross Weight and Net Weight or Volume

The Scale Ticket message can include:

- Additional parties to the transaction
- Transport information including truck or rail car identification
- Information about the wood type, quality, age, grade, and wood culled from the load

# ScaleTicket


## papiNet Standard - Version 2.31

---

---

### ScaleTicketAcceptance [attribute]

Defines the state of the goods received as compared to the DeliveryMessage specifications. The enumeration list is the list of choices that apply to the Goods Receipt header and line item.



*This item is restricted to the following list.*

#### **GoodsReceivedAsIs**

The delivered goods were received without inspection, or checking of the goods for damage, or accuracy against the DeliveryMessage.

#### **GoodsReceivedAsSpecified**

Received goods agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights. There is no transit damage.

#### **GoodsReceivedCancelled**

Received goods notification is being cancelled. This value is only used when the GoodsReceiptStatusType is "Cancelled".

#### **GoodsReceivedRejected**

Received goods agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights; but there has been transit damage resulting in rejection of all goods.

#### **GoodsReceivedWithDamage**

Received goods agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights; but there has been transit damage of some items. All transit damages must be specified.

#### **GoodsReceivedWithVariance**

Received goods do not agree completely with the DeliveryMessage specifications. For those items at variance, actual received item identifiers and item weights must be specified.

Additionally, used with the VarianceType of "NotReceived" to indicate items that were on the Delivery Message but not in the Delivery as received.

#### **GoodsReceivedWithVarianceAndDamage**

Received goods do not agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights and there has been transit damage of some items. For those items at variance or with transit damage, actual received item identifiers, item weights, and transit damages must be specified.

# ScaleTicket

## papiNet Standard - Version 2.31


---

---

### ScaleTicketRejectedType [attribute]

ScaleTicketRejectedType

*This item is restricted to the following list.*



#### **ExcessiveTransitDamage**

The item(s) is/are damaged beyond acceptable use during transit.

#### **ProductQuality**

The delivery did not match the quality of the product ordered or requested.

#### **TooEarly**

The delivery has occurred prior to the agreed delivery date/time. For example, there is insufficient storage at the delivered time.

#### **TooLate**

The delivery has occurred after the agreed delivery date/time. For example, delivered after press date.

#### **UnableToUnload**

The delivered items cannot be unloaded. For example, damaged vehicle doors, load has shifted during transportation, or ShipTo requires reels to be palletised but they are delivered on the vehicle floor.

#### **WrongBarcode**

The barcode used to identify the product is incorrect.

#### **WrongBasisWeight**

The basis weight of the product is not what was ordered.

#### **WrongDeliveryLocation**

The product was delivered to the wrong location.

#### **WrongDiameter**

The diameter delivered is unusable. For example, a physical limitation on a reel stand is exceeded.

#### **WrongLabel**

The delivered item has incorrect or missing information, or incorrect label stock that would prevent its use. For example, insufficient peel-off barcode labels.

#### **WrongProduct**

The delivered item was not the product ordered or requested.

#### **WrongReelWidth**

The width of the reel is incorrect.



# ScaleTicket

## papiNet Standard - Version 2.31

---

---

### WrongVehicleType

The items have been delivered in a vehicle that cannot be unloaded at the ShipTo facility. For example, the ShipTo requires side unloading vehicles, but the delivery vehicle can only be unloaded from the rear.

### WrongWrap

The delivered item is wrapped in material that will prevent its use. For example, a hole is not present in the end cap for vacuum lifting.

---

## Business Rules for ScaleTicket

### General Business Rules

The following table lists the business rules that apply to the Scale Ticket message.

Identifier	Business Rule
ST001	This message is sent to communicate received weight information back to the Seller from the Buyer.
ST002	There is no expected response message to the Scale Ticket message.
ST003	ScaleTicketReference includes a Load ID Number
ST004	BuyerParty-contains the information for the party purchasing the goods.
ST005	SupplierParty-identifies the party selling the goods.
ST006	DeliveryInfo-contains information regarding Transport
ST007	Product contains information regarding the Load.
ST008	InformationalQuantity – contains Gross Weight, Culled Weight, and Net Weight

---

## Processing the Scale Ticket Message

The Scale Ticket message has an attribute (Purpose) to indicate if the message is original, changed, cancellation or replaced ticket.

The Scale Ticket message does not contain a TransactionHistoryNumber element as other messages do. The purpose of this element was to ensure the transactions were processed in the correct order, and identify that a message may be missing. In the case of the Scale Ticket message, the

# ScaleTicket

## papiNet Standard - Version 2.31

---

---

order of processing is not relevant. Scale Ticket message types of Original are independent of each other.

However, should a changed message arrive before an original, it is safe to process the changed (pretending it is original) provided subsequent messages referring to the same message number are discarded if they have an older ScaleTicketIssueDate.

### **Status Values Used When Processing the Scale Ticket Message**

Message processing depends on the value in the ScaleTicketStatusType field at the message level. The message can be sent with one of five values in the status field.

The Scale Ticket Status types used when processing the Scale Ticket Message are:


- Original – Indicates that this is the first transmission of the message.
- Change – Indicates that the sender of the message wishes to change a previously sent message. The previous message is identified using ScaleTicketReference of OriginalScaleTicketNumber.
- Cancellation – Indicates that the sender of the Original message wishes to cancel a previously sent message. The previous message is identified using a ScaleTicketReference of OriginalScaleTicketNumber.
- Replace – This Scale Ticket is to replace the scale ticket identified in the ScaleTicketReference of OriginalScaleTicketNumber field.

No special status values or messages are used to communicate acceptance of the Scale Ticket message. This would normally be done using a Business Acknowledgement message.

# ScaleTicket

## papiNet Standard - Version 2.31

### ScaleTicket Structure



# ScaleTicket

## papiNet Standard - Version 2.31

---

---

### Understanding the Diagrams and Content

This section provides a graphical view of the schema structures, a discussion of the item's children. You can find additional information about papiNet and the standard at [www.papiNet.org](http://www.papiNet.org).

The graphics contain content model indicators, cardinality indicators, and data type information.

Associated with each graphic are the definitions for the parent item and any associated child items. All attributes are listed first, followed by the elements.

The following information should help you interpret and understand this standard. Please note the following:

- Content Model and Cardinality operate together to determine if the element or attribute are required in the instance document.
- The same attribute can never appear multiple times in the same element so, you will never see a multiple cardinality indicator.

#### Content model indicators:

There are three possible types of content: "sequence", "choice", and "all". The papiNet standard currently does not use the "all" construct.

- (sequence)  
The sequence of the items to the right of the graphic (or below the text) is required.
- (choice)  
A choice of the items to the right of the graphic (or below the text) is permitted.
- (all)  
All the items to the right of the graphic are required.

#### Cardinality indicators:

- Dotted line around element or attribute.  
A single instance of the item can optionally exist.
- Dotted line around item with range indicated below.  
Multiple instances of the item can optionally exist.
- Solid line around item.  
A single instance of the item must exist.
- Solid line around item with range indicated below  
At least one instance must exist; multiple instances can optionally exist.

#### Datatype indication:

When a data type is assigned to an element (either a simple type or complex type) the name of the data type is presented beneath the item name in the graphic.

- In some cases additional information about the data type is presented

# ScaleTicket

## papiNet Standard - Version 2.31

---

---

(the default value).

Elements can either have content that is textual/numeric in nature or content that is made up of additional elements and/or attributes.

- When the content is textual/numeric in nature “three straight horizontal lines” will appear in the upper left-hand corner of the graphic. Pay attention to these elements because they are where you will be entering your information.
- When the content is made up of additional elements and/or attributes a “gray-box” will appear on the right-hand side of the graphic.
- If the graphic shows both the horizontal lines and the gray-box then, in the papiNet standard, the content below the element are attributes.

# ScaleTicket

## papiNet Standard - Version 2.31

### ScaleTicket Root Element

#### ScaleTicket

The root element of the Scale Ticket message.

##### **ScaleTicketStatusType [attribute]**

*ScaleTicketStatusType is mandatory. A single instance is required.*

Scale Ticket Status Type

*This item is restricted to the following list.*

##### **Amended**

The supplied information is changed.

##### **Cancelled**

The supplied information is cancelled. Items that have been cancelled are not included in totals on the summary levels of the e-document.

##### **Original**

The supplied information is the first version of that information.

##### **Replaced**

The supplied information is replacing earlier supplied information. The receiver should revalidate the information in their system based upon the entire information received.

##### **ScaleTicketRejectedType [attribute]**

*ScaleTicketRejectedType is optional. A single instance might exist.*

ScaleTicketRejectedType

*This item is restricted to the following list.*

##### **ExcessiveTransitDamage**

The item(s) is/are damaged beyond acceptable use during transit.

##### **ProductQuality**


The delivery did not match the quality of the product ordered or requested.

##### **TooEarly**

The delivery has occurred prior to the agreed delivery date/time. For example, there is insufficient storage at the delivered time.

##### **TooLate**

The delivery has occurred after the agreed delivery date/time. For example, delivered after press date.



# ScaleTicket

## papiNet Standard - Version 2.31

---

---

### **UnableToUnload**

The delivered items cannot be unloaded. For example, damaged vehicle doors, load has shifted during transportation, or ShipTo requires reels to be palletised but they are delivered on the vehicle floor.

### **WrongBarcode**

The barcode used to identify the product is incorrect.

### **WrongBasisWeight**

The basis weight of the product is not what was ordered.

### **WrongDeliveryLocation**

The product was delivered to the wrong location.

### **WrongDiameter**

The diameter delivered is unusable. For example, a physical limitation on a reel stand is exceeded.

### **WrongLabel**

The delivered item has incorrect or missing information, or incorrect label stock that would prevent its use. For example, insufficient peel-off barcode labels.

### **WrongProduct**

The delivered item was not the product ordered or requested.

### **WrongReelWidth**

The width of the reel is incorrect.

### **WrongVehicleType**

The items have been delivered in a vehicle that cannot be unloaded at the ShipTo facility. For example, the ShipTo requires side unloading vehicles, but the delivery vehicle can only be unloaded from the rear.

### **WrongWrap**

The delivered item is wrapped in material that will prevent its use. For example, a hole is not present in the end cap for vacuum lifting.

### **Reissued [attribute]**

*Reissued is optional. A single instance might exist.*

Either "Yes" or "No".

*This item is restricted to the following list.*

**Yes**

**No**

### **Language [attribute]**

*Language is optional. A single instance might exist.*

XML has embraced 2 and 3 digit language codes through the application of an addendum to the standard.

Information on the content of this attribute is available at

# ScaleTicket

## papiNet Standard - Version 2.31

---

<http://www.loc.gov/standards/iso639-2/> this is the official site of the ISO 639-2 Registration Authority.

- <http://www.w3.org/International/O-HTML-tags.html> provides an explanation of the errata updating XML.
- <http://www.ietf.org/rfc/rfc3066.txt> is the key document that is referenced in the above errata.

### **ScaleTicketAcceptance [attribute]**

*ScaleTicketAcceptance is mandatory. A single instance is required.*

Defines the state of the goods received as compared to the DeliveryMessage specifications. The enumeration list is the list of choices that apply to the Goods Receipt header and line item.

*This item is restricted to the following list.*

#### **GoodsReceivedAsIs**

The delivered goods were received without inspection, or checking of the goods for damage, or accuracy against the DeliveryMessage.

#### **GoodsReceivedAsSpecified**

Received goods agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights. There is no transit damage.

#### **GoodsReceivedCancelled**

Received goods notification is being cancelled. This value is only used when the GoodsReceiptStatusType is "Cancelled".

#### **GoodsReceivedRejected**

Received goods agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights; but there has been transit damage resulting in rejection of all goods.

#### **GoodsReceivedWithDamage**

Received goods agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights; but there has been transit damage of some items. All transit damages must be specified.

#### **GoodsReceivedWithVariance**

Received goods do not agree completely with the DeliveryMessage specifications. For those items at variance, actual received item identifiers and item weights must be specified.

Additionally, used with the VarianceType of "NotReceived" to indicate items that were on the Delivery Message but not in the Delivery as received.

#### **GoodsReceivedWithVarianceAndDamage**

Received goods do not agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights and there has been transit damage of some items. For those items at variance or with transit damage, actual received item identifiers, item weights, and transit damages must be specified.

**(sequence)**



# ScaleTicket

## papiNet Standard - Version 2.31

---

---

*The contents of (sequence) are mandatory. A single instance is required.*

### **ScaleTicketHeader**

*ScaleTicketHeader is mandatory. A single instance is required.*

Information that is common for the Scale Ticket message.

### **ScaleTicketLineItem**

*ScaleTicketLineItem is mandatory. One instance is required, multiple instances might exist.*

The details for each item reported on a Scale Ticket message.

### **ScaleTicketSummary**

*ScaleTicketSummary is optional. A single instance might exist.*

Summary information for the Scale Ticket message.

# ScaleTicket

## papiNet Standard - Version 2.31

### Primary Elements

#### ScaleTicketHeader

Information that is common for the Scale Ticket message.

**(sequence)**

*The sequence of items below is mandatory. A single instance is required.*

**ScaleTicketNumber**


*ScaleTicketNumber is mandatory. A single instance is required.*

Unique identifier for the Scale Ticket document.

**TransactionHistoryNumber**

*TransactionHistoryNumber is mandatory. A single instance is required.*

A sequential number that keeps track of the version of a document being sent by the document originator except in the case where TransactionHistoryConfirmation is used, in which case the



TransactionHistoryNumber refers to the trigger transaction for which the confirmation is being sent.

**ScaleTicketIssueDate**

*ScaleTicketIssueDate is mandatory. A single instance is required.*

The date and time when the ScaleTicket was issued.

**ScaleTicketReference**

*ScaleTicketReference is optional. Multiple instances might exist.*

An element that details the relevant references pertaining to the ScaleTicket.


- Identifies the previous unique document ID that this document replaces, if applicable.
- Mandatory if Purpose = Replace.

**ScaleHouseInfo**

*ScaleHouseInfo is mandatory. A single instance is required.*

Scale house information.

**BuyerParty**



# ScaleTicket

## papiNet Standard - Version 2.31

---

---

*BuyerParty is mandatory. A single instance is required.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

### **SupplierParty**

*SupplierParty is mandatory. A single instance is required.*

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

### **SenderParty**

*SenderParty is optional. A single instance might exist.*

The business entity issuing the business document, the source of the document.

- The entity responsible for the content. If the sender party has out sourced the message service to a third party the SenderParty is the issuer of the e-document and not the party performing the transmission service of the electronic message.

### **ReceiverParty**

*ReceiverParty is optional. A single instance might exist.*

The business entity for whom the business document is intended, the destination of the document.

- The entity interested in the content. If the receiver party has outsourced the message service to a third party the ReceiverParty is the intended party for the e-document and not the party performing the receiving service of the electronic message.

### **ShipToParty**

*ShipToParty is optional. A single instance might exist.*

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

### **BillToParty**

*BillToParty is optional. A single instance might exist.*

The address where the invoice is to be sent.

### **RemitToParty**

*RemitToParty is optional. A single instance might exist.*

A group item containing details of the party to whom payment will be made. The RemitToParty contains all information related to remittance.

### **OtherParty**

*OtherParty is optional. Multiple instances might exist.*

An organisation or business entity other than those specifically detailed within a business document.

### **DeliveryInfo**

# ScaleTicket

## papiNet Standard - Version 2.31

---

---

*DeliveryInfo is mandatory. A single instance is required.*

Information about the delivery.

### **AdditionalText**

*AdditionalText is optional. A single instance might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

# ScaleTicket

## papiNet Standard - Version 2.31

---

### ScaleTicketLineItem

The details for each item reported on a Scale Ticket message.

#### ScaleTicketRejectedType [attribute]

*ScaleTicketRejectedType is optional. A single instance might exist.*

#### ScaleTicketRejectedType

*This item is restricted to the following list.*

##### ExcessiveTransitDamage

The item(s) is/are damaged beyond acceptable use during transit.

##### ProductQuality

The delivery did not match the quality of the product ordered or requested.

##### TooEarly

The delivery has occurred prior to the agreed delivery date/time. For example, there is insufficient storage at the delivered time.

##### TooLate

The delivery has occurred after the agreed delivery date/time. For example, delivered after press date.

##### UnableToUnload

The delivered items cannot be unloaded. For example, damaged vehicle doors, load has shifted during transportation, or ShipTo requires reels to be palletised but they are delivered on the vehicle floor.

##### WrongBarcode

The barcode used to identify the product is incorrect.

##### WrongBasisWeight

The basis weight of the product is not what was ordered.


##### WrongDeliveryLocation

The product was delivered to the wrong location.

##### WrongDiameter

The diameter delivered is unusable. For example, a physical limitation on a reel stand is exceeded.

##### WrongLabel



# ScaleTicket

## papiNet Standard - Version 2.31

---

The delivered item has incorrect or missing information, or incorrect label stock that would prevent its use. For example, insufficient peel-off barcode labels.

### **WrongProduct**

The delivered item was not the product ordered or requested.

### **WrongReelWidth**

The width of the reel is incorrect.

### **WrongVehicleType**

The items have been delivered in a vehicle that cannot be unloaded at the ShipTo facility. For example, the ShipTo requires side unloading vehicles, but the delivery vehicle can only be unloaded from the rear.

### **WrongWrap**

The delivered item is wrapped in material that will prevent its use. For example, a hole is not present in the end cap for vacuum lifting.

### **ScaleTicketAcceptance [attribute]**

*ScaleTicketAcceptance is mandatory. A single instance is required.*

Defines the state of the goods received as compared to the DeliveryMessage specifications. The enumeration list is the list of choices that apply to the Goods Receipt header and line item.

*This item is restricted to the following list.*

#### **GoodsReceivedAsIs**

The delivered goods were received without inspection, or checking of the goods for damage, or accuracy against the DeliveryMessage.

#### **GoodsReceivedAsSpecified**

Received goods agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights. There is no transit damage.

#### **GoodsReceivedCancelled**

Received goods notification is being cancelled. This value is only used when the GoodsReceiptStatusType is "Cancelled".

#### **GoodsReceivedRejected**

Received goods agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights; but there has been transit damage resulting in rejection of all goods.

#### **GoodsReceivedWithDamage**

Received goods agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights; but there has been transit damage of some items. All transit damages must be specified.

#### **GoodsReceivedWithVariance**

Received goods do not agree completely with the DeliveryMessage specifications. For those items at variance, actual received item identifiers and item weights must

# ScaleTicket

## papiNet Standard - Version 2.31

---

---

be specified.

Additionally, used with the VarianceType of "NotReceived" to indicate items that were on the Delivery Message but not in the Delivery as received.

### **GoodsReceivedWithVarianceAndDamage**

Received goods do not agree completely with all DeliveryMessage specifications for all lines including item identifiers and item weights and there has been transit damage of some items. For those items at variance or with transit damage, actual received item identifiers, item weights, and transit damages must be specified.

### **(sequence)**

*The contents of (sequence) are mandatory. A single instance is required.*

#### **ScaleTicketLineNumber**

*ScaleTicketLineNumber is mandatory. A single instance is required.*

Scale Ticket Line Number

#### **Product**

*Product is mandatory. A single instance is required.*

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.

#### **Quantity**

*Quantity is mandatory. A single instance is required.*

The Quantity element contains attributes that provide information about the type of quantity that is being communicated, the context in which the particular quantity is to be viewed, and (if the quantity represents an adjustment) an adjustment type.

The Quantity element contains three child elements that enable you to communicate a range of values for the quantity and a target or actual value. It is at this level (Value, RangeMin, and RangeMax) that the unit of measure is specified. This permits the range to be specified in a different unit of measure than the target.

#### **InformationalQuantity**

*InformationalQuantity is optional. Multiple instances might exist.*

A quantity given in a valid UOM used for information purposes only (not for calculation). For example, an ordered quantity was 100 reels as opposed to the invoice quantity of 20,000 pounds.

#### **AdditionalText**

*AdditionalText is optional. A single instance might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

# ScaleTicket

## papiNet Standard - Version 2.31

---


---

### ScaleTicketSummary

Summary information for the Scale Ticket message.

**(sequence)**

The



contents of (sequence) are mandatory.  
A single instance is required.

#### TotalNumberOfLineItems

*TotalNumberOfLineItems* is optional. A single instance might exist.

The total number of individual line items in the document, regardless of the status or type.

**(sequence)**

The contents of (sequence) are mandatory. One instance is required, multiple instances might exist.

#### TotalQuantity

*TotalQuantity* is mandatory. A single instance is required.

The total quantity of similar items in the business document. TotalQuantity is primarily used in the summary section of documents where it is repeatable to permit totaling for different units of measure.

#### TotalInformationalQuantity

*TotalInformationalQuantity* is optional. A single instance might exist.

A quantity that is used to communicate related information about the parent element. This element represents a total that is derived from individual line items.

#### TermsAndDisclaimers

*TermsAndDisclaimers* is optional. A single instance might exist.

An element that contains legal information with an indication of what the Language is.



# ScaleTicket

## papiNet Standard - Version 2.31

### ScaleTicket Business Scenarios

#### ScaleTicket Scenario Listing

<b>Scenario A</b>	Buyer communicate received weight information back to Seller
-------------------	--

#### Scenario A

<b>Message</b>	ScaleTicket
<b>Type</b>	Original
<b>Scenario</b>	Buyer communicate received weight information back to Seller
<b>Outcome</b>	Buyer's ScaleTicket Info is transmitted to Seller
<b>Initiator</b>	Buyer
<b>Receiver</b>	Seller
<b>XML File</b>	ScaleTicket_ScenarioA.xml
<b>Preconditions</b>	This Use Case assumes the Customer and Supplier have previously agreed the context and content of the message. That is, context of the data is for a single load received by the Buyer; content includes business agreement information, transport information, product information including quality, grade, and type of wood, scale weight on arrival and departure of the transport vehicle, and the net weight.
<b>Trigger</b>	A shipment of timber arrives at a mill.
<b>Step 1.</b>	Buyer sends ScaleTicket message to Seller. Attributes sent within the message: <ul style="list-style-type: none"> <li>• ScaleTicketStatusType = "Original"</li> <li>• Weight on delivery of 102,420 pounds.</li> <li>• Weight on departure of 0 pounds. Thus the weighing was done on the actual load, as opposed to being weighed with the truck.</li> <li>• Note that the shipment was overweight.</li> <li>• Product identification that the delivery includes 1 line item, of a grade code "46" for</li> </ul>

## ScaleTicket papiNet Standard - Version 2.31

	<p>Hardwood logs.</p> <ul style="list-style-type: none"><li>• The supplier (logger) has identified the shipment as number 104 and has marked the logs accordingly. There are 27 logs included in this</li><li>• The gross weight of the logs delivered was 102,420 pounds.</li><li>• The mill culled 2,000 pounds from the delivery as being unusable.</li><li>• The net weight of the delivery is 100,420 pounds.</li></ul>
<b>Step 2.</b>	Seller processes the data contained in the message into its information systems.