



**papiNet**

**InfoRequest**

**papiNet Standard - Version 2.31**

**Documentation**

**Global Standard for the Paper and Forest  
Products Supply Chain**

**Build V2R31\_20211013**

**Date: 2021-10-22**

**Production Release**

# InfoRequest

## papiNet Standard - Version 2.31

---

### Copyright

Copyright 2000 - 2021 papiNet G.I.E ("papiNet") and International Digital Enterprise Alliance, Inc. ("IDEAlliance") collectively "Copyright Owner". All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the papiNet specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

papiNet, IDEAlliance, and the members of all papiNet Groups (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

---

### Use of Documents in papiNet Implementations

Documents may be used as templates for a papiNet implementation. The Presenters grant the right to modify and edit them to fit an actual implementation project provided all copies display the copyright and any other proprietary notices contained in this document. Such modified documents must not be distributed beyond the trading partners implementing or maintaining a papiNet connection.

# InfoRequest

## papiNet Standard - Version 2.31

### Table of Contents

Copyright .....	2
Use of Documents in papiNet Implementations .....	2
Table of Contents .....	3
InfoRequest Documentation .....	4
InfoRequest e-Document Overview .....	4
InfoRequestType [attribute] .....	4
Business Rules for InfoRequest .....	5
Business Process Logic and Structure Premise: .....	7
Understanding the Diagrams and Content .....	8
InfoRequest Root Element .....	10
InfoRequest .....	10
Primary Elements .....	14
RequestNumber .....	14
InfoRequestIssueDate .....	14
RequestingParty .....	15
RespondToParty .....	16
SenderParty .....	17
ReceiverParty .....	18
OtherParty .....	19
InventoryStatusRequestDetail .....	21
OrderStatusRequestDetail .....	24
AvailabilityStatusRequestDetail .....	26
PlanningRequestDetail .....	28
ProductQualityRequestDetail .....	29
ShippingInstructionsRequestDetail .....	30
ShipmentStatusRequestDetail .....	31
StatementRequestDetail .....	33
CalendarRequestDetail .....	34
ProductAttributesRequestDetail .....	35
MeasuringTicketRequestDetail .....	36
PreflightRequestDetail .....	38
Supporting Items .....	40
PartyType [attribute] .....	40
InfoRequest Business Scenarios .....	48
InfoRequest Scenario Listing .....	48
Scenario A .....	48
Scenario B .....	49
Scenario c .....	50
Scenario D .....	51
Scenario E .....	51
Scenario F .....	52
Scenario G .....	53

# InfoRequest

## papiNet Standard - Version 2.31

---

### InfoRequest Documentation

---

#### InfoRequest e-Document Overview

The purpose of the InfoRequest e-Document is to allow the requesting party to request from the receiver party an update. The e-Documents that may be returned in response to an InfoRequest are the Availability, Calendar, InventoryStatus, MeasuringTicket, OrderStatus, Planning, ProductAttributes, ProductQuality, ShipmenStatus, ShippingInstructions or Statement. The InfoRequest may originate directly from a buying organization, or indirectly via a web page or an internet-based industry exchange. The request types are mutually exclusive within the information request. That is, if the requesting party wishes to receive different types of information they must be requested by separate InfoRequest e-Documents.

---

#### InfoRequestType [attribute]

An attribute designed to indicate which response e-Document is expected in response to the InfoRequest e-Document.



*This item is restricted to the following list.*

##### **Availability**

The sender is requesting Availability information.

##### **Calendar**

The information being requested is Calendar information.

##### **InventoryStatus**

The sender is requesting InventoryStatus information.

##### **MeasuringTicket**

The sender is requesting MeasuringTicket information.

##### **OrderStatus**

The sender is requesting OrderStatus information.

##### **Planning**

The sender is requesting Planning information.

##### **Preflight**

The sender is requesting Preflight information.

##### **ProductAttributes**

The sender is requesting ProductAttributes information

##### **ProductQuality**

The sender is requesting ProductQuality information.

##### **ShipmentStatus**

The sender is requesting ShipmentStatus information.

# InfoRequest

## papiNet Standard - Version 2.31

---

---

### ShippingInstructions

The sender is requesting ShippingInstructions information.

### Statement

The sender is requesting Statement information.

---

## Business Rules for InfoRequest

The following business rules apply to InfoRequest e-Document.

### General Business Rules

Identifier	Business Rule
IR001	This e-Document is unidirectional and may only be sent from the Requesting Party to the Supplier.
IR002	The InfoRequest must elicit a reply e-Document of either: <ul style="list-style-type: none"><li>• Availability</li><li>• Calendar</li><li>• InventoryStatus</li><li>• MeasuringTicket</li><li>• OrderStatus</li><li>• Planning</li><li>• ProductAttributes</li><li>• ProductQuality</li><li>• ShipmentStatus</li><li>• ShippingInstructions</li><li>• Statement</li></ul>
IR003	When the OrderStatusRequestDetailType is "ByProduct" the requestor desires the response e-Document to be from the viewpoint of the order product. <ul style="list-style-type: none"><li>• OrderStatusRequestDetail/BySupplierOrderNumber may not be present</li><li>• OrderStatusRequestDetail/ByPurchaseOrder may not be present</li><li>• OrderStatusRequestDetail/Product may be optionally present</li></ul>
IR004	When the OrderStatusRequestDetailType is "ByPurchaseOrder" the requestor desires the response e-Document to be from the viewpoint of the purchase order. <ul style="list-style-type: none"><li>• OrderStatusRequestDetail/BySupplierOrderNumber may not be present</li><li>• OrderStatusRequestDetail/Product may not be present.</li><li>• PurchaseOrderInformation (with optional PurchaseOrderLineItemNumber) may be optionally</li></ul>

## InfoRequest papiNet Standard - Version 2.31

Identifier	Business Rule
	present.
<b>IR005</b>	<p>When the OrderStatusRequestDetailType is "BySupplierOrderNumber" the requestor desires the response e-Document to be from the viewpoint of the supplier's order number.</p> <ul style="list-style-type: none"> <li>• OrderStatusRequestDetail/ByPurchaseOrder may not be present</li> <li>• OrderStatusRequestDetail/Product constructs may not be present</li> <li>• OrderStatusRequestDetail/BySupplierOrderNumber may optionally be present.</li> </ul>
<b>IR006</b>	<p>When the InventoryStatusRequestDetailType is "ByProduct" the requestor desires the response e-Document to be from the viewpoint of the order product.</p> <ul style="list-style-type: none"> <li>• InventoryStatusRequestDetail/SupplierOrderNumber may not be present</li> <li>• InventoryStatusRequestDetail/PurchaseOrderInformation (with optional PurchaseOrderLineItemNumber) may not be present.</li> <li>• InventoryStatusRequestDetail/Product may be optionally present.</li> </ul>
<b>IR007</b>	<p>When the InventoryStatusRequestDetailType is "ByPurchaseOrder" the requestor desires the response e-Document to be from the viewpoint of the purchase order.</p> <ul style="list-style-type: none"> <li>• InventoryStatusRequestDetail/SupplierOrderNumber may not be present</li> <li>• InventoryStatusRequestDetail/Product may not be present.</li> <li>• The PurchaseOrderInformation (with optional PurchaseOrderLineItemNumber) may be optionally present.</li> </ul>
<b>IR008</b>	<p>When the InventoryStatusRequestDetailType is "BySupplierOrderNumber" the requestor desires the response e-Document to be from the viewpoint of the supplier's order number.</p> <ul style="list-style-type: none"> <li>• InventoryStatusRequestDetail/PurchaseOrderInformation may not be present</li> <li>• InventoryStatusRequestDetail/Product may not be present</li> <li>• The SupplierOrderNumber may be optionally present.</li> </ul>

## InfoRequest papiNet Standard - Version 2.31

Identifier	Business Rule
<b>IR009</b>	<p>Unless the PurchaseOrderLineItemNumber is specified the InfoRequest indicates a request for an update on all line item(s) within the purchase order.</p> <ul style="list-style-type: none"> <li>• OrderStatusRequestDetailType is "ByPurchaseOrder"</li> <li>• InventoryStatusRequestDetailType is "ByPurchaseOrder"</li> <li>• ProductQualityRequestDetailType is "ByQualifiedPurchaseOrder"</li> </ul>
<b>IR010</b>	<p>Under the InventoryStatusRequestDetail hierarchy, the StatusAsOfDate element indicates the only date for which the InventoryStatus may be provided. This status must be provided after all transactions have closed for the date.</p>
<b>IR011</b>	<p>If the ProductQualityRequestDetailType is "ByPeriod", the ByPeriod construct must also be present. This request designation indicates that the requestor desires the response e-Document to be from the viewpoint of the time periods.</p>
<b>IR012</b>	<p>When the ProductQualityRequestDetailType is "ByQualifiedPurchaseOrder" the requestor desires the response e-Document to be from the viewpoint of the purchase order.</p> <ul style="list-style-type: none"> <li>• ProductQualityRequestDetail/ByQualifiedPurchaseOrderInformation must also be present.</li> </ul>
<b>IR013</b>	<p>If the ProductQualityRequestDetailType is "ByShipment":</p> <ul style="list-style-type: none"> <li>• ProductQualityRequestDetail/ByQualifiedDeliveryMessage must be present.</li> <li>• This request designation indicates that the requestor desires the response e-Document to be from the viewpoint of the shipment</li> </ul>

### **Business Process Logic and Structure Premise:**

The InfoRequest e-Document is designed to instruct the receiver to reply with one of ten possible responses – Availability, Calendar, InventoryStatus, OrderStatus, Planning, ProductAttributes, ProductQuality, ShipmentStatus, ShippingInstructions or Statement.

- The InfoRequest may be used by the sender to request the status of inventory by optionally including Product, or ByPurchaseOrder or BySupplierOrderNumber.
- The InfoRequest e-Document is also designed to allow the sender to request the status of a purchase order that has been previously sent

# InfoRequest

## papiNet Standard - Version 2.31

---

(and is currently being processed within the seller's order fulfillment and manufacturing system).

If the sender requests an inventory status, the request may be for a specific product, a purchase order, or both.

If the sender requests an order status, this request may be for a specific order, or for selected lines, specified product, and perhaps for a specific location. It is also possible that the sender may request a list of purchase orders or supplier order numbers or order product.

There may be only one request for status per InfoRequest e-Document. That is, status may be requested for only one purchase order or sales order for an OrderStatus request or for one purchase order by location for an InventoryStatus request.

### Basic business process example

An example for the InfoRequest e-Document between buyer and supplier:

- Buyer sends InfoRequest e-Document to supplier to inquire about the availability of inventory. The InfoRequestType is "Availability". The Buyer may indicate the location for which status is desired.
- The Availability e-Document is returned by the Seller
- Buyer sends PurchaseOrder e-Document to supplier
- Supplier returns an OrderConfirmation e-Document
- Buyer sends an InfoRequest e-Document to supplier to inquire about the OrderStatus within the supplier's manufacturing and fulfillment system. The InfoRequestType is "OrderStatus".
- The OrderStatus e-Document is returned by the Seller. This e-Document may not be integrated within a back-end system. A more likely scenario is for the OrderStatus e-Document to be transformed via a stylesheet into an on-screen display for the Requestor to view.
- Buyer sends an InfoRequest e-Document to supplier to inquire about the InventoryStatus within the supplier's manufacturing and fulfillment system. The InfoRequestType is "InventoryStatus".
- The InventoryStatus e-Document is returned by the Seller.
- Buyer sends an InfoRequest e-Document to supplier to inquire about the ProductQuality of supplier's product that was ordered. The InfoRequestType is "ProductQuality".
- The ProductQuality e-Document is returned by the Seller

---

### Understanding the Diagrams and Content

This section provides a graphical view of the schema structures, a discussion of the item's children. You can find additional information about papiNet and the standard at [www.papiNet.org](http://www.papiNet.org).

The graphics contain content model indicators, cardinality indicators, and data type information.

Associated with each graphic are the definitions for the parent item and any associated child items. All attributes are listed first, followed by the elements.

# InfoRequest

## papiNet Standard - Version 2.31

---

The following information should help you interpret and understand this standard. Please note the following:

- Content Model and Cardinality operate together to determine if the element or attribute are required in the instance document.
- The same attribute can never appear multiple times in the same element so, you will never see a multiple cardinality indicator.

### **Content model indicators:**

There are three possible types of content: "sequence", "choice", and "all". The papiNet standard currently does not use the "all" construct.

- (sequence)

The sequence of the items to the right of the graphic (or below the text) is required.

- (choice)

A choice of the items to the right of the graphic (or below the text) is permitted.

- (all)

All the items to the right of the graphic are required.

### **Cardinality indicators:**

- Dotted line around element or attribute.

A single instance of the item can optionally exist.

- Dotted line around item with range indicated below.

Multiple instances of the item can optionally exist.

- Solid line around item.

A single instance of the item must exist.

- Solid line around item with range indicated below

At least one instance must exist; multiple instances can optionally exist.

### **Datatype indication:**

When a data type is assigned to an element (either a simple type or complex type) the name of the data type is presented beneath the item name in the graphic.

- In some cases additional information about the data type is presented (the default value).

Elements can either have content that is textual/numeric in nature or content that is made up of additional elements and/or attributes.

- When the content is textual/numeric in nature "three straight horizontal lines" will appear in the upper left-hand corner of the graphic. Pay attention to these elements because they are where you will be entering your information.
- When the content is made up of additional elements and/or attributes a "gray-box" will appear on the right-hand side of the graphic.
- If the graphic shows both the horizontal lines and the gray-box then, in the papiNet standard, the content below the element are attributes.

# InfoRequest

## papiNet Standard - Version 2.31


### InfoRequest Root Element

#### InfoRequest

The InfoRequest element is the root element for the InfoRequest e-Document.

The purpose of InfoRequest e-Document is to allow the requesting party to request from the receiver party an update. The e-Documents that may be returned in response to an InfoRequest are the Availability, Calendar,

InventoryStatus, MeasuringTicket OrderStatus, Planning, Preflight, ProductAttributes, ProductQuality, ShipmenStatus, ShippingInstructions or Statement.



#### InfoRequestType [attribute]

*InfoRequestType is mandatory. A single instance is required.*

An attribute designed to indicate which response e-Document is expected in response to the InfoRequest e-Document.

*This item is restricted to the following list.*

##### Availability

The sender is requesting Availability information.

##### Calendar

The information being requested is Calendar information.

##### InventoryStatus

The sender is requesting InventoryStatus information.

##### MeasuringTicket

The sender is requesting MeasuringTicket

# InfoRequest

## papiNet Standard - Version 2.31

---

information.

### **OrderStatus**

The sender is requesting OrderStatus information.

### **Planning**

The sender is requesting Planning information.

### **Preflight**

The sender is requesting Preflight information.

### **ProductAttributes**

The sender is requesting ProductAttributes information

### **ProductQuality**

The sender is requesting ProductQuality information.

### **ShipmentStatus**

The sender is requesting ShipmentStatus information.

### **ShippingInstructions**

The sender is requesting ShippingInstructions information.

### **Statement**

The sender is requesting Statement information.

### **Language [attribute]**

*Language is optional. A single instance might exist.*

The valid Alpha 2- and Alpha 3-character list of language codes in the ISO 639-1 and 639-2 international standards.

Information on the content of this attribute is available at:  
[https://www.loc.gov/standards/iso639-2/php/code\\_list.php](https://www.loc.gov/standards/iso639-2/php/code_list.php)

### **(sequence)**

*The sequence of items below is mandatory. A single instance is required.*

### **RequestNumber**

*RequestNumber is mandatory. A single instance is required.*

A unique tracking number specifically identifying the InfoRequest e-Document to the originator. The tracking number is returned with the "information", the answer, to help match the answer to the request.

### **InfoRequestIssueDate**

*InfoRequestIssueDate is optional. A single instance might exist.*

The date and time when InfoRequest e-Document was issued.

### **RequestingParty**

*RequestingParty is mandatory. A single instance is required.*

The party requesting the information.

### **RespondToParty**

*RespondToParty is mandatory. One instance is required, multiple instances might exist.*

The party the document should be responded to.

# InfoRequest

## papiNet Standard - Version 2.31

---

### **SenderParty**

*SenderParty is optional. A single instance might exist.*

The business entity issuing the e-Document, the source of the document.

- The entity responsible for the content. If the sender party has out sourced the message service to a third party the SenderParty is the issuer of the e-Document and not the party performing the transmission service of the electronic message.

### **ReceiverParty**

*ReceiverParty is optional. Multiple instances might exist.*

The business entity for whom the e-Document is intended, the destination of the document.

- The entity interested in the content. If the receiver party has outsourced the message service to a third party the ReceiverParty is the intended party for the e-Document and not the party performing the receiving service of the electronic message.

### **OtherParty**

*OtherParty is optional. Multiple instances might exist.*

An organisation or business entity other than those specifically detailed within a e-Document.

### **(choice)**

*[choice] is mandatory. A single instance is required.*

### **InventoryStatusRequestDetail**

*InventoryStatusRequestDetail is mandatory. A single instance is required.*

A grouping element that provides the parameters to be used when responding with an InventoryStatus e-Document.

### **OrderStatusRequestDetail**

*OrderStatusRequestDetail is mandatory. A single instance is required.*

A grouping element that provides the parameters to be used when responding with an OrderStatus e-Document.

### **AvailabilityStatusRequestDetail**

*AvailabilityStatusRequestDetail is mandatory. A single instance is required.*

A grouping element that provides the parameters to be used when responding with an Availability e-Document.

### **PlanningRequestDetail**

*PlanningRequestDetail is mandatory. A single instance is required.*

A grouping element that provides the parameters to be used when responding with a Planning e-Document.

### **ProductQualityRequestDetail**

*ProductQualityRequestDetail is mandatory. A single instance is required.*

A grouping element that provides the parameters to be used when responding with a ProductQuality e-Document.

### **ShippingInstructionsRequestDetail**

*ShippingInstructionsRequestDetail is mandatory. A single instance is required.*

# InfoRequest

## papiNet Standard - Version 2.31

---

A grouping element that provides the parameters to be used when responding with a ShippingInstructions e-Document.

### **ShipmentStatusRequestDetail**

*ShipmentStatusRequestDetail is mandatory. A single instance is required.*

A grouping element that provides the parameters to be used when responding with a ShipmentStatus e-Document.

### **StatementRequestDetail**

*StatementRequestDetail is mandatory. A single instance is required.*

A grouping element that provides the parameters to be used when responding with a Statement e-Document.

### **CalendarRequestDetail**

*CalendarRequestDetail is mandatory. A single instance is required.*

A grouping element that provides the parameters to be used when responding with a Calendar e-Document.

### **ProductAttributesRequestDetail**

*ProductAttributesRequestDetail is mandatory. A single instance is required.*

A grouping element that provides the parameters to be used when responding with a ProductAttributes e-Document.

### **MeasuringTicketRequestDetail**

*MeasuringTicketRequestDetail is mandatory. A single instance is required.*

A grouping element that provides the parameters to be used when responding with a MeasuringTicket e-Document.

### **PreflightRequestDetail**

*PreflightRequestDetail is mandatory. A single instance is required.*

A grouping element that provides the parameters to be used when responding with a Preflight e-Document.


# InfoRequest

## papiNet Standard - Version 2.31

### Primary Elements

#### RequestNumber

A unique tracking number specifically identifying the InfoRequest e-Document to the originator. The tracking number is returned with the "information", the answer, to help match the answer to the request.




#### InfoRequestIssueDate

The date and time when InfoRequest e-Document was issued.

**(sequence)**

*The sequence of items below is mandatory. A single instance is required.*



##### Date

*Date is mandatory. A single instance is required.*

A group element that contains the specification of Year, Month, and Day.

##### Time

*Time is mandatory. A single instance is required.*

Times are treated in a standard XML fashion with a special case used to indicate a generalized "local" time. The standard XML approach to time is hh:mm:ss, hh:mm:ssZ, or hh:mm:ss±hh:mm.

- hh:mm:ss±hh:mm is used to represent a time with a time zone. The time zone is communicated as the number of hours offset from the Universal Time Coordinate (UTC), a.k.a. Greenwich Mean Time.
- hh:mm:ssZ indicates the time at Zulu (another name for UTC). Based on the convention described in the next bullet it will be important for users within UTC to use "Z" when communicating a time in their time zone to other users.
- hh:mm:ss or hh:mm indicates in the XML standard the time at UTC however, within papiNet it is used to represent the applicable local time. Caution should be used when processing times of this nature as the papiNet approach may be in discord with other users of XML.

# InfoRequest

## papiNet Standard - Version 2.31

### RequestingParty

The party requesting the information.

#### LogisticsRole [attribute]

*LogisticsRole is optional. A single instance might exist.*

Communicates the nature of the logistics role, if any, the party plays in the transaction.

*This item is restricted to the following list.*

#### Consignee



The party to whom the goods are turned over to.

#### Consignor

The party who is responsible for the goods prior to the shipping process.

#### LogisticsProvider

The party who, by contract with the consignor, takes care of the requested logistics service (transport or others).



#### PartyType [attribute]

*PartyType is mandatory. A single instance is required.*

Identifies the business role associated with the particular party.

Refer to PartyType definition for any enumerations.

#### (sequence)

*The sequence of items below is mandatory. A single instance is required.*

#### PartyIdentifier

*PartyIdentifier is optional. Multiple instances might exist.*

A unique identifier of a specific party. This element contains an attribute PartyIdentifierType that indicates the type of party.

#### NameAddress

*NameAddress is mandatory. A single instance is required.*

A group item containing name and address of an organisation or business entity.

#### URL

*URL is optional. A single instance might exist.*

Universal Resource Locator. While typically a web address you could use this field to hold an email address.

#### CommonContact

*CommonContact is optional. Multiple instances might exist.*

Identifies a specific individual associated with the party.

# InfoRequest

## papiNet Standard - Version 2.31

### RespondToParty

The party the document should be responded to.

#### LogisticsRole [attribute]

*LogisticsRole is optional. A single instance might exist.*

Communicates the nature of the logistics role, if any, the party plays in the transaction.

*This item is restricted to the following list.*

#### Consignee

The party to whom the goods are turned over to.

#### Consignor

The party who is responsible for the goods prior to the shipping process.

#### LogisticsProvider

The party who, by contract with the consignor, takes care of the requested logistics service (transport or others).

#### PartyType [attribute]

*PartyType is mandatory. A single instance is required.*

Identifies the business role associated with the particular party.

Refer to PartyType definition for any enumerations.

#### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

#### PartyIdentifier

*PartyIdentifier is optional. Multiple instances might exist.*

A unique identifier of a specific party. This element contains an attribute PartyIdentifierType that indicates the type of party.

#### NameAddress

*NameAddress is mandatory. A single instance is required.*

A group item containing name and address of an organisation or business entity.

#### URL


*URL is optional. A single instance might exist.*

Universal Resource Locator. While typically a web address you could use this field to hold an email address.

#### CommonContact

*CommonContact is optional. Multiple instances might exist.*

Identifies a specific individual associated with the party.




# InfoRequest

## papiNet Standard - Version 2.31

### SenderParty

The business entity issuing the business document, the source of the document.

- This is the same entity as the "From" party in the ebXML message service envelope. The entity responsible for the content. If the sender party has outsourced the transmission function to a third party the sender party is the original party not the party performing the transmission service.



#### LogisticsRole [attribute]

*LogisticsRole is optional. A single instance might exist.*

Communicates the nature of the logistics role, if any, the party plays in the transaction.

*This item is restricted to the following list.*

##### Consignee

The party to whom the goods are turned over to.

##### Consignor

The party who is responsible for the goods prior to the shipping process.

##### LogisticsProvider

The party who, by contract with the consignor, takes care of the requested logistics service (transport or others).

#### PartyType [attribute]

*PartyType is mandatory. A single instance is required.*

Identifies the business role associated with the particular party.

Refer to PartyType definition for any enumerations.

#### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

##### PartyIdentifier

*PartyIdentifier is optional. Multiple instances might exist.*

A unique identifier of a specific party. This element contains an attribute PartyIdentifierType that indicates the type of party.

##### NameAddress

*NameAddress is mandatory. A single instance is required.*

A group item containing name and address of an organisation or business entity.

##### URL

*URL is optional. A single instance might exist.*

Universal Resource Locator. While typically a web address you could use this field to hold an email address.

# InfoRequest

## papiNet Standard - Version 2.31

---

### CommonContact

*CommonContact is optional. Multiple instances might exist.*


Identifies a specific individual associated with the party.

---

## ReceiverParty

The business entity for whom the business document is intended, the destination of the document.

- This is the same entity as the "To" party in the ebXML message service envelop. The entity interested in the content. If the receiver party has outsourced the message receipt function to a third party the receiver party is the intended party not the party performing the receiving process.



### LogisticsRole [attribute]

*LogisticsRole is optional. A single instance might exist.*

Communicates the nature of the logistics role, if any, the party plays in the transaction.

*This item is restricted to the following list.*

#### Consignee

The party to whom the goods are turned over to.

#### Consignor

The party who is responsible for the goods prior to the shipping process.

#### LogisticsProvider

The party who, by contract with the consignor, takes care of the requested logistics service (transport or others).

### PartyType [attribute]

*PartyType is mandatory. A single instance is required.*

Identifies the business role associated with the particular party.

Refer to PartyType definition for any enumerations.

### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

#### PartyIdentifier

*PartyIdentifier is optional. Multiple instances might exist.*

A unique identifier of a specific party. This element contains an attribute PartyIdentifierType that indicates the type of party.

#### NameAddress

# InfoRequest

## papiNet Standard - Version 2.31

---

*NameAddress* is mandatory. A single instance is required.

A group item containing name and address of an organisation or business entity.

### URL

*URL* is optional. A single instance might exist.

Universal Resource Locator. While typically a web address you could use this field to hold an email address.

### CommonContact

*CommonContact* is optional. Multiple instances might exist.

Identifies a specific individual associated with the party.

---

## OtherParty

An organisation or business entity other than those specifically detailed within a e-Document.

### PartyType [attribute]

*PartyType* is mandatory. A single instance is required.

Identifies the business role associated with the particular party.

Refer to PartyType definition for any enumerations.

### LogisticsRole [attribute]

*LogisticsRole* is optional. A single instance might exist.

Communicates the nature of the logistics role, if any, the party plays in the transaction.

*This item is restricted to the following list.*

#### Consignee

The party to whom the goods are turned over to.

#### Consignor

The party who is responsible for the goods prior to the shipping process.

#### LogisticsProvider

The party who, by contract with the consignor, takes care of the requested logistics service (transport or others).


### (sequence)

*The sequence of items below is mandatory. A single instance is required.*

### PartyIdentifier

*PartyIdentifier* is optional. Multiple instances might exist.

A unique identifier of a specific party. This element contains an attribute PartyIdentifierType that indicates the type of party.



# InfoRequest

## papiNet Standard - Version 2.31

---

---

### **NameAddress**

*NameAddress is mandatory. A single instance is required.*

A group item containing name and address of an organisation or business entity.

### **URL**

*URL is optional. A single instance might exist.*

Universal Resource Locator. While typically a web address you could use this field to hold an email address.

### **CommonContact**

*CommonContact is optional. Multiple instances might exist.*


Identifies a specific individual associated with the party.

# InfoRequest

## papiNet Standard - Version 2.31

### InventoryStatusRequestDetail

A grouping element that provides the parameters to be used when responding with an InventoryStatus e-Document.



#### InventoryStatusRequestDetailType [attribute]

*InventoryStatusRequestDetailType is mandatory. A single instance is required.*

Communicates the method in which the inventory status should be summarized.

*This item is restricted to the following list.*

##### **ByMillOrder**

By the mill order number and mill order line item number the material was manufactured. MillParty has also to be specified in ByMillOrderInformation to defined the mill order origin.

# InfoRequest

## papiNet Standard - Version 2.31

---

### **ByProduct**

By product

### **ByPurchaseOrder**

By the purchase order the material was ordered

### **BySupplierOrderNumber**

By the order the material was manufactured

### **InventoryStatusReportingDetailType [attribute]**

*InventoryStatusReportingDetailType is mandatory. A single instance is required.*

Communicates the level of detail in which inventory is to be reported.

*This item is restricted to the following list.*

#### **AggregatedInventory**

Inventory is to be reported in summary.

#### **DetailedInventory**

Inventory is reported in detail (using the InventoryStatusLineItemDetail element).

### **(sequence)**

*The sequence of items below is mandatory. A single instance is required.*

#### **BuyerParty**

*BuyerParty is optional. Multiple instances might exist.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

#### **SupplierParty**

*SupplierParty is optional. Multiple instances might exist.*

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

#### **EndUserParty**

*EndUserParty is optional. Multiple instances might exist.*

The party using, consuming, or converting the product. For example, a printer using paper reels for a print job for a publisher. The final ShipTo destination for a product is normally to the end user's facilities.

#### **LocationParty**

*LocationParty is optional. Multiple instances might exist.*

The organization or business entity where the business event took place or will take place.

#### **MillParty**

*MillParty is optional. A single instance might exist.*

The organisation or business entity that actually produces the product.

#### **InventoryClass**

*InventoryClass is optional. A single instance might exist.*

# InfoRequest

## papiNet Standard - Version 2.31

---

---

A group item containing information about status of inventory and goods items.

**(choice)**

*[choice] is mandatory. One instance is required, multiple instances might exist.*

**(sequence)**

*The sequence of items below is mandatory. A single instance is required.*

### **PurchaseOrderInformation**

*PurchaseOrderInformation is mandatory. A single instance is required.*

A group item containing information unique to this PurchaseOrder, which is provided by the buyer. PurchaseOrderInformation can be optional in the supply chain. Invoices are created without having a PurchaseOrder in Vendor Managed Inventory. Freight invoices also will not have a PurchaseOrder number.

### **PurchaseOrderLineItemNumber**

*PurchaseOrderLineItemNumber is optional. A single instance might exist.*

The sequential number that uniquely identifies the PurchaseOrder line item.

### **Product**

*Product is mandatory. A single instance is required.*

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.

### **SupplierOrderNumber**

*SupplierOrderNumber is mandatory. A single instance is required.*

The number of the supplier order.

### **MillOrderInformation**

*MillOrderInformation is mandatory. A single instance is required.*

A group item containing information unique to a mill order.

### **StatusAsOfDate**

*StatusAsOfDate is optional. A single instance might exist.*


The specific Date and Time for which status is requested. This implies that all open transactions have closed for the date before the status is reported.

# InfoRequest

## papiNet Standard - Version 2.31

### OrderStatusRequestDetail

A grouping element that provides the parameters to be used when responding with an OrderStatus e-Document.



### OrderStatusRequestDetailType [attribute]

*OrderStatusRequestDetailType* is mandatory. A single instance is required.

Communicates the method in which the order status should be summarized.

*This item is restricted to the following list.*

**ByProduct**

By product

**ByPurchaseOrder**

By the purchase order the material was ordered

**BySupplierOrderNumber**

By the order the material was manufactured

**(sequence)**

*The contents of (sequence) are mandatory. A single instance is required.*

**SupplierParty**

# InfoRequest

## papiNet Standard - Version 2.31

---

*SupplierParty is optional. Multiple instances might exist.*

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

### **BuyerParty**

*BuyerParty is optional. Multiple instances might exist.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

### **ShipToParty**

*ShipToParty is optional. Multiple instances might exist.*

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

### **EndUserParty**

*EndUserParty is optional. Multiple instances might exist.*

The party using, consuming, or converting the product. For example, a printer using paper reels for a print job for a publisher. The final ShipTo destination for a product is normally to the end user's facilities.

### **ForwarderParty**

*ForwarderParty is optional. Multiple instances might exist.*

The trading partner involved in the forwarding of the shipment.

### **MerchantParty**

*MerchantParty is optional. Multiple instances might exist.*

This named party represents the merchant involved in the business transaction. This party is only used in the communication of Order Status otherwise it is handled via OtherParty.

### **SalesOfficeParty**

*SalesOfficeParty is optional. Multiple instances might exist.*

This named party represents the sales office involved in the business transaction. This party is only used in the communication of Order Status otherwise it is handled via OtherParty.

### **LocationParty**

*LocationParty is optional. Multiple instances might exist.*

The organization or business entity where the business event took place or will take place.

### **OrderStatusInformation**

*OrderStatusInformation is optional. A single instance might exist.*

A group element that stores two levels of Order status codes.

### **DateTimeRange**

*DateTimeRange is optional. A single instance might exist.*

Specifies a date and/or time range.

**(choice)**

# InfoRequest

## papiNet Standard - Version 2.31

---

*[choice] is optional. A single instance might exist.*

### ByPurchaseOrder

*ByPurchaseOrder is mandatory. A single instance is required.*

Selection criteria for communicating purchase order information.

### BySupplierOrderNumber

*BySupplierOrderNumber is mandatory. A single instance is required.*

Selection criteria for communicating Supplier Order information

### Product

*Product is mandatory. A single instance is required.*

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.

---

## AvailabilityStatusRequestDetail

A grouping element that provides the parameters to be used when responding with an Availability e-Document.

### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

#### Product

*Product is mandatory. A single instance is required.*

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.

#### TimePeriod


*TimePeriod is optional. A single instance might exist.*

The TimePeriod element is used to communicate a duration period of time as indicated in PeriodType.

#### Quantity

*Quantity is optional. A single instance might exist.*

The Quantity element contains attributes that provide information about the type of quantity that is being communicated, the context in which the particular quantity is



# InfoRequest

## papiNet Standard - Version 2.31

---

to be viewed, and (if the quantity represents an adjustment) an adjustment type.

The Quantity element contains three child elements that enable you to communicate a range of values for the quantity and a target or actual value. It is at this level (Value, RangeMin, and RangeMax) that the unit of measure is specified. This permits the range to be specified in a different unit of measure than the target.

### **InformationalQuantity**

*InformationalQuantity is optional. Multiple instances might exist.*

A quantity given in a valid UOM used for information purposes only (not for calculation). For example, an ordered quantity was 100 reels as opposed to the invoice quantity of 20,000 pounds.

### **LocationParty**

*LocationParty is optional. Multiple instances might exist.*

The organization or business entity where the business event took place or will take place.

### **BuyerParty**

*BuyerParty is optional. Multiple instances might exist.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

### **ShipToParty**

*ShipToParty is optional. Multiple instances might exist.*

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

### **EndUserParty**

*EndUserParty is optional. Multiple instances might exist.*

The party using, consuming, or converting the product. For example, a printer using paper reels for a print job for a publisher. The final ShipTo destination for a product is normally to the end user's facilities.

# InfoRequest

## papiNet Standard - Version 2.31

### PlanningRequestDetail

A grouping element that provides the parameters to be used when responding with a Planning e-Document.

#### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

#### Product

*Product is mandatory. A single instance is required.*

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.

#### LocationParty

*LocationParty is optional. Multiple instances might exist.*

The organization or business entity where the business event took place or will take place.

#### BuyerParty

*BuyerParty is optional. Multiple instances might exist.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

#### ShipToParty


*ShipToParty is optional. Multiple instances might exist.*

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

#### EndUserParty

*EndUserParty is optional. Multiple instances might exist.*

The party using, consuming, or converting the product. For example, a printer using paper reels for a print job for a publisher. The final ShipTo destination for a product is normally to the end user's facilities.



# InfoRequest


## papiNet Standard - Version 2.31

---

### ProductQualityRequestDetail

A grouping element that provides the parameters to be used when responding with a ProductQuality e-

Document.



#### ProductQualityRequestDetailType [attribute]

*ProductQualityRequestDetailType is optional. A single instance might exist.*

Communicates the method in which the ProductQuality should be reported.

*This item is restricted to the following list.*

##### ByPeriod

The information is supplied by the specified period

##### ByQualifiedPurchaseOrderInformation

The information is supplied by a PurchaseOrder that has additional items associated with it.

##### ByShipment

The information is supplied by a shipment, i.e. by a DeliveryMessage

#### (sequence)

*The sequence is mandatory. A single instance is required.*

##### SupplierParty

*SupplierParty is optional. Multiple instances might exist.*

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

#### (choice)

*[choice] is mandatory. One instance is required, multiple instances might exist.*

##### ShipToParty

*ShipToParty is mandatory. A single instance is required.*

The name and/or address to which the goods should be delivered with the party

# InfoRequest

## papiNet Standard - Version 2.31

---

type indicated by the PartyType attribute.

### OtherParty

*OtherParty is mandatory. A single instance is required.*

An organisation or business entity other than those specifically detailed within a e-Document.

### (choice)

*[ choice ] is mandatory. A single instance is required.*

### ByPeriod

*ByPeriod is mandatory. A single instance is required.*

The information is supplied by the specified period.

### ByQualifiedPurchaseOrderInformation

*ByQualifiedPurchaseOrderInformation is mandatory. A single instance is required.*

Specifies that the information is supplied by a PurchaseOrder. The use of the term "qualified" is to indicate that PurchaseOrderInformation is qualified by the use of PurchaseOrderLineItemNumber.

### ByQualifiedDeliveryMessage

*ByQualifiedDeliveryMessage is mandatory. A single instance is required.*

Specifies that the information is supplied by a DeliveryMessage. The use of the term "qualified" is to indicate that DeliveryMessageNumber is qualified by the use of DeliveryMessageLineItemNumber.

---

## ShippingInstructionsRequestDetail

A grouping element that provides the parameters to be used when responding with a ShippingInstructions e-Document.

### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

### SupplierParty

*SupplierParty is optional. Multiple instances might exist.*


The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

### BuyerParty

*BuyerParty is optional. Multiple instances might exist.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

### ShipToParty



# InfoRequest

## papiNet Standard - Version 2.31

---

*ShipToParty is optional. Multiple instances might exist.*

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

### ForwarderParty

*ForwarderParty is optional. Multiple instances might exist.*

The trading partner involved in the forwarding of the shipment.

### CarrierParty

*CarrierParty is optional. Multiple instances might exist.*

The party performing the transport of the product from the pickup location to the ship-to location; could be a hauler.

### OtherParty

*OtherParty is optional. Multiple instances might exist.*

An organisation or business entity other than those specifically detailed within a business document.

### ByPurchaseOrder

*ByPurchaseOrder is mandatory. One instance is required, multiple instances might exist.*

Selection criteria for communicating Purchase Order information.

---

## ShipmentStatusRequestDetail

A grouping element that provides the parameters to be used when responding with a ShipmentStatus e-Document.


### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

#### SupplierParty

*SupplierParty is optional. Multiple instances might exist.*

The organisation or business entity responsible for




providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

#### BuyerParty

*BuyerParty is optional. Multiple instances might exist.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party



# InfoRequest

## papiNet Standard - Version 2.31

---

or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

### **ShipToParty**

*ShipToParty is optional. Multiple instances might exist.*

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

### **ForwarderParty**

*ForwarderParty is optional. Multiple instances might exist.*

The trading partner involved in the forwarding of the shipment.

### **CarrierParty**

*CarrierParty is optional. Multiple instances might exist.*

The party performing the transport of the product from the pickup location to the ship-to location; could be a hauler.

### **OtherParty**

*OtherParty is optional. Multiple instances might exist.*

An organisation or business entity other than those specifically detailed within a business document.

### **ShipmentStatusSearchReference**

*ShipmentStatusSearchReference is mandatory. One instance is required, multiple instances might exist.*

Used to specify a transport-related item that is used, as a parameter, when providing shipment status information.

### **DateTimeRange**

*DateTimeRange is optional. A single instance might exist.*

Specifies a date and/or time range.

# InfoRequest

## papiNet Standard - Version 2.31

### StatementRequestDetail

A grouping element that provides the parameters to be used when responding with a Statement e-Document.

#### StatementRequestType [attribute]

*StatementRequestType is mandatory. A single instance is required.*

Communicates how statement information is filtered.

*This item is restricted to the following list.*

#### ByCreditDebit

The statement presents credit and debit note information.

#### ByInvoiceNumber

The statement presents invoice information.

#### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

#### SupplierParty

*SupplierParty is optional. Multiple instances might exist.*

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

#### BuyerParty

*BuyerParty is optional. Multiple instances might exist.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

#### ShipToParty

*ShipToParty is optional. Multiple instances might exist.*

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

#### ForwarderParty

*ForwarderParty is optional. Multiple instances might exist.*

The trading partner involved in the forwarding of the shipment.


#### StatementInformation

*StatementInformation is optional. Multiple instances might exist.*

Invoice information for the statement.

#### DateTimeRange

*DateTimeRange is optional. A single instance might exist.*



# InfoRequest

## papiNet Standard - Version 2.31

Specifies a date and/or time range.

### ByInvoice

*ByInvoice is optional. A single instance might exist.*

Selection criteria for Invoice information.

## CalendarRequestDetail

A grouping element that provides the parameters to be used when responding with a Calendar e-Document.

### CalendarType [attribute]

*CalendarType is mandatory. A single instance is required.*

Identifies the intention of the entire calendar e-Document.

*This item is restricted to the following list.*

### LoadingSchedule

The schedule for transport vehicle loading.

### OfficeSchedule

The schedule for office personnel.

### SupportSchedule

The support schedule for transport operations.

### UnloadingSchedule

The schedule for transport vehicle unloading.

### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

### LocationParty

*LocationParty is optional. Multiple instances might exist.*

The organization or business entity where the business event took place or will take place.

### SupplierParty

*SupplierParty is optional. Multiple instances might exist.*

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.


### CalendarNumber

*CalendarNumber is optional. A single instance might exist.*

The sequential number that uniquely identifies the Calendar e-Document.

### CalendarIssueDate

*CalendarIssueDate is optional. A single instance might exist.*



# InfoRequest

## papiNet Standard - Version 2.31

The date and optionally time when the Calendar e-Document was created.


### DateTimeRange

*DateTimeRange is optional. A single instance might exist.*

Specifies a date and/or time range.

## ProductAttributesRequestDetail

A grouping element that provides the parameters to be used when responding with a ProductAttributes e-Document.



### ProductAttributesRequestDetailType [attribute]

*ProductAttributesRequestDetailType is mandatory. A single instance is required.*

Communicates the method in which the ProductAttributes should be reported.

*This item is restricted to the following list.*

#### PriceList

Request for a price list.

#### ProductCrossReference

Request for product cross reference information.

#### ProductProperties

Request for properties of the products.

#### UniqueProductIdentifier

Request for unique product identifiers.

### (sequence)

*The sequence of items below is mandatory. A single instance is required.*

#### Product

*Product is optional. A single instance might exist.*

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in

# InfoRequest

## papiNet Standard - Version 2.31

---

papiNet.

### SupplierParty

*SupplierParty is optional. A single instance might exist.*

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

### OtherParty

*OtherParty is optional. Multiple instances might exist.*

An organisation or business entity other than those specifically detailed within a e-Document.

### AdditionalText


*AdditionalText is optional. Multiple instances might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

---

## MeasuringTicketRequestDetail

A grouping element that provides the parameters to be used when responding with a MeasuringTicket e-Document.



### MeasuringTicketRequestDetailType [attribute]

*MeasuringTicketRequestDetailType is mandatory. A single instance is required.*

Communicates the method in which the MeasuringTicket should be reported.

*This item is restricted to the following list.*

#### CalibrationCheckLog

Request for a Calibration Check Log.

#### PropertyTicket

Request for a MeasuringTicket of type PropertyTicket.

### (sequence)

The sequence of items below is mandatory. A single instance is required.

# InfoRequest

## papiNet Standard - Version 2.31

---

---

### **(choice)**

*[choice] is mandatory. A single instance is required.*

#### **TimePeriod**

*TimePeriod is mandatory. A single instance is required.*

The TimePeriod element is used to communicate a duration period of time as indicated in PeriodType.

#### **Duration**

*Duration is mandatory. A single instance is required.*

A grouping element that contains information about a time interval and its target date.

#### **MeasuringParty**

*MeasuringParty is optional. A single instance might exist.*

The party that is responsible for the measurements at the measuring location.

#### **MeasuringLocation**

*MeasuringLocation is optional. Multiple instances might exist.*

A grouping element that contains information about where the measuring is taken place.

#### **SourceProduct**

*SourceProduct is optional. A single instance might exist.*

SourceProduct is a group element defining the product that is available for measuring.

The measuring of this product is done according to the measuring rules for the contracted product, which usually is the same product. But in some cases the product available for measuring is different from the contracted product. In these cases, the product available for measuring shall be measured according to the measuring rules for the MeasuringProduct specified in MeasuringSpecification.

For example, Pulpwood is produced but it is of very bad quality because of long time storage in the forest. This pulpwood will be sold as fire wood and shall when delivered be measured according to the measuring rules for firewood.

#### **PropertySpecification**

*PropertySpecification is optional. A single instance might exist..*

A grouping element that contains a specification of properties that should be measured or are measured.


# InfoRequest

## papiNet Standard - Version 2.31

### PreflightRequestDetail

A grouping element that provides the parameters to be used when responding with a Preflight e-Document.

#### PreflightRequestDetailType [attribute]



*PreflightRequestDetailType is mandatory. A single instance is required.*

Communicates the method in which the Preflight status should be summarized.

*This item is restricted to the following list.*

#### ByPrepContentFile


By prep content file.

#### ByProduct

By product

#### ByPurchaseOrder

By the PurchaseOrder the material was ordered.



#### (sequence)

*The sequence of items below is mandatory. A single instance is required.*

#### SupplierParty

*SupplierParty is optional. A single instance might exist.*

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

#### BuyerParty

*BuyerParty is optional. A single instance might exist.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

#### OtherParty

*OtherParty is optional. Multiple instances might exist.*

An organisation or business entity other than those specifically detailed within a e-Document.

#### TimePeriod

*TimePeriod is optional. A single instance might exist.*

The TimePeriod element is used to communicate a duration period of time as indicated in PeriodType.

# InfoRequest

## papiNet Standard - Version 2.31

---

---

**(choice)**

*[choice] is optional. A single instance might exist.*

### **Product**

*Product is mandatory. A single instance is required.*

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet..

### **ByPurchaseOrder**

*ByPurchaseOrder is mandatory. A single instance is required.*

Selection criteria for communicating purchase order information.

### **ByPrepContentFile**

*ByPrepContentFile is mandatory. A single instance is required.*

Selection criteria for communicating prep content file information.

# InfoRequest

## papiNet Standard - Version 2.31

### Supporting Items

#### PartyType [attribute]

Identifies the business role associated with the particular party

*This item is restricted to the following list.*



#### **Auditor**

A third party that is authorized for making audits and checkings.

#### **Bank**

The banking representative.

#### **BillTo**

The address where the invoice is to be sent. (Not to be used for logistics BillTo, see LogisticsBillTo.)

#### **BorderCrossing**

A geographic location separating two countries authorised to validate customs documentation.

#### **Broker**

The organisation acting as a broker for the buyer or supplier.

#### **BusinessChainParty**

The organisation or business entity responsible for managing the business chain between business partners when trading of products in many levels of trade.

#### **Buyer**

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the "Payer", the "Buyer" is the "Payer". (Not to be used for logistics buyer, see LogisticsBuyer.)

#### **BuyerAgent**

The entity acting for the buyer in the transaction. (Not to be used for logistics BuyerAgent, see LogisticsBuyerAgent.)

#### **Carrier**

The organisation or business entity that transports goods.

#### **CarrierAssignmentResponsible**

The organisation to which the carrier has assigned some task.

#### **ComponentVendor**

Vendor producing supplied components.

#### **Compositor**

Party that formats written material and illustrations for printing or electronic display.

#### **Consignee**

# InfoRequest

## papiNet Standard - Version 2.31

---

---

To be deprecated in version 3.0 (no date determined). Use LogisticsRole attribute to communicate this information.

### **Consignor**

To be deprecated in version 3.0 (no date determined). Use LogisticsRole attribute to communicate this information.

### **Consuming**

The eventual consumer of the material

### **ContractParty**

The organisation or business entity responsible for managing the contract between business partners.

### **Converter**

The organisation responsible for changing one form of paper into another form, providing specialised functions not available to the supplier.

### **CreditDepartment**

The party responsible for credit authorization.

### **CrossDock**

A third party involved in the transport of goods.

### **CustomerFacility**

The type of the origin or destination location of a transport leg in a route is a buyer facility, usually a print site, or a warehouse owned by the buyer.

### **CustomerStock**

A "virtual" location that indicates that the material is owned by the customer.

### **Customs**

Any customs agency.

### **CustomsForwarder**

A forwarder responsible for managing the transfer of goods through customs.

### **DeliveryPlanningParty**

The organisation responsible for planning of deliveries to delivery destinations.

### **DomesticForwarder**

A forwarder responsible for managing the transfer of goods.

### **EndUser**

EndUser is the party using, consuming, or converting the product. For example, a printer using paper reels to print a job for a publisher (printer is the end user). The final ShipTo destination for a product is normally to the EndUser facilities.

### **ExportForwarder**

A forwarder responsible for managing the export process.

### **ForestForwarder**

# InfoRequest

## papiNet Standard - Version 2.31

---

---

The party that transports forest wood products from logging areas to roadside landings.

### **ForestForwardingRequestor**

The party requesting forest forwarding services.

### **ForestHarvester**

The party that harvests forest wood products at logging areas.

### **ForestHarvestingRequestor**

The party requesting forest harvesting services.

### **Forwarder**

The party responsible for shipping arrangements.

### **FreightPayer**

The party responsible for paying freight.

### **Insurer**

The party providing insurance coverage for the goods.

### **Laboratory**

Laboratory is where analysis is done.

### **Landowner**

The party who owns the land upon which the product was produced.

### **LoadingOperator**

A party that is carrying out loading of transport units.

### **LoggingArea**

A geographic location in the forest where logging takes place.

### **LogisticsBillTo**

The address where the logistics invoice is to be sent.

### **LogisticsBuyer**

The buyer of logistics services. The legal entity to which the service is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the "LogisticsPayer", the "LogisticsBuyer" is the payer.

### **LogisticsBuyerAgent**

The entity acting for the logistics buyer in the transaction.

### **LogisticsPayee**

The party handling and receiving logistics payments on behalf of another party.

### **LogisticsPayer**

The party handling and sending logistics payments of behalf of another party.

### **LogisticsPlanningParty**

The organisation responsible for planning of logistics services.

# InfoRequest

## papiNet Standard - Version 2.31

---

### **LogisticsSeller**

The seller of logistics services. LogisticsSupplier is the seller of the service, if logistics seller is not specified as OtherParty = LogisticsSeller.

### **LogisticsServiceProvider**

A party that is responsible for a service in logistics business.

### **LogisticsServiceProvider** (misspelt with an ending space)

The item is misspelt ending with a space. It will be deprecated in next version. Use instead the correctly spelt enumeration LogisticsServiceProvider.

### **LogisticsSupplier**

The party responsible for providing the logistics services. LogisticsSupplier is also the seller of the service, if logistics seller is not specified as OtherParty = LogisticsSeller.

### **MainCarrier**

The primary carrier involved in the movement of goods.

### **MainForestForwarder**

The party responsible for transporting forest wood products from logging areas to roadside landings.

### **MainForestHarvester**

The party responsible for harvesting of forest wood products at logging areas.

### **Measurer**

The party that that is carrying out the measurement of the quantity and/or quality of the products. It can be a person, a piece of equipment or a device.

### **MeasuringParty**

The party that is responsible for the measurements at the measuring location.

### **Merchant**

A third party buying and reselling products.

### **Mill**

A production facility.

### **NotifyParty**

A party that needs to be notified of the status of the transaction.

### **OnBehalfOf**

The activity in question is being made on behalf of this party.

### **OrderParty**

The organisation or business entity placing the order if different from the buyer party.

### **OriginalBuyer**

The first buyer in a supply chain. OriginalBuyer is only used when the first buyer in a supply chain needs to be specified in other e-documents than e-documents belonging to the first level of trade. (Not to be used for the first

# InfoRequest

## papiNet Standard - Version 2.31

---

buyer in a supply chain of logistics, see OriginalLogisticsBuyer.)

### **OriginalBuyerAgent**

The entity acting for the OriginalBuyer in the transaction. OriginalBuyerAgent is only used when the first buyer agent in a supply chain needs to be specified in other e-documents than e-documents belonging to the first level of trade. (Not to be used for the first buyer agent in a supply chain of logistics, see OriginalLogisticsBuyerAgent.)

### **OriginalLogisticsBuyer**

The first logistics buyer in a supply chain of logistics. OriginalLogisticsBuyer is only used when the first logistics buyer in a supply chain of logistics needs to be specified in other e-documents than e-documents belonging to the first level of logistics trade.

### **OriginalLogisticsBuyerAgent**

The entity acting for the OriginalLogisticsBuyer in the transaction. OriginalLogisticsBuyerAgent is only used when the first logistics buyer agent in a supply chain of logistics needs to be specified in other e-documents than e-documents belonging to the first level of logistics trade.

### **OriginalLogisticsSeller**

The first logistics seller in a supply chain of logistics. OriginalLogisticsSupplier is the OriginalLogisticsSeller of the service, if OriginalLogisticsSeller is not specified as OtherParty = OriginalLogisticsSeller. OriginalLogisticsSeller is only used when the first logistics seller in a supply chain of logistics needs to be specified in other e-documents than e-documents belonging to the first level of logistics trade.

### **OriginalLogisticsSupplier**

The first logistics supplier in a supply chain of logistics. OriginalLogisticsSupplier is also the OriginalLogisticsSeller of the service, if OriginalLogisticsSeller is not specified as OtherParty = OriginalLogisticsSeller. OriginalLogisticsSupplier is only used when the first logistics supplier in a supply chain of logistics needs to be specified in other e-documents than e-documents belonging to the first level of logistics trade.

### **OriginalOrderParty**

Party which ordered the product from the Party sending the first level PurchaseOrder in an indirect purchase order process.

### **OriginalSeller**

The first seller in a supply chain. OriginalSupplier is the OriginalSeller of the product, if OriginalSeller is not specified as OtherParty = OriginalSeller. OriginalSeller is only used when the first seller in a supply chain needs to be specified in other e-documents than e-documents belonging to the first level of trade. (Not to be used for the first seller in a supply chain of logistics, see OriginalLogisticsSeller.)

### **OriginalSupplier**

The first supplier in a supply chain. OriginalSupplier is also the OriginalSeller of the product, if OriginalSeller is not specified as OtherParty = OriginalSeller. OriginalSupplier is only intended to identify the business party, not the origin

# InfoRequest

## papiNet Standard - Version 2.31

---

---

of the product. OriginalSupplier is only used when the first supplier in a supply chain needs to be specified in other e-documents than e-documents belonging to the first level of trade. (Not to be used for the first supplier in a supply chain of logistics, see OriginalLogisticsSupplier.)

### **Payee**

The party handling and receiving payments on behalf of another party. (Not to be used for logistics payee, see LogisticsPayee.)

### **Payer**

The party handling and sending payments of behalf of another party. (Not to be used for logistics payer, see LogisticsPayer.)

### **PlaceFinalDestination**

The final destination of the goods.

### **PlaceOfAccept**

The location where acceptance of the goods is to take place.

### **PlaceOfDespatch**

The location where despatch took place.

### **PlaceOfDischarge**

The location where the goods were unloaded.

### **PlaceOfLoading**

The location where loading is to or took place.

### **PlaceOfMeasuring**

The location where the products are measured.

### **PlaceOfPassingThrough**

A location to be passed by a vehicle, e.g. a main intersection on a Route.

### **PlaceOfReloading**

A location where the goods were or will be transferred from one transport to another. It may but does not need to involve a change of transport mode.

### **Port**

The type of the origin or destination location of a transport leg in a route. It is a maritime location.

### **PreCarrier**

The party responsible for activities prior to carrier accepting the goods (but after shipping has taken place).

### **PriceListParty**

The organization or business entity responsible managing for the price list between business partners.

### **PrinterFacility**

The location of the printer who will be using the product.

### **Producer**

# InfoRequest

## papiNet Standard - Version 2.31

---

---

The manufacturer of the goods.

### **ProductAgency**

Organization responsible for defining unique product identifiers.

### **ProFormalInvoice**

The organisation or business entity to which the pro-forma invoice will be sent.

### **Publisher**

Individual or corporation responsible for the printing and distribution of digital or printed publications.

### **RemitTo**

The organisation or business entity to which payment will be made.

### **Requestor**

The originator of the original PurchaseOrder requisition (for example, a printing plant ordering through a central purchasing organisation).

### **RoadKeeper**

The party who is responsible for the maintenance of the road.

### **RoadOwner**

The party who is the legal owner of the road.

### **SalesAgent**

The organisation or person responsible for product sales acting on behalf of the seller.

### **SalesOffice**

The functional unit in an organisation or business entity that is responsible for product sales.

### **Seller**

The seller of the product. SupplierParty is the seller of the product, if Seller is not specified as OtherParty = Seller. (Not to be used for logistics seller, see LogisticsSeller.)

### **ServiceProvider**

The party that is responsible for a service in product business.

### **ShipFromLocation**

The location the goods were shipped from.

### **ShipOwner**

The owner of the vessel used to ship the goods.

### **ShipTo**

The address the material should be shipped to.

### **SubCarrier**

A sub carrier of another the shipping company.

### **Supplier**

# InfoRequest

## papiNet Standard - Version 2.31

---

---

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller. (Not to be used for logistics supplier, see LogisticsSupplier.)

### **SupplyRequirementPlanningParty**

The organisation responsible for planning of supply requirements for industries depending on their needs.

### **Terminal**

The type of the origin or destination location of a transport leg in a route. It can be a sea, road or rail terminal.

### **TerminalOperator**

The party providing facilities such as loading, unloading, or warehousing.

### **UnloadingOperator**

A party that is carrying out unloading of transport units.

### **Warehouse**

A storage location. It can be the origin or destination location of a transport leg in a route.

### **WarehouseOperator**

The party operating a warehouse.

### **WillAdvise**

Indicates that party will be identified at a later time

### **Other**

Any other organisation or business entity that may get involved in the transaction and that is not covered by the list.

# InfoRequest

## papiNet Standard - Version 2.31

### InfoRequest Business Scenarios

#### InfoRequest Scenario Listing

<b>Scenario A</b>	Publisher wants to know the status of a given product on hand at a specific location. The InfoRequestType is "InventoryStatus".
<b>Scenario B</b>	Publisher is asking in advance for a status of all inventories at a given location for a specific date. The InfoRequestType is "InventoryStatus".
<b>Scenario C</b>	Publisher anticipates a larger than normal print run due to large interest in a particular new story and issues an InfoRequest to the printer to learn about the printer's inventory status. The InfoRequestType is "InventoryStatus".
<b>Scenario D</b>	Publisher issues a Purchase Order to a Supplier and later issues an InfoRequest to learn about the status of the order within the manufacturing system. The InfoRequestType is "OrderStatus".
<b>Scenario E</b>	Publisher issues a Purchase Order and later issues an InfoRequest to learn about the status of two specific line items contained within the Order. The InfoRequestType is "OrderStatus".
<b>Scenario F</b>	Publisher issues a Purchase Order and later issues an InfoRequest to learn about the status of a specific product which has been ordered. The InfoRequestType is "OrderStatus".
<b>Scenario G</b>	An e-marketplace issues an InfoRequest to learn about the status of all open or active orders from a Supplier for a given time period.

#### Scenario A

<b>e-Document</b>	InfoRequest
<b>Type</b>	InventoryStatus
<b>Scenario</b>	Publisher wants to know the status of a given product on hand at a specific location. The InfoRequestType is "InventoryStatus"
<b>Outcome</b>	An InfoRequest is generated by the Buyer's system and received into the Supplier's system.

## InfoRequest papiNet Standard - Version 2.31

<b>Initiator</b>	Buyer
<b>Receiver</b>	Supplier
<b>Trigger</b>	None
<b>Step 1.</b>	<p>Buyer records an original Inquiry into their system then sends it to the Supplier. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"> <li>• InfoRequestType = "InventoryStatus"</li> <li>• Requestor = unique number</li> <li>• SenderParty = publisher</li> <li>• RequestingParty = publisher</li> <li>• RespondToParty = publisher</li> <li>• InventoryStatusRequestDetailType = ByProduct</li> <li>• InventoryStatusReportingDetailType = AggregatedInventory</li> <li>• LocationParty = mill or warehouse location</li> <li>• Product = product ID</li> </ul>
<b>Result</b>	The Supplier responds with an InventoryStatus e-Document that provides the aggregate quantity of the product specified at the location specified.

### Scenario B

<b>e-Document</b>	InfoRequest
<b>Type</b>	InventoryStatus
<b>Scenario</b>	Publisher is asking in advance for a status of all inventories at a given location for a specific date. The InfoRequestType is "InventoryStatus".
<b>Outcome</b>	An InfoRequest is generated by the Buyer's system and received into the Supplier's system.
<b>Initiator</b>	Buyer
<b>Receiver</b>	Supplier
<b>Trigger</b>	None
<b>Step 1.</b>	<p>Publisher records an original Inquiry into their system then sends it to the Supplier. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"> <li>• InfoRequestType = InventoryStatus</li> <li>• RequestNumber = unique number</li> </ul>

## InfoRequest

### papiNet Standard - Version 2.31

	<ul style="list-style-type: none"> <li>• SenderParty = publisher</li> <li>• RequestingParty = publisher</li> <li>• RespondToParty = publisher</li> <li>• InventoryStatusRequestDetailType = ByProduct</li> <li>• InventoryStatusReportingDetailType = DetailedInventory</li> <li>• LocationParty = mill or warehouse location</li> <li>• StatusAsOfDate = some future date</li> </ul>
<b>Result</b>	The Supplier responds with an InventoryStatus e-Document that provides the detailed quantities and roll identifiers of the product specified at the location specified.

#### Scenario c

<b>e-Document</b>	InfoRequest
<b>Type</b>	InventoryStatus
<b>Scenario</b>	Publisher anticipates a larger than normal print run due to large interest in a particular new story and issues an InfoRequest to the printer to learn about the printer's inventory status. The InfoRequestType is "InventoryStatus".
<b>Outcome</b>	An InfoRequest is generated by the Publisher's system and received into the Printer's system.
<b>Initiator</b>	Buyer
<b>Receiver</b>	Supplier
<b>Trigger</b>	None
<b>Step 1.</b>	<p>Publisher records an original Inquiry into their system then sends it to the Supplier. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"> <li>• InfoRequestType = InventoryStatus</li> <li>• RequestNumber = unique number</li> <li>• SenderParty = publisher</li> <li>• RequestingParty = publisher</li> <li>• RespondToParty = publisher</li> <li>• InventoryStatusRequestDetailType = ByProduct</li> <li>• InventoryStatusReportingDetailType = AggregatedInventory</li> <li>• SupplierParty = preferred supplier</li> </ul>

## InfoRequest papiNet Standard - Version 2.31

	<ul style="list-style-type: none"> <li>• LocationParty = printer's warehouse location</li> <li>• Product = product ID</li> </ul>
<b>Result</b>	The Printer responds with an InventoryStatus e-Document that provides the aggregate quantity of the product specified at the location specified and for only the Supplier indicated.

### Scenario D

<b>e-Document</b>	InfoRequest
<b>Type</b>	OrderStatus
<b>Scenario</b>	Publisher issues a Purchase Order to a Supplier and later issues an InfoRequest to learn about the status of the order within the manufacturing system. The InfoRequestType is "OrderStatus".
<b>Outcome</b>	An InfoRequest is generated by the Buyer's system and received into the Supplier's system.
<b>Initiator</b>	Buyer
<b>Receiver</b>	Supplier
<b>Trigger</b>	None
<b>Step 1.</b>	Buyer records an original Inquiry into their system then sends it to the Supplier. At a minimum, all required elements and corresponding attributes are recorded: <ul style="list-style-type: none"> <li>• InfoRequestType = OrderStatus</li> <li>• RequestNumber = unique number</li> <li>• SenderParty = publisher</li> <li>• RequestingParty = publisher</li> <li>• RespondToParty = publisher</li> <li>• OrderStatusRequestDetailType = ByPurchaseOrder</li> <li>• ByPurchaseOrder = specified PO</li> </ul>
<b>Result</b>	The Supplier responds with an OrderStatus e-Document that provides the status of the PO specified.

### Scenario E

<b>e-Document</b>	InfoRequest
<b>Type</b>	OrderStatus

## InfoRequest papiNet Standard - Version 2.31

<b>Scenario</b>	Publisher issues a Purchase Order and later issues an InfoRequest to learn about the status of two specific line items contained within the Order. The InfoRequestType is "OrderStatus".
<b>Outcome</b>	An InfoRequest is generated by the Buyer's system and received into the Supplier's system.
<b>Initiator</b>	Buyer
<b>Receiver</b>	Supplier
<b>Preconditions</b>	What exists prior to the start?
<b>XML File</b>	The name of any sample file.
<b>Trigger</b>	None
<b>Step 1.</b>	<p>Publisher records an original Inquiry into their system then sends it to the Supplier. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"> <li>• InfoRequestType = OrderStatus</li> <li>• RequestNumber = unique number</li> <li>• SenderParty = publisher</li> <li>• RequestingParty = publisher</li> <li>• RespondToParty = publisher</li> <li>• OrderStatusRequestDetailType = ByPurchaseOrder</li> <li>• ByPurchaseOrder = specified PO; line item A and line item B</li> </ul>
<b>Result</b>	The Supplier responds with an OrderStatus e-Document that provides the status of the PO line items specified only.

### Scenario F

<b>e-Document</b>	InfoRequest
<b>Type</b>	OrderStatus
<b>Scenario</b>	Publisher issues a Purchase Order and later issues an InfoRequest to learn about the status of a specific product which has been ordered. The InfoRequestType is "OrderStatus".
<b>Outcome</b>	An InfoRequest is generated by the Buyer's system and received into the Supplier's system.

## InfoRequest papiNet Standard - Version 2.31

<b>Initiator</b>	Buyer
<b>Receiver</b>	Supplier
<b>Trigger</b>	None
<b>Step 1.</b>	<p>Buyer records an original Inquiry into their system then sends it to the Supplier. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"> <li>• InfoRequestType = OrderStatus</li> <li>• RequestNumber = unique number</li> <li>• SenderParty = publisher</li> <li>• RequestingParty = publisher</li> <li>• RespondToParty = publisher</li> <li>• OrderStatusRequestDetailType = ByProduct</li> <li>• Product = specified product</li> </ul>
<b>Result</b>	The Supplier responds with an OrderStatus e-Document that provides the status of the PO line items specified only. The OrderStatus e-Document may include an OrderStatusCode indicating the line item's (product's) current status within the Supplier's system.
<b>Optional Step 2</b>	The Buyer may desire to further request more detailed information for each of the returned POs. The Buyer may do so by issuing an OrderStatusDetail InfoRequest for each (or selected) purchase order returned.

### Scenario G

<b>e-Document</b>	InfoRequest
<b>Type</b>	OrderStatus
<b>Scenario</b>	An e-marketplace issues an InfoRequest to learn about the status of all open orders from a Supplier for a given time period. The InfoRequestType is "OrderStatus".
<b>Outcome</b>	An InfoRequest is generated by the Buyer's system and received into the Supplier's system.
<b>Initiator</b>	e-marketplace
<b>Receiver</b>	Supplier
<b>Trigger</b>	None

## InfoRequest papiNet Standard - Version 2.31

<b>Step 1.</b>	<p>Publisher records an original Inquiry into their system then sends it to the Supplier. At a minimum, all required elements and corresponding attributes are recorded:</p> <ul style="list-style-type: none"><li>• InfoRequestType = OrderStatus</li><li>• RequestNumber = unique number</li><li>• SenderParty = e-marketplace</li><li>• RequestingParty = publisher</li><li>• RespondToParty = e-marketplace</li><li>• OrderStatusRequestDetailType = ByPurchaseOrder</li><li>• SupplierParty = specified supplier</li><li>• OrderStatusCode = Active</li><li>• DateTimeRange = last month</li></ul>
<b>Results</b>	<p>The Supplier responds with an OrderStatus e-Document that provides the status of all the active or open POs referencing the specified supplier.</p>