

papiNet

PackingList

papiNet Standard - Version 2.31

Documentation

Global Standard for the Paper and Forest Products Supply Chain

> Build V2R31_20240321 Date 2024-04-14

Production Release

Copyright

Copyright 2000 - 2024 Papinet SNC ("papiNet") the "Copyright Owner". All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the papiNet specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

papiNet, and the members of all papiNet Groups (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

Use of Documents in papiNet Implementations

Documents may be used as templates for a papiNet implementation. The Presenters grant the right to modify and edit them to fit an actual implementation project provided all copies display the copyright and any other proprietary notices contained in this document. Such modified documents must not be distributed beyond the trading partners implementing or maintaining a papiNet connection.

Table of Contents	
Copyright	. 2
Use of Documents in papiNet Implementations	. 2
Table of Contents	
PackingList Documentation	
PackingList e-Document Overview	
The Scope of the PackingList e-Document	
Business Rules for PackingList	
Processing the PackingList e-Document	
Understanding the Diagrams and Content	
PackingList Root Element	
PackingList	
Primary Elements	
PackingListHeader	
PackingUnit	
PackingListItem	
PackingListSummary	
PackingList Business Scenarios	
PackingList Scenario Listing	
Scenario A	
Scenario B	
Scenario C	
Scenario D	
Scenario E	
Scenario F	
Scenario G	
Scenario H	

PackingList Documentation

PackingList e-Document Overview

The PackingList e-Document specifies the details of a shipment that is being despatched. The seller should send the PackingList e-Document in sufficient time so that the recipient can process the information before the goods arrive. The recipient can then prepare efficiently for the receipt of the goods.

A PackingList e-Document can trigger either one or more invoices or direct payments.

The Scope of the PackingList e-Document

The PackingList e-Document includes:

- The date on which goods were despatched
- Consignment details for example, purchase order, reel identifiers, and quantities.

Using this information, the buyer can:

- Prepare for receipt of goods.
- Reconcile the physically delivered goods with those contained in the PackingList e-Document.
- Reconcile the list of delivered goods with the invoice(s) for those goods.

A PackingList e-Document cannot be used to return goods to the seller and is complementary to the paper delivery note accompanying the physical goods.

Business Rules for PackingList

General Business Rules

The following table lists the business rules that apply to the PackingList e-Document.

Identifier	Business Rule
PCK001	A PackingList can have only one ShipToParty.
PCK002	Each PackingList contains one and only one PackingListHeader
PCK003	Each PackingList can contain one or more PackingUnit
PCK004	Each PackingUnit can contain one or more PackingListItem
PCK005	A PackingListItem contains a reference to one and only one PurchaseOrder and one and only one PurchaseOrderLineItem of that PurchaseOrder.
PCK006	Each PackingListItem must be defined by the

Identifier	Identifier Dusiness Bule	
Identifier	Business Rule PackingListItemNumber, which is a sequential number unique within the PackingUnit.	
PCK007	If the PackingListItemType is Reel, then each PackingListItem must be uniquely defined by the PackingListItem/Identifier.	
PCK008	If the PackingListItemType is not Reel (e.g. Sheet), then each PackingListItem can be defined by the PackingListItem/Identifier, using a serial number or batch number, which is not necessarily unique.	
PCK009	Each PackingUnit refers to only one Packing Unit (e.g. Pallet, Stack, or Container), which may contain products from several PurchaseOrderLineItem(s) and PurchaseOrder(s).	
PCK010	Each PackingListItem refers to only one PackingUnit which can contain only one product from only one PurchaseOrderLineItem (which comes from only one PurchaseOrder).	
PCK011	A PackingListItem enumerates delivered physical items.	
PCK012	PackingList e-Documents must be processed in ascending date time order using PackingListDate to ensure the correct processing of replacements and/or cancellations. (TransactionHistoryNumber can also be used.)	
PCK013	If the seller sets the PackingListStatusType attribute to "Replaced" or "Cancelled", the PackingListNumber must be the same as for the original PackingList this e-Document is replacing or cancelling.	
PCK014	PackingListItem(s) are required for a PackingList.	
PCK015	If a PackingList is cancelled, the cancellation e- Document has to contain the same content that is, PackingUnit(s) and PackingListItem(s), as in the original PackingList to be cancelled.	
PCK016	After a Cancellation, only a new Original with a new unique PackingListNumber can be sent, so a PackingListNumber cannot be reused.	

Processing the PackingList e-Document

The PackingList e-Document has only one status field—
PackingListStatusType at the e-Document level. The seller or a
representative of the seller is the only party that sends a PackingList eDocument. The e-Document can be sent with one of three values in the
PackingListStatusType field.

Status Values Used When Processing the PackingList e-Document

The status of the PackingList e-Document is communicated using the attribute choices of the PackingListStatusType of:

- Original Indicates that this is the first transmission of the e-Document. This should be a unique number.
- Cancelled Indicates that the seller wants to cancel the e-Document.
 - Per business rule PCK020, the seller must use the same PackingListNumber as in the original e-Document to be cancelled.
- Replaced Indicates that the seller wants to replace the e-Document.
 - Per business rule PCK020, the seller must use the same PackingListNumber as in the original e-Document to be replaced.
 - Per Business rule PCK023, the seller cannot send a Replace if the e-Document has been cancelled before.

Understanding the Diagrams and Content

This section provides a graphical view of the schema structures, a discussion of the item's children. You can find additional information about papiNet and the standard at www.papiNet.org.

The graphics contain content model indicators, cardinality indicators, and data type information.

Associated with each graphic are the definitions for the parent item and any associated child items. All attributes are listed first, followed by the elements.

The following information should help you interpret and understand this standard. Please note the following:

- Content Model and Cardinality operate together to determine if the element or attribute are required in the instance document.
- The same attribute can never appear multiple times in the same element so, you will never see a multiple cardinality indicator.

Content model indicators:

There are three possible types of content: "sequence", "choice", and "all". The papiNet standard currently does not use the "all" construct.

- (sequence)
 - The sequence of the items to the right of the graphic (or below the text) is required.
- (choice)
 - A choice of the items to the right of the graphic (or below the text) is permitted.
- (all)

All the items to the right of the graphic are required.

Cardinality indicators:

- Dotted line around element or attribute.
 - A single instance of the item can optionally exist.
- Dotted line around item with range indicated below.
 - Multiple instances of the item can optionally exist.
- Solid line around item.
 - A single instance of the item must exist.
- Solid line around item with range indicated below
 - At least one instance must exist; multiple instances can optionally exist.

Datatype indication:

When a data type is assigned to an element (either a simple type or complex type the name of the data type is presented beneath the item name in the graphic.

• In some cases additional information about the data type is presented (the default value).

Elements can either have content that is textual/numeric in nature or content that is made up of additional elements and/or attributes.

- When the content is textual/numeric in nature "three straight horizontal lines" will appear in the upper left-hand corner of the graphic. Pay attention to these elements because they are where you will be entering your information.
- When the content is made up of additional elements and/or attributes a "gray-box" will appear on the right-hand side of the graphic.
- If the graphic shows both the horizontal lines and the gray-box then, in the papiNet standard, the content below the element are attributes.

PackingList Root Element

PackingList

The PackingList element is the root element for the PackingList e-Document.

The PackingList e-Document specifies the details of a shipment that is being despatched. The seller should send the PackingList e-Document in sufficient time so that the recipient can process the information before the goods arrive. The recipient can then prepare efficiently for the receipt of the goods.

PackingListStatusType [attribute]

PackingListStatusType is mandatory. A single instance is required.

Attribute is used to identify the PackingList status.

This item is restricted to the following list.

Cancelled

The supplied information has been cancelled. Items that have been cancelled are not included in totals on the summary levels of the e-Document.

Original

The supplied information is the first version of that information.

Replaced

The supplied information is replacing earlier supplied information. The receiver should revalidate the information in their system based upon the entire information received.

Language [attribute]

Language is optional. A single instance might exist.

The valid Alpha 2- and Alpha 3-character list of language codes in the ISO 639-1 and 639-2 international standards.

Information on the content of this attribute is available at: https://www.loc.gov/standards/iso639-2/php/code_list.php

Reissued [attribute]

Reissued is optional. A single instance might exist.

Either "Yes" or "No".


This item is restricted to the following list.

Yes

No

(sequence)

The contents of (sequence) are mandatory. A single instance is required.



PackingListHeader

PackingListHeader is mandatory. A single instance is required.

Information that is applicable to every item on the PackingList e-Document.

PackingUnit

PackingUnit is mandatory. One instance is required, multiple instances might exist.

Describes the major unit of packing the materials in the shipment.

PackingListSummary

PackingListSummary is optional. A single instance might exist.

PackingListSummary contains summary information applicable to the entire PackingList.

Primary Elements

PackingListHeader

Information that is applicable to every item on the PackingList e-Document.

(sequence)

The contents of (sequence) are mandatory. A single instance is required.

PackingListNumber

PackingListNumber is mandatory. A single instance is required.

PackingListHeader

The packing list identifying number.

TransactionHistoryNumber

TransactionHistoryNumber is optional. A single instance might exist.

A sequential number that keeps track of the version of a document.

However when the document is a confirmation document, in which case the TransactionHistoryNumber refers to the trigger transaction for the confirmation.

PackingListDate

PackingListDate is mandatory. A single instance is required.

Used to identify the issue date of the PackingList transaction.

PackingListReference

PackingListReference is optional. Multiple instances might exist.

Element used to identify any external or associated documents, identifiers, etc.

BuyerParty

BuyerParty is mandatory. A single instance is required.

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

BillToParty


BillToParty is optional. A single instance might exist.

The address where the invoice is to be sent.

SupplierParty

SupplierParty is mandatory. A single instance is required.

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.



CarrierParty

CarrierParty is optional. A single instance might exist.

The party performing the transport of the product from the pickup location to the ship-to location; could be a hauler.

SenderParty

SenderParty is optional. A single instance might exist.

The business entity issuing the business document, the source of the document.

• This is the same entity as the "From" party in the ebXML message service envelope. The entity responsible for the content. If the sender party has out sourced the transmission function to a third party the sender party is the original party not the party performing the transmission service.

ReceiverParty

ReceiverParty is optional. Multiple instances might exist.

The business entity for whom the business document is intended, the destination of the document.

• This is the same entity as the "To" party in the ebXML message service envelop. The entity interested in the content. If the receiver party has outsourced the message receipt function to a third party the receiver party is the intended party not the party performing the receiving process.

ShipToCharacteristics

ShipToCharacteristics is mandatory. A single instance is required.

A group item that provides information important for the Ship-To Party.

EstimatedArrivalDate

EstimatedArrivalDate is optional. A single instance might exist.

An estimation of the arrival date.

AdditionalText

AdditionalText is optional. Multiple instances might exist.

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

Packing Unit

Describes the major unit of packing attributes the materials in the shipment. PackingUnitType type packingUnitType PackingUnitType [attribute] PackingUnitType is mandatory. A PackingUnitSerialNumber single instance is required. type s60 Attribute used to identify dentifier Packing Unit the type of this packing type identifierS60 unit. PackingUnitMeasurements This item is restricted to the following PackingListReference type s255 **Container** 0..∞ **Pallet** sequence Quantity Stack type measurement Other Informational Quantity ((sequence) type measurement 0..∞ The contents of (sequence) are mandatory. A single instance is required. PackingListItem 4 **PackingUnitSerialNumber** NumberOfPackingListItems PackingUnitSerialNumber is mandatory. A single type nni3

The serial number of the packing unit.

Identifier

instance is required.

Identifier is mandatory. One instance is required, multiple instances might exist.

An Identifier is required for packages and items (pallets, reel packages, boxes, ream items, reel items, etc). The Identifier element contains the actual item identifier code. Identifier is repeatable so more than one identifier can be communicated. For example, the printed identifier on a label may be different from the barcode printed on the label.

PackingUnitMeasurements

PackingUnitMeasurements is optional. A single instance might exist.

A group element construct detailing the measurements, height, weight, and length, of the specified packing unit.

PackingListReference

PackingListReference is optional. Multiple instances might exist.

Element used to identify any external or associated documents, identifiers, etc.

Quantity

Quantity is mandatory. A single instance is required.

The Quantity element contains attributes that provide information about the type of quantity that is being communicated, the context in which the particular quantity is to be viewed, and (if the quantity represents an adjustment) an adjustment type.

The Quantity element contains three child elements that enable you to

communicate a range of values for the quantity and a target or actual value. It is at this level (Value, RangeMin, and RangeMax) that the unit of measure is specified. This permits the range to be specified in a different unit of measure than the target.

InformationalQuantity

Informational Quantity is optional. Multiple instances might exist.

A quantity given in a valid UOM used for information purposes only (not for calculation). For example, an ordered quantity was 100 reels as opposed to the invoice quantity of 20,000 pounds.

PackingListItem

PackingListItem is mandatory. One instance is required, multiple instances might exist.

The required element PackingListItem refers to one and only one PurchaseOrder and one and only one PurchaseOrderLineItem of that PurchaseOrder.

NumberOfPackingListItems

NumberOfPackingListItems is mandatory. A single instance is required.

The number of packing list items in a PackingUnit of the PackingList.

PackingListItem[©]

PackingListItem

The required element
PackingListItem refers to one and
only one PurchaseOrder and one
and only one
PurchaseOrderLineItem of that
PurchaseOrder.

PackingListItemType [attribute]

PackingListItemType is mandatory. A single instance is required.

This attribute is used to identify the type of package configuration the item is. To help with physical identification.

This item is restricted to the following list.

Box

Ream

Reel

Sheet

Other (sequence)

The sequence of items below is mandatory. A single instance is required.

PackingListItemNumber

PackingListItemNumber is mandatory. A single instance is required.

Used to uniquely identify this item within the packing list.

Identifier


Identifier is optional. Multiple instances might exist.

An Identifier is required for packages and items (pallets, reel packages, boxes, ream items, reel items, etc). The Identifier element contains the actual item identifier code. Identifier is repeatable so more than one identifier can be communicated. For example, the printed identifier on a label may be different from the barcode printed on the label.

PurchaseOrderInformation

PurchaseOrderInformation is mandatory. A single instance is required.

A group item containing information unique to this purchase order, which is provided by the buyer. PurchaseOrderInformation can be optional in the supply chain. Invoices are created without having a Purchase Order in Vendor Managed Inventory. Freight invoices also will not have a Purchase Order number.



PurchaseOrderLineItemNumber

PurchaseOrderLineItemNumber is optional. A single instance might exist.

The sequential number that uniquely identifies the purchase order line item.

PackingListReference

PackingListReference is optional. Multiple instances might exist.

Element used to identify any external or associated documents, identifiers, etc.

Product

Product is mandatory. A single instance is required.

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.

Quantity

Quantity is mandatory. A single instance is required.

The Quantity element contains attributes that provide information about the type of quantity that is being communicated, the context in which the particular quantity is to be viewed, and (if the quantity represents an adjustment) an adjustment type.

The Quantity element contains three child elements that enable you to communicate a range of values for the quantity and a target or actual value. It is at this level (Value, RangeMin, and RangeMax) that the unit of measure is specified. This permits the range to be specified in a different unit of measure than the target.

InformationalQuantity

InformationalQuantity is optional. Multiple instances might exist.

A quantity given in a valid UOM used for information purposes only (not for calculation). For example, an ordered quantity was 100 reels as opposed to the invoice quantity of 20,000 pounds.

BestBeforeDate

BestBeforeDate is optional. A single instance might exist.

The date, prior to which, the product is suggested to be used.

NumberOfMillJoins

NumberOfMillJoins is optional. A single instance might exist.

The number of joins in the reel.

AdditionalText

AdditionalText is optional. Multiple instances might exist.

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

PackingListSummary


PackingListSummary contains summary information applicable to the entire PackingList.

(sequence)

The contents of (sequence) are



mandatory. A single instance is required.



TotalNumberOfPackingListPackingUnits

TotalNumberOfPackingListPackingUnits is optional. A single instance might exist.

TotalNumberOfPackingListPackingUnits

TotalNumberOfPackingListItems

TotalNumberOfPackingListItems is optional. A single instance might exist.

Total Number Of PackingList Items

(sequence)

The contents of (sequence) are optional. Multiple instances might exist.

TotalQuantity

TotalQuantity is mandatory. A single instance is required.

The total quantity of similar items in the business document. TotalQuantity is primarily used in the summary section of documents where it is repeatable to permit totaling for different units of measure.

TotalInformationalQuantity

TotalInformationalQuantity is optional. Multiple instances might exist.

A quantity that is used to communicate related information about the parent element. This element represents a total that is derived from individual line items.

TermsAndDisclaimers

TermsAndDisclaimers is optional. Multiple instances might exist.

An element that contains legal information with an indication of what the Language is.

PackingList Business Scenarios

PackingList Scenario Listing

Scenario A	A PackingList is sent that specifies reels packed on pallets for a single purchase order.
Scenario B	A PackingList is sent that specifies several purchase orders delivered together. The delivery consists of reels packed on pallets. Each pallet is produced for a single purchase order.
Scenario C	A PackingList is sent that specifies several purchase orders delivered together. The delivery consists of reels packed on pallets. Pallets combine products from different purchase orders.
Scenario D	A PackingList is sent that specifies reels packed in stacks for a single purchase order.
Scenario E	A PackingList is sent that contains sheets packed in reams which are on pallets for a single purchase order.
Scenario F	A PackingList is sent that contains sheets packed in reams on one pallet from different purchase orders.
Scenario G	A PackingList is sent that corrects an erroneous PackingList.
Scenario H	A PackingList is sent that cancels an erroneous PackingList.

Scenario A

e- Document	PackingList
Scenario	A PackingList is sent that specifies reels packed on pallets for a single purchase order.
Outcome	Delivery is recorded as shipped in the Buyer's system
Initiator	Supplier
Receiver	Buyer
Trigger	Goods are ready for Delivery
Step 1.	Supplier sends a PackingList that corresponds to one PurchaseOrder. Pallet is the highest packing level in the Use Case. Each PackingUnit specifies a

Page: 17 of 25 Build V2R31_20240321 Date 2024-04-14

Pu	ipiivet Stailuaru - version 2.51
	pallet that is sent and is described the following way
	 PackingUnitType is "Pallet" Identifier is the unique identifier of the pallet PackingListReference can contain the supplier specific identification of the purchase order/purchase order line for which the pallet was created PackingUnitMeasurements describes the dimensions of the pallet Quantity tells the quantity of material on the pallet Informational quantity can contain gross weight
	and/or net weight of the pallet PackingListItem details each Reel on the pallet:
	 PackingListItemType is "Reel" Identifier is the unique identifier of the Reel PurchaseOrderInformation and PurchaseOrderLineItemNumber refer to the purchase order in the buyer's system for which the PackingListItem was produced. PurchaseOrderInformation has the same value for all PackingListItem in the PackingList. PackingListReference can contain supplier specific identification of the purchase
	order/purchase order line for which the PackingListItem was produced
	Statuses sent within the e-Document: • PackingListStatusType = "Original"

Scenario B

e- Document	PackingList
Scenario	A PackingList is sent that specifies several purchase orders delivered together. The delivery consists of reels packed on pallets. Each pallet is produced for a single purchase order.
Outcome	Delivery is recorded as shipped in the Buyer's system
Initiator	Supplier
Receiver	Buyer

Page: 18 of 25 Build V2R31_20240321 Date 2024-04-14

Trigger	Goods are ready for Delivery
Step 1.	Supplier sends a PackingList that corresponds to the delivery of several Purchase Orders. Pallet is the highest packing level in the Use Case. Each PackingUnit specifies a pallet that is sent and is described the following way: • PackingUnitType is "Pallet" • Identifier is the unique identifier of the pallet • PackingListReference can contain the supplier specific identification of the purchase order/purchase order line for which the pallet was produced • PackingUnitMeasurements for the pallet • Quantity tells the quantity of material on the pallet • Informational quantity can contain gross weight and/or net weight of the pallet
	PackingListItem details each Reel on the pallet: PackingListItemType is "Reel" Identifier is the unique identifier of the Reel PurchaseOrderInformation and PurchaseOrderLineItemNumber refer to the purchase order in the buyer's system for which the PackingListItem was produced. PurchaseOrderInformation is different for different PackingListItem in the PackingList but is the same for all PackingListItem within the same PackingUnit. PackingListReference can contain supplier specific identification of the purchase order/purchase order line for which the PackingListItem was produced Statuses sent within the e-Document: PackingListStatusType = "Original"

Scenario C

e- Document	PackingList
	A PackingList is sent that specifies several purchase orders delivered together. The delivery consists of reels packed on pallets. Pallets combine products from different purchase orders.

Page: 19 of 25 Build V2R31_20240321 Date 2024-04-14

Outcome	Delivery is recorded as shipped in the Buyer's system
Initiator	Supplier
Receiver	Buyer
Trigger	Goods are ready for Delivery
Step 1.	Supplier sends a PackingList that corresponds to the delivery of several Purchase Orders. Pallet is the highest packing level in the Use Case. Each PackingUnit specifies a pallet that is sent and is described the following way: • PackingUnitType is "Pallet" • Identifier is the unique identifier of the pallet • PackingListReference can contain the supplier specific identification of the purchase order/purchase order line for which the pallet was produced • PackingUnitMeasurements describes the dimensions of the pallet • Quantity tells the quantity of material on the pallet • Informational quantity can contain gross weight and/or net weight of the pallet
	 PackingListItem details each Reel on the pallet: PackingListItemType is "Reel" Identifier is the unique identifier of the Reel PurchaseOrderInformation and PurchaseOrderLineItemNumber refer to the purchase order in the buyer's system for which the PackingListItem was produced. PurchaseOrderInformation is different for different PackingListItem within the same PackingUnit. PackingListReference can contain supplier specific identification of the purchase order/purchase order line for which the PackingListItem was produced Statuses sent within the e-Document: PackingListStatusType = "Original"

Scenario D

e -	PackingList
C	i dekingeist

Document	
Scenario	A PackingList is sent that specifies reels packed in
	stacks for a single purchase order.
Outcome	Delivery is recorded as shipped in the Buyer's system
Initiator	Supplier
Receiver	Buyer
Trigger	Goods are ready for Delivery
Step 1.	Supplier sends a PackingList that corresponds to one PurchaseOrder. Stack is the highest packing level in the Use Case. Each PackingUnit specifies a stack that is sent and is described the following way: PackingUnitType is "Stack" Identifier is the unique identifier of the stack PackingListReference can contain the supplier specific identification of the purchase order/purchase order line for which the stack was produced PackingUnitMeasurements for the dimensions of the stack Quantity tells the quantity of material which composes the stack Informational quantity can contain gross weight and/or net weight of the stack PackingListItem details each Reel in the stack: PackingListItemType is "Reel" Identifier is the unique identifier of the Reel PurchaseOrderInformation and PurchaseOrderInformation and Purchase order in the buyer's system for which the PackingListItem was produced. PurchaseOrderInformation has the same value for all PackingListItem(s) in the PackingList. PackingListReference can contain supplier specific identification of the purchase order/purchase order line for which the PackingListItem was produced Statuses sent within the e-Document: PackingListStatusType = "Original"

Scenario E


e- Document	PackingList	
Scenario	A PackingList is sent that contains sheets packed in reams which are on pallets for a single purchase order.	
Outcome	Delivery is recorded as shipped in the Buyer's system	
Initiator	Supplier	
Receiver	Buyer	
Trigger	Goods are ready for Delivery	
Step 1.	Supplier sends a PackingList that corresponds to one PurchaseOrder. Pallet is the highest packing level in the Use Case. Each PackingUnit specifies a pallet that is sent and is described the following way: • PackingUnitType is "Pallet" • Identifier is the unique identifier of the pallet • PackingListReference can contain the supplier specific identification of the purchase order/purchase order line for which the pallet was produced • PackingUnitMeasurements describes the dimensions of the pallet • Quantity tells the quantity of material on the pallet • Informational quantity can contain gross weight and/or net weight of the pallet.	
	There is one PackingListItem occurrence per PurchaseOrder/PurchaseOrderLineItemNumber combination which gives detailed information about the sheets on the pallet and their references to the buyer's purchase order: • PackingListItemType is "Ream" • Identifier is a running number in the PackingUnit to identify each entity of PurchaseOrder/PurchaseOrderLineItemNumber/Suppl ier Order/Supplier Order Line (optionally by using PurchaseOrderReference) combination. It does not refer to a specific Ream. • InformationalQuantity can hold the number of reams for each PackingListItem • PurchaseOrderInformation and PurchaseOrderLineItemNumber refer to the purchase order in the buyer's system that is being delivered. PurchaseOrderInformation has the same value for all	

Page: 22 of 25 Build V2R31_20240321 Date 2024-04-14

PackingListItem(s) in the PackingList. • PackingListReference can contain supplier specific identification of the purchase order/purchase order line for which the PackingListItem was produced	
Statuses sent within the e-Document: • PackingListStatusType = "Original"	

Scenario F

enario F		
e- Document	PackingList	
Scenario	A PackingList is sent that contains sheets packed in reams on one pallet from different purchase orders.	
Outcome	Delivery is recorded as shipped in the Buyer's system	
Initiator	Supplier	
Receiver	Buyer	
Trigger	Goods are ready for Delivery	
Step 1.	Supplier sends a PackingList that corresponds to different Purchase Orders. Pallet is the highest packing level in the Use Case. Each PackingUnit specifies a pallet that is sent and is described the following way: PackingUnitType is "Pallet" Identifier is the unique identifier of the pallet PackingListReference can contain the supplier specific identification of the purchase orders/purchase order lines for which the pallet was produced PackingUnitMeasurements describes the dimensions of the pallet Quantity tells the quantity of material on the pallet Informational quantity can contain gross weight and/or net weight of the palle There is one PackingListItem occurrence per PurchaseOrder/PurchaseOrderLineItem/SupplierOrder	
	/SupplierOrderLine (optionally by using PurchaseOrderReference) combination which gives detailed information about the sheets on the pallet and their references to the buyer's purchase order: • PackingListItemType is "Ream" • Identifier is a running number in the PackingUnit	



Scenario G

e-Document	PackingList
Scenario	A PackingList is sent that corrects an erroneous PackingList.
Outcome	The Original PackingList Information is removed from the Buyer's System and is replaced by the Replacement PackingList Information.
Initiator	Supplier
Receiver	Buyer
Preconditions	Goods were ready for Delivery and an Original PackingList was sent. The Delivery is in error and should be replaced.
Step 1.	Supplier sends an "Original" PackingList e- Document that corresponds to one or more PurchaseOrderInformation, PurchaseOrderLineItemNumber combinations and includes PackingUnit and PackingListItem information.
Step 2.	An error in the original PackingList is noted.
Step 3.	Supplier replaces the entire PackingList. PackingListStatusType is set to "Replaced". The

Page: 24 of 25 Build V2R31_20240321 Date 2024-04-14

new e-Document contains full replacement information.
 The new PackingList has the same PackingListNumber as the "Original"
PackingList

Scenario H

e-Document	PackingList
Scenario	An erroneous PackingList is cancelled.
Outcome	The Cancelled PackingList Information is removed from the Buyer's systems.
Initiator	Supplier
Receiver	Buyer
Preconditions	Goods were ready for Delivery and an Original PackingList was sent. The Delivery is in error and should be cancelled.
Step 1.	Supplier sends an "Original" PackingList e- Document that corresponds to one or more PurchaseOrderInformation, PurchaseOrderLineItemNumber combinations and includes PackingUnit and PackingListItem(s) information.
Step 2.	An error in the original PackingList is noted, which creates a need for the cancellation of that e-Document.
Step 3.	 Supplier cancels the PackingList e-Document. PackingListStatusType is set to "Cancelled". Otherwise, the new e-Document contains the same content as the "Original" PackingList. The cancelling PackingList has the same PackingListNumber as the "Original" PackingList