



papiNet

LoadAvailable

papiNet Standard - Version 2.31

Documentation

**Global Standard for the Paper and Forest
Products Supply Chain**

Build V2R31_20110411

Date 2011-04-16

Production Release

LoadAvailable

papiNet Standard - Version 2.31

Copyright

Copyright 2000 - 2011 papiNet G.I.E ("papiNet") and International Digital Enterprise Alliance, Inc. ("IDEAlliance") collectively "Copyright Owner". All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the papiNet specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

papiNet, IDEAlliance, and the members of all papiNet Groups (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

Use of Documents in papiNet Implementations

Documents may be used as templates for a papiNet implementation. The Presenters grant the right to modify and edit them to fit an actual implementation project provided all copies display the copyright and any other proprietary notices contained in this document. Such modified documents must not be distributed beyond the trading partners implementing or maintaining a papiNet connection.

LoadAvailable

papiNet Standard - Version 2.31

Table of Contents

Copyright	2
Use of Documents in papiNet Implementations	2
Table of Contents	3
LoadAvailable Documentation	4
LoadAvailable e-Document Overview	4
LoadAvailable Scope	4
LoadAvailableType [attribute]	4
Business Rules for LoadAvailable	5
LoadAvailable Processing	5
Understanding the Diagrams and Content	6
LoadAvailable Root Element	8
LoadAvailable	8
Primary Elements	10
LoadAvailableHeader	10
LoadAvailableLineItem	13
LoadAvailableSummary	15
LoadAvailable Business Scenarios	17
LoadAvailable Scenario Listing	17
Scenario A	17
Scenario A'	18
Scenario B	18
Scenario B'	19
Scenario C	19
Scenario C'	20
Scenario D	21
Scenario D'	21
Scenario E	22
Scenario E'	22

LoadAvailable

papiNet Standard - Version 2.31

LoadAvailable Documentation

LoadAvailable e-Document Overview

The Supplier party or authorized agent sends a LoadAvailable e-Document to the BuyerParty (consuming mill) indicating that load(s) for specific product is(are) ready on a specific date for acceptance and pickup. The LoadAvailable e-Document from the supplier may include a Shipper Load Number. This number may be used as the consuming mill's release number. The Shipper Load Number is used for authorization for pick-up of load at supplier point.

A LoadAvailable e-Document with a type of LoadAvailableConfirmation is sent from the Buyer (consuming mill) to the Supplier party indicating that the load was accepted or rejected. If accepted, this LoadAvailable response contains the consuming mill's 'release number', Shipper's Load Number and possibly the carrier and related logistics information. The release number is used by the carrier for entry into the mill property and is the main reference number for all correspondence between Supplier and consuming mill about that load.

LoadAvailable Scope

The LoadAvailable e-Document can include:

- A sender specific LoadAvailableNumber
- The date the product is available for pick-up
- Buyer, Supplier, ShipFrom, Shipto, Carrier (if known)
- Shipper Load Number
- Product Identifiers
- Additional Text notes (if needed)

The LoadAvailableConfirmation e-Document can include:

- A sender specific LoadAvailableNumber
- The date the product is available for pick-up
- Buyer, Supplier, ShipFrom, Shipto, Carrier parties(if known)
- LoadAvailable ReleaseNumber
- Shipper Load Number
- Product Identifiers
- Additional Text notes (if needed)

LoadAvailableType [attribute]

LoadAvailableType defines the type of LoadAvailable e-Document.

This item is restricted to the following list.

attribute	
LoadAvailableType	
type	loadAvailableType

LoadAvailable

LoadAvailable indicates the e-Document is from the company with the load.

LoadAvailableConfirmation

LoadAvailableConfirmation indicates the e-Document is from the company to whom the load was offered.

LoadAvailable

papiNet Standard - Version 2.31

Business Rules for LoadAvailable

General Business Rules

The following table lists the business rules that apply to the LoadAvailable.

Identifier	Business Rule
LA001	Refers to only one load at a time
LA002	If the Supplier sends a LoadAvailableStatusType of Cancelled, then the OriginalLoadAvailableNumber must be present in the LoadAvailableReference. There must have been an 'original' LoadAvailable e-Document before a Cancel can be processed.
LA003	If the BuyerParty (consuming mill) sends a LoadAvailableStatusType of Rejected, then no LoadReleaseNumber is necessary, but the e-Document must reference the LoadAvailableNumber.
LA004	An amendment must be in response to an existing original

LoadAvailable Processing

With a LoadAvailableStatusType of:

- Original – Indicates that this is the first transmission of the e-Document
- Cancelled – Indicates that the Supplier wants to cancel the e-Document.
- Rejected – Indicates that the BuyerParty does not want the load.
- Amended – Indicates that changed or additional information is being sent for an existing/previously sent e-Document.

Understanding the Diagrams and Content

This section provides a graphical view of the schema structures, a discussion of the item's children. You can find additional information about papiNet and the standard at www.papiNet.org.

The graphics contain content model indicators, cardinality indicators, and data type information.

Associated with each graphic are the definitions for the parent item and any associated child items. All attributes are listed first, followed by the elements.

The following information should help you interpret and understand this standard. Please note the following:

- Content Model and Cardinality operate together to determine if the element or attribute are required in the instance document.
- The same attribute can never appear multiple times in the same element so, you will never see a multiple cardinality indicator.

Content model indicators:

There are three possible types of content: "sequence", "choice", and "all". The papiNet standard currently does not use the "all" construct.

- (sequence)

The sequence of the items to the right of the graphic (or below the text) is required.

- (choice)

A choice of the items to the right of the graphic (or below the text) is permitted.

- (all)

All the items to the right of the graphic are required.

Cardinality indicators:

- Dotted line around element or attribute.

A single instance of the item can optionally exist.

- Dotted line around item with range indicated below.

Multiple instances of the item can optionally exist.

- Solid line around item.

A single instance of the item must exist.

- Solid line around item with range indicated below

At least one instance must exist; multiple instances can optionally exist.

Datatype indication:

When a data type is assigned to an element (either a simple type or complex type) the name of the data type is presented beneath the item name in the graphic.

- In some cases additional information about the data type is presented (the default value).

Elements can either have content that is textual/numeric in nature or content that is made up of additional elements and/or attributes.

- When the content is textual/numeric in nature "three straight horizontal lines" will appear in the upper left-hand corner of the graphic. Pay

LoadAvailable

papiNet Standard - Version 2.31

attention to these elements because they are where you will be entering your information.

- When the content is made up of additional elements and/or attributes a "gray-box" will appear on the right-hand side of the graphic.
- If the graphic shows both the horizontal lines and the gray-box then, in the papiNet standard, the content below the element are attributes.

LoadAvailable


papiNet Standard - Version 2.31

LoadAvailable Root Element

LoadAvailable

The LoadAvailable element is the root element for the LoadAvailable e-Document.

The Supplier party or authorized agent sends a LoadAvailable e-Document to the BuyerParty (consuming mill) indicating that load(s) for specific product is (are) ready on a specific date for acceptance and pickup. The LoadAvailable e-Document from the supplier may include a Shipper Load Number. This number may be used as the consuming mill's release number. The Shipper Load Number is used for authorization for pick-up of load at supplier point.



Language [attribute]

Language is optional. A single instance might exist.

XML has embraced 2 and 3 digit language codes through the application of an addendum to the standard.

Information on the content of this attribute is available at <http://www.loc.gov/standards/iso639-2/> this is the official site of the ISO 639-2 Registration Authority.

- <http://www.w3.org/International/O-HTML-tags.html> provides an explanation of the errata updating XML.
- <http://www.ietf.org/rfc/rfc3066.txt> is the key document that is referenced in the above errata.

LoadAvailableStatusType [attribute]

LoadAvailableStatusType is mandatory. A single instance is required.

LoadAvailableStatusType defines the status of the entire LoadAvailable e-Document.

This item is restricted to the following list.

Accepted

The supplied information is accepted.

Amended

The supplied information is changed.

Cancelled

The supplied information has been cancelled. Items that have been cancelled are not included in totals on the summary levels of the e-document.

Original

The supplied information is the first version of that information.

LoadAvailable

papiNet Standard - Version 2.31

Rejected

The supplied information is rejected.

LoadAvailableType [attribute]

LoadAvailableType is mandatory. A single instance is required.

LoadAvailableType defines the type LoadAvailable e-Document.

This item is restricted to the following list.

LoadAvailable

LoadAvailable indicates the e-Document is from the company with the load.

LoadAvailableConfirmation

LoadAvailableConfirmation indicates the e-Document is from the company to whom the load was offered.

Reissued [attribute]

Reissued is optional. A single instance might exist.

Either "Yes" or "No".

This item is restricted to the following list.

Yes

No

(sequence)

The contents of (sequence) are mandatory. A single instance is required.

LoadAvailableHeader

LoadAvailableHeader is mandatory. A single instance is required.

The LoadAvailableHeader, a group item containing generic information common to the LoadAvailable e-Document.

LoadAvailableLineItem

LoadAvailableLineItem is mandatory. One instance is required, multiple instances might exist.

LoadAvailableLineItem is a group item containing information that relates to a line in the LoadAvailable e-Document.

LoadAvailableSummary

LoadAvailableSummary is optional. A single instance might exist.

Load Available Summary


LoadAvailable

papiNet Standard - Version 2.31

Primary Elements

LoadAvailableHeader

The LoadAvailableHeader, a group item containing generic information common to the LoadAvailable e-Document.



LoadAvailableHeaderStatusType [attribute]

*LoadAvailableHeaderStatusType is optional.
A single instance might exist.*

LoadAvailableHeaderStatusType defines the status of the entire LoadAvailable e-Document at the header level.

This item is restricted to the following list.

Accepted

The supplied information is accepted.

Amended

The supplied information is changed

NoAction

The supplied information has not been amended and thereby requires no action.

Original

The supplied information is the first version of that information.

Rejected

The supplied information is rejected.

(sequence)

The contents of (sequence) are mandatory. A single instance is required.

LoadAvailableInformation

LoadAvailable

papiNet Standard - Version 2.31

LoadAvailableInformation is mandatory. A single instance is required.

LoadAvailableInformation is a group item containing information about the whole LoadAvailable e-Document.

BuyerParty

BuyerParty is mandatory. A single instance is required.

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

SupplierParty

SupplierParty is mandatory. A single instance is required.

The organisation or business entity responsible for providing the product.

SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

CarrierParty

CarrierParty is optional. A single instance might exist.

The party performing the transport of the product from the pickup location to the ship-to location; could be a hauler.

OtherParty

OtherParty is optional. Multiple instances might exist.

An organisation or business entity other than those specifically detailed within a business document.

SenderParty

SenderParty is optional. A single instance might exist.

The business entity issuing the business document, the source of the document.

- This is the same entity as the "From" party in the ebXML message service envelope. The entity responsible for the content. If the sender party has outsourced the transmission function to a third party the sender party is the original party not the party performing the transmission service.

ReceiverParty

ReceiverParty is optional. Multiple instances might exist.

The business entity for whom the business document is intended, the destination of the document.

- This is the same entity as the "To" party in the ebXML message service envelop. The entity interested in the content. If the receiver party has outsourced the message receipt function to a third party the receiver party is the intended party not the party performing the receiving process.

ShipToCharacteristics

ShipToCharacteristics is optional. A single instance might exist.

A group item that provides information important for the Ship-To Party.

A group item that provides information important for the Ship-To Party. ShipToCharacteristics may be referenced at both the header and line item level. The reference at the header is required and acts as a default for the value at the line level, unless overridden at the line level.

TransportModeCharacteristics

TransportModeCharacteristics is optional. A single instance might exist.

LoadAvailable

papiNet Standard - Version 2.31

A group item defining the primary mode of transport.

TransportVehicleCharacteristics

TransportVehicleCharacteristics is optional. A single instance might exist.

A group item defining the primary means of transporting the goods, such as a side port vessel. In some instances, the transport unit and vehicle are the same.

TransportUnitCharacteristics

TransportUnitCharacteristics is optional. A single instance might exist.

A group item defining and identifying the primary means of containing the goods. In some instances, the transport unit and vehicle are the same.

TransportLoadingCharacteristics

TransportLoadingCharacteristics is optional. A single instance might exist.

A group item defining how the transported items are to be loaded.

TransportUnloadingCharacteristics

TransportUnloadingCharacteristics is optional. A single instance might exist.

A group item defining how the transported items are to be unloaded.

TransportOtherInstructions

TransportOtherInstructions is optional. Multiple instances might exist.

A group item defining any other instructions for the transport not covered in the description of transport mode, vehicle, unit, and loading characteristics or defining an alternative description for the categories mentioned above.

AdditionalText

AdditionalText is optional. Multiple instances might exist.


A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

LoadAvailable

papiNet Standard - Version 2.31

LoadAvailableLineItem

LoadAvailableLineItem is a group item containing information that relates to a line in the LoadAvailable e-Document.



LoadAvailableLineItemStatusType [attribute]

LoadAvailableLineItemStatusType is mandatory. A single instance is required.

LoadAvailableLineItemStatusType defines the status of each load defined by the LoadAvailableLineItemNumber in LoadAvailableLineItem.

This item is restricted to the following list.

Accepted

The supplied information is accepted.

Amended

The supplied information is changed

Cancelled

The supplied information has been cancelled. Items that have been cancelled are not included in totals on the summary levels of the e-document.

NoAction

The supplied information has not been amended and thereby requires no action.

Original

The supplied information is the first version of that information.

Pending

LoadAvailable

papiNet Standard - Version 2.31

The supplied information is not complete and will be updated later.

Rejected

The supplied information is rejected.

(sequence)

The contents of (sequence) are mandatory. A single instance is required.

LoadAvailableLineItemNumber

LoadAvailableLineItemNumber is mandatory. A single instance is required.

LoadAvailableLineItemNumber is a unique number within a given LoadAvailable associating the number of loads available with a numeric sequence.

LoadReleaseNumber

LoadReleaseNumber is optional. A single instance might exist.

LoadReleaseNumber is a unique number identifying the load. The number comes from the company to whom the load was offered.

LoadAvailableReference

LoadAvailableReference is optional. Multiple instances might exist.

LoadAvailableReferenceType provides a contextual explanation of the specific reference identifier.

Product

Product is mandatory. A single instance is required.

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.

DeliveryDateWindow

DeliveryDateWindow is optional. Multiple instances might exist.

A group item defining the date/time interval for delivery to take place. An element which may contain the estimated date for which delivery is expected. This date is not absolute.

Quantity

Quantity is optional. A single instance might exist.

The Quantity element contains attributes that provide information about the type of quantity that is being communicated, the context in which the particular quantity is to be viewed, and (if the quantity represents an adjustment) an adjustment type.

The Quantity element contains three child elements that enable you to communicate a range of values for the quantity and a target or actual value. It is at this level (Value, RangeMin, and RangeMax) that the unit of measure is specified. This permits the range to be specified in a different unit of measure than the target.

LocationParty

LocationParty is optional. A single instance might exist.

The organization or business entity where the business event took place or will take place.

LoadAvailable

papiNet Standard - Version 2.31

ShipToParty

ShipToParty is optional. A single instance might exist.

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

TransportModeCharacteristics

TransportModeCharacteristics is optional. A single instance might exist.

A group item defining the primary mode of transport.

TransportVehicleCharacteristics

TransportVehicleCharacteristics is optional. A single instance might exist.

A group item defining the primary means of transporting the goods, such as a side port vessel. In some instances, the transport unit and vehicle are the same.

TransportUnitCharacteristics

TransportUnitCharacteristics is optional. A single instance might exist.

A group item defining and identifying the primary means of containing the goods. In some instances, the transport unit and vehicle are the same.

TransportLoadingCharacteristics

TransportLoadingCharacteristics is optional. A single instance might exist.

A group item defining how the transported items are to be loaded.

TransportUnloadingCharacteristics

TransportUnloadingCharacteristics is optional. A single instance might exist.

A group item defining how the transported items are to be unloaded.

TransportOtherInstructions

TransportOtherInstructions is optional. Multiple instances might exist.

A group item defining any other instructions for the transport not covered in the description of transport mode, vehicle, unit, and loading characteristics or defining an alternative description for the categories mentioned above.

AdditionalText

AdditionalText is optional. A single instance might exist.

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

LoadAvailableSummary


Load Available Summary

(sequence)

The contents of (sequence) are mandatory. A single instance is required.

TotalNumberOfLineItems

TotalNumberOfLineItems is optional. A single instance might exist.



LoadAvailable

papiNet Standard - Version 2.31

The total number of individual line items in the document, regardless of the status or type.

TotalQuantityInformation

TotalQuantityInformation is optional. Multiple instances might exist.

A group item containing information about the total quantity and total informational quantity of similar items in the document. TotalQuantityInformation is primarily used in the summary section of messages where it is repeatable to permit totalling for different units of measure.

TermsAndDisclaimers

TermsAndDisclaimers is optional. Multiple instances might exist.

An element that contains legal information with an indication of what the Language is.

LoadAvailable

papiNet Standard - Version 2.31

LoadAvailable Business Scenarios

LoadAvailable Scenario Listing

Scenario A	Recycle Supplier Notifies Consuming Mill of Load Availability <ul style="list-style-type: none"> Consuming Mill notifies supplier of release number.
Scenario A'	LoadAvailable Confirmation for above scenario.
Scenario B	Consuming mill does not want load
Scenario B'	LoadAvailable Confirmation for above scenario.
Scenario C	Supplier changes the available date on a load. Status is amended with the incremented transaction history number.
Scenario C'	LoadAvailable Confirmation for above scenario.
Scenario D	Supplier cancels load.
Scenario D'	LoadAvailable Confirmation for above scenario.
Scenario E	Consuming mill cancels the load.
Scenario E'	LoadAvailable Confirmation for above scenario.

Scenario A

e-Document	LoadAvailable
Type	LoadAvailable
Scenario	Supplier sends a shipment/load availability schedule to Consuming Mill.
Outcome	Consuming Mill records in their application the available loads.
Initiator	Supplier/Sorting Location
Receiver	Consuming Mill.
Preconditions	Supplier is a valid trading partner. Supplier has a load of recycle product available.
Trigger	Load information is entered into supplier's application. Load is scheduled in the application for availability
Step 1.	Supplier posts dates and products in their application.

LoadAvailable papiNet Standard - Version 2.31

Step 2.	Supplier sends Load Schedule to consuming mill
Results	Consuming mill's system update the anticipated loads and release numbers and begins the process of tendering the loads to the carriers.

Scenario A'

e-Document	LoadAvailable
Type	LoadAvailableConfirmation
Scenario	The Consuming mill sends the Supplier a load release number for each load.
Outcome	Supplier records in their application the release numbers for each load.
Initiator	Supplier sending LoadAvailable and Consuming mill assigned released numbers.
Receiver	Supplier.
Preconditions	Supplier sent the LoadAvailable and release number assigned.
Trigger	Assigning release number to the load
Step 1.	Consuming Mills Send LoadAvailableConfirmation
Step 2.	Supplier updates their load with release number
Results	The Supplier system updates the each load with the consuming mill's release number. Supplier system creates a shipment.

Scenario B

e-Document	LoadAvailable
Type	LoadAvailable
Scenario	Supplier sends a shipment/load availability schedule to Consuming Mill.
Outcome	Consuming Mill records in their application the available loads.
Initiator	Supplier/Sorting Location
Receiver	Consuming Mill.
Preconditions	Supplier is a valid trading partner. Supplier has a load of recycle product available.

LoadAvailable papiNet Standard - Version 2.31

Trigger	Load information is entered into supplier's application. Load is scheduled in the application for availability
Step 1.	Supplier posts dates and products in their application.
Step 2.	Supplier sends Load Schedule to consuming mill
Results	Consuming mill's system update the anticipated loads and release numbers and begins the process of tendering the loads to the carriers.

Scenario B'

e-Document	LoadAvailable
Type	LoadAvailableConfirmation
Scenario	The Consuming mill sends the Supplier a Reject Status for each load rejected and reason rejected (additional text).
Outcome	Supplier records in their application the load was rejected by the consuming mill.
Initiator	Supplier sending LoadAvailable and Consuming mill rejects the load.
Receiver	Supplier.
Preconditions	Supplier sent the LoadAvailable and load was rejected
XML File	The name of any sample file.
Trigger	Load is rejected by the consuming mill
Step 1.	Consuming Mills Send LoadAvailableConfirmation, rejected with reason
Step 2.	Supplier updates their load as rejected.
Results	The Supplier application marks load as rejected and take appropriate action.

Scenario C

e-Document	LoadAvailable, status Amended (date only)
Type	LoadAvailable
Scenario	Supplier sends a shipment/load availability schedule to Consuming Mill with the new

LoadAvailable papiNet Standard - Version 2.31

	available date.
Outcome	Consuming mill changes the available date in their application.
Initiator	Supplier/Sorting Location
Receiver	Consuming Mill.
Preconditions	Supplier is a valid trading partner. Supplier has a change to the LoadAvailable date
Trigger	Date change is entered into supplier's application.
Step 1.	Date change is entered into supplier's application.
Step 2.	Supplier sends date change to consuming mill. Only the changed load is resent to the consuming mill.
Results	Consuming mill's system updates the LoadAvailable date. CSR is notified of change.

Scenario C'

e-Document	LoadAvailable
Type	LoadAvailableConfirmation
Scenario	The Consuming mill sends the Supplier a load release number for each load.
Outcome	Supplier records in their application the release numbers for each load.
Initiator	Supplier sending LoadAvailable and Consuming mill assigned released numbers.
Receiver	Supplier.
Preconditions	Supplier sent the LoadAvailable and release number assigned.
Trigger	Assigning release number to the load
Step 1.	Consuming Mills Send LoadAvailableConfirmation
Step 2.	Supplier updates their load with release number
Results	The Supplier system updates the each load with the consuming mill's release number.

LoadAvailable papiNet Standard - Version 2.31

	Supplier system creates a shipment.
--	-------------------------------------

Scenario D

e-Document	LoadAvailable, status Cancelled by the supplier
Type	LoadAvailable
Scenario	Supplier sends a shipment/load availability cancellation to Consuming Mill.
Outcome	Consuming Mill cancels the load in their application
Initiator	Supplier/Sorting Location
Receiver	Consuming Mill.
Preconditions	Supplier has to have a release number for the load being cancelled. Mutually agreed upon time limit.
XML File	The name of any sample file.
Trigger	Supplier cancels load in their application.
Step 1.	Supplier cancels load in their application.
Step 2.	Supplier sends Load cancel to consuming mill
Results	Consuming mill's system update the load as cancelled. Notifies carrier if needed.

Scenario D'

e-Document	LoadAvailable (cancel accepted, with TransactionHistory)
Type	LoadAvailableConfirmation
Scenario	The Consuming mill sends the Supplier an Accept for each cancellation.
Outcome	Supplier records in their application that the rejected load was accepted by the consuming mill.
Initiator	Consuming mill sending load cancelled acceptance
Receiver	Supplier
Preconditions	Supplier sent the LoadAvailable cancelled and

LoadAvailable papiNet Standard - Version 2.31

	load cancel was accepted by consuming mill.
Trigger	Load is cancelled by the supplier
Step 1.	Consuming Mills Send LoadAvailableConfirmation, accepted with appropriate transaction history number
Step 2.	Supplier updates their cancelled load as accepted
Results	The Supplier application marks load as truly rejected and take appropriate action. Consuming mill marks the load as cancelled.

Scenario E

e-Document	LoadAvailable, status Cancelled by the consuming mill
Type	LoadAvailable
Scenario	Consuming mill sends a load cancelled.
Outcome	Supplier cancels load in their application
Initiator	Consuming mill
Receiver	Supplier
Preconditions	The load was originally accepted by the consuming mill and a release number has been sent to the the supplier
Trigger	Consuming mill does not want the load.
Step 1.	Consuming mill cancels load in their application
Step 2.	Consuming mill sends cancel to supplier
Results	Supplier cancels load in their application. CSR is notified.

Scenario E'

e-Document	LoadAvailable Cancel acceptance (by the supplier)
Type	LoadAvailableConfirmation
Scenario	The supplier send the cancellation acceptance to the consuming mill.
Outcome	Consuming mill records in their application that the cancel load has been received and accepted by the supplier

LoadAvailable
papiNet Standard - Version 2.31

Initiator	Supplier
Receiver	Consuming mill
Preconditions	Consuming mill sent the LoadAvailable cancellation.
XML File	The name of any sample file.
Trigger	Supplier accepts the load cancellation
Step 1.	Supplier accepts the cancellation in their application.
Step 2.	Supplier sends cancel accepted to consuming mill
Results	The consuming mill updates the cancelled load as accepted