



**papiNet**

**ProductQuality**

**papiNet Standard - Version 2.31**

**Documentation**

**Global Standard for the Paper and Forest  
Products Supply Chain**

**Build V2R31\_20130429**

**Date 2013-04-29**

**Production Release**

# ProductQuality

## papiNet Standard - Version 2.31

---

### Copyright

Copyright 2000 - 2013 papiNet G.I.E ("papiNet") and International Digital Enterprise Alliance, Inc. ("IDEAlliance") collectively "Copyright Owner". All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the papiNet specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

papiNet, IDEAlliance, and the members of all papiNet Groups (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

---

### Use of Documents in papiNet Implementations

Documents may be used as templates for a papiNet implementation. The Presenters grant the right to modify and edit them to fit an actual implementation project provided all copies display the copyright and any other proprietary notices contained in this document. Such modified documents must not be distributed beyond the trading partners implementing or maintaining a papiNet connection.

# ProductQuality

## papiNet Standard - Version 2.31

---

---

### Table of Contents

Copyright .....	2
Use of Documents in papiNet Implementations .....	2
Table of Contents .....	3
ProductQuality Documentation .....	4
ProductQuality e-Document Overview.....	4
Purpose of the ProductQuality e-Document.....	4
The Scope of ProductQuality e-Document.....	5
e-Document Types.....	5
Business Rules for ProductQuality .....	5
Processing the ProductQuality e-Document.....	6
Product Property Specifications.....	7
Support for multiple periods, purchase orders, and shipments.....	7
Use of PaperCharacteristics, PulpCharacteristics, and RecoveredPaperProductAttributes...	7
Use of ProductQualityReference for Vessel information.....	8
Understanding the Diagrams and Content .....	8
ProductQuality Root Element.....	10
ProductQuality .....	10
Primary Elements.....	12
ProductQualityHeader .....	12
ProductQualityPeriod.....	14
ProductQualityPurchaseOrder .....	17
ProductQualityShipment .....	20
ProductQuality Business Scenarios.....	23
ProductQuality Scenario Listing.....	23
Scenario A.....	23
Scenario B.....	24
Scenario C.....	26
Scenario D .....	27

# ProductQuality

## papiNet Standard - Version 2.31

---

---

### ProductQuality Documentation

---

#### ProductQuality e-Document Overview

The ProductQuality e-Document supports the exchange of quality data for individual items. The agreed properties of the product that are exchanged can include statistical values such as minimum and maximum, standard deviation, sample size, two sigma (lower-limit, upper-limit).

A Supplier sends a ProductQuality e-Document to another trading partner on a frequency or event basis agreed between them, or in response to an InfoRequest e-Document.

The degree of detail and extent of the information exchanged will vary between Suppliers and their trading partners. The ProductQuality e-Document has been designed to support aggregated information at the period, purchase order, or shipment level, as well as, optionally, details of the items involved.

It is anticipated there will be increased demand for suppliers to provide individual item quality data as the spread of more sophisticated warehousing, process control and database systems increases. Such systems exist already; some attempting to utilise the paper test information to optimise performance of the product on a press, others to group like products in automated warehouses.

The ProductQuality e-Document assumes that a previous agreement between buyer and seller has taken place.

Prior to implementing business processes that require a ProductQuality e-Document, it is necessary for the parties involved to have opened a dialogue and reached a collaborative agreement including such items as:

- frequency of e-Documents,
- form of detail, whether by period, purchase order, or shipment.
- content detail, such as
  - the particular quality properties to be sent.
  - which statistical values associated with the properties will be sent.
  - level of aggregation, whether summary and/or detailed information.
- rules for arriving at measurement values.
- rules for replacing and cancelling e-Documents.
- units of measure.

---

#### Purpose of the ProductQuality e-Document

The purpose of the ProductQuality e-Document is to provide Suppliers with a means to send ProductQuality information to other trading partners, most typically to the end user.

Trading partners will require that the ProductQuality e-Document satisfies different business purposes. It may be used to verify that a product conforms to a contract specification, to provide data for input to a production process that consumes the product, or to provide data to an automated warehouse system that groups similar products together to minimise variation between items consumed in production. Combining the

# ProductQuality

## papiNet Standard - Version 2.31

---

ProductQuality e-Document with the ProductPerformance e-Document provides a rich source of data for trend and problem analysis.

---

### The Scope of ProductQuality e-Document

The ProductQuality e-Document must include:

- Sender and at least one Receiver of the e-Document
- Context of the data in the e-Document, i.e. whether for a period, purchase order or shipment.
- the Product for which the data applies.

The ProductQuality e-Document can optionally include:

- The supplier party.
- The buyer party.
- The production facility.
- Product specification as part of the Product definition. (Please refer to the "Additional Information for ProductQuality e-Document" section.)

Multiple periods, purchase orders, shipments, products, ship to parties, end user parties, and production locations by repeating ProductQualityPeriod, ProductQualityPurchaseOrder, or ProductQualityShipment.

---

### e-Document Types

This e-business document has no special types associated with it.

---

### Business Rules for ProductQuality

#### General Business Rules

The following table lists the general ProductQuality business rules that apply to the ProductQuality e-Document.

Identifier	Business Rule
PQ001	The frequency of ProductQuality e-Documents is determined by agreement between trading partners.
PQ002	The e-Document is sent between a sender and one or more receivers. <ul style="list-style-type: none"><li>• If more than one receiver is required, the Sender issues the same e-Document to each Receiver. The role of each Receiver is indicated in the CommunicationRole attribute associated with NameAddress.</li></ul>
PQ003	When sending a replacement e-Document a ProductQualityReference of OriginalProductQualityMessageNumber type must be specified. <ul style="list-style-type: none"><li>• The replacement e-Document is requesting that all data associated with the original e-</li></ul>

---

## ProductQuality papiNet Standard - Version 2.31

Identifier	Business Rule
	<p>Document number be deleted and the data in the replacement e-Document be processed instead.</p> <ul style="list-style-type: none"> <li>It is permitted to use the original e-Document number for the replacement e-Document number.</li> </ul>
<b>PQ004</b>	<p>When Cancelling e-Document, only the ProductQualityHeader is required.</p> <ul style="list-style-type: none"> <li>ProductQualityReference/OriginalProductQuality-MessageNumber must be specified, and the cancel e-Document is requesting all data associated with that original e-Document number be deleted.</li> <li>It is permitted to use the original e-Document number for the cancel e-Document number.</li> </ul>
<b>PQ005</b>	<p>A ProductQuality e-Document can refer to one or many periods, purchase orders or shipments, and within each of these to one or many products, ship to parties and/or end user parties.</p> <ul style="list-style-type: none"> <li>Some parties will require that a ProductQuality e-Document refer to only one of these combinations in each e-Document.</li> </ul> <p>This is an implementation decision fully supported by the e-Document structure.</p>
<b>PQ006</b>	<p>E-Documents with ProductQualityStatusType of "Replaced" or "Cancelled", must include the original e-Document number in ProductQualityReference in the ProductQualityHeader.</p>

### Processing the ProductQuality e-Document

The ProductQuality e-Document has an attribute to indicate if the e-Document is an original, a replacement, or a cancellation.

In the case of the ProductQuality e-Document, the order of processing is not relevant. ProductQuality e-Document types of Original are independent of each other. Further, the transaction rate for this e-Document is expected to be extremely low, hence occurrences of replaced or cancelled e-Documents arriving before the original e-Document are not expected to occur.

However, should a replacement arrive before an original, it is safe to process the replacement (treating it as the original) provided subsequent e-Documents referring to the same e-Document number are discarded if

# ProductQuality

## papiNet Standard - Version 2.31

---

they have an older ProductQualityIssueDate.

### **Status Values Used When Processing the ProductQuality e-Document**

e-Document processing depends on the value in the ProductQualityStatusType field at the e-Document level. The e-Document can be sent with one of three values in the status field.

ProductQuality status types used when processing the ProductQuality e-Document:

- Original – Indicates that this is the first transmission of the e-Document.
- Replaced – Indicates that the sender of the e-Document wishes to replace a previously sent e-Document. The previous e-Document is identified using a ProductQualityReference of OriginalProductQualityMessageNumber.
- Cancelled – Indicates that the sender of the Original e-Document wishes to cancel a previously sent e-Document. The previous e-Document is identified using a ProductQualityReference of OriginalProductQualityMessageNumber.

No special status values or e-Documents are used to communicate acceptance of the ProductQuality e-Document. This would normally be done using a BusinessAcknowledgement e-Document.

---

### **Product Property Specifications**

In addition to communicating the results of tests conducted on the manufactured product, trading partners may also agree to include the specification, or targets that apply to the product, such as may be agreed in a supply contract or agreement. The ProductQuality e-Document accommodates this requirement in the Product structure through the use of PaperCharacteristics or PulpCharacteristics which allows the specification or target values to be included in the e-Document.

---

### **Support for multiple periods, purchase orders, and shipments.**

The e-Document structure has been designed to support repeating Period, PurchaseOrder and Shipment instances in the one ProductQuality e-Document.

This has two purposes:

- First, to support the different aggregation levels discussed above, for example, one period broken down by the end users that received the product.
- Second, to support more than one period, purchase order or shipment in the one e-Document. The User is cautioned that the use of the e-Document in this manner may result in very large e-Documents that may cause processing or transmission difficulties. It is strongly recommended that a study be conducted to determine the volume of data that could be sent in order to determine the appropriate basis on which to generate and send the e-Documents.

---

### **Use of PaperCharacteristics, PulpCharacteristics, and**

# ProductQuality

## papiNet Standard - Version 2.31

---

### RecoveredPaperProductAttributes

A typical paper attribute is shown below, illustrating the structure used for the majority of attributes.

The four optional attributes associated with of each test gives the context of the value in DetailValue.

- TestMethod and TestAgency specify the test regime from which the data was generated.
- SampleType indicates from where in the product the samples were collected.
- ResultSource indicates the means by which the data was gathered.

Although all attributes are optional, it is strongly recommended that trading partners use all that are appropriate for their operations. These attributes are important for the correct interpretation of the data that is exchanged.

The trading partners will agree which, if any, of the optional statistical measures are included with each test reported.

Each of the quality attributes (XML elements) in PaperCharacteristics, PulpCharacteristics and RecoveredPaperProductAttributes may be repeated. This provides support for including more than one TestMethod, or ResultSource, or SampleType for an attribute.

Roughness is an example of this. The first occurrence could specify SampleType="Top", the second could specify SampleType="Bottom", and the third occurrence could specify SampleType="Average".

---

### Use of ProductQualityReference for Vessel information

The information supplied in the ProductQuality e-Document can be aggregated at different levels depending on the particular combinations of Product, LocationParty, ShipToParty, EndUserParty and ProductQualityReference. The particular combinations used will be defined by the Trading Partner Agreement.

In the case where aggregated data was required for a vessel, recommended use of the e-Document would be to:

- Supply the voyage number in ProductQualityHeader/ProductQualityReference
- Use the ProductQualityPeriod option with DateTimeRange = sailing date of the vessel, or another similar date
- Repeat the ProductQualityPeriod structure with the same DateTimeRange for each combination of Product, LocationParty, ShipToParty, EndUserParty, and ProductQualityReference that is required.

---

### Understanding the Diagrams and Content

This section provides a graphical view of the schema structures, a discussion of the item's children. You can find additional information about papiNet and the standard at [www.papiNet.org](http://www.papiNet.org).

# ProductQuality

## papiNet Standard - Version 2.31

---

The graphics contain content model indicators, cardinality indicators, and data type information.

Associated with each graphic are the definitions for the parent item and any associated child items. All attributes are listed first, followed by the elements.

The following information should help you interpret and understand this standard. Please note the following:

- Content Model and Cardinality operate together to determine if the element or attribute are required in the instance document.
- The same attribute can never appear multiple times in the same element so, you will never see a multiple cardinality indicator.

### **Content model indicators:**

There are three possible types of content: "sequence", "choice", and "all". The papiNet standard currently does not use the "all" construct.

- (sequence)

The sequence of the items to the right of the graphic (or below the text) is required.

- (choice)

A choice of the items to the right of the graphic (or below the text) is permitted.

- (all)

All the items to the right of the graphic are required.

### **Cardinality indicators:**

- Dotted line around element or attribute.

A single instance of the item can optionally exist.

- Dotted line around item with range indicated below.

Multiple instances of the item can optionally exist.

- Solid line around item.

A single instance of the item must exist.

- Solid line around item with range indicated below

At least one instance must exist; multiple instances can optionally exist.

### **Datatype indication:**

When a data type is assigned to an element (either a simple type or complex type the name of the data type is presented beneath the item name in the graphic.

- In some cases additional information about the data type is presented (the default value).

Elements can either have content that is textual/numeric in nature or content that is made up of additional elements and/or attributes.

- When the content is textual/numeric in nature "three straight horizontal lines" will appear in the upper left-hand corner of the graphic. Pay attention to these elements because they are where you will be entering your information.
- When the content is made up of additional elements and/or attributes a "gray-box" will appear on the right-hand side of the graphic.
- If the graphic shows both the horizontal lines and the gray-box then, in the papiNet standard, the content below the element are attributes.

# ProductQuality


## papiNet Standard - Version 2.31

### ProductQuality Root Element

#### ProductQuality

The ProductQuality element is the root element for the ProductQuality e-Document.

The ProductQuality e-Document supports the exchange of quality data for individual items. The agreed properties of the product that are exchanged can include statistical values such as minimum and maximum, standard deviation, sample size, two sigma (lower-limit, upper-limit).



#### ProductQualityStatusType [attribute]

*ProductQualityStatusType is mandatory. A single instance is required.*

Communicates the status of the ProductQuality e-Document

*This item is restricted to the following list.*

##### Cancelled

The supplied information is cancelled. Items that have been cancelled are not included in totals on the summary levels of the e-Document.

##### Original

The supplied information is the first version of that information.

##### Replaced

The supplied information is replacing earlier supplied information. The receiver should revalidate the information in their system based upon the entire information received.

#### Language [attribute]

*Language is optional. A single instance might exist.*

XML has embraced 2 and 3 digit language codes through the application of an addendum to the standard.

Information on the content of this attribute is available at <http://www.loc.gov/standards/iso639-2/> this is the official site of the ISO 639-2 Registration Authority.

- <http://www.w3.org/International/O-HTML-tags.html> provides an explanation of the errata updating XML.
- <http://www.ietf.org/rfc/rfc3066.txt> is the key document that is referenced in the above errata.

#### (sequence)

*The contents of (sequence) are mandatory. A single instance is required.*

# ProductQuality

## papiNet Standard - Version 2.31

---

### **ProductQualityHeader**

*ProductQualityHeader is mandatory. A single instance is required.*

Information the common to all items on the ProductQuality e-Document.

### **(choice)**

*The contents of (choice) are optional. Multiple instances might exist.*

### **ProductQualityPeriod**

*ProductQualityPeriod is mandatory. A single instance is required.*

ProductQualityPeriod

### **ProductQualityPurchaseOrder**

*ProductQualityPurchaseOrder is mandatory. A single instance is required.*

Multiple instances of purchase order information is allowed to support a list of purchase orders manufactured during the indicated period. Alternatively, ProductQualityPeriod may be repeated with the same TimePeriod for each purchase order if the quality data is available at this level of detail.

### **ProductQualityShipment**

*ProductQualityShipment is mandatory. A single instance is required.*

ProductQuality information communicated by shipment.

# ProductQuality

## papiNet Standard - Version 2.31

### Primary Elements

#### ProductQualityHeader

Information the common to all items on the ProductQuality e-Document.

**(sequence)**

*The sequence of items below is mandatory. A single instance is required.*

##### ProductQualityIssueDate

*ProductQualityIssueDate is mandatory. A single instance is required.*

The date and time the ProductQuality was issued.

##### ProductQualityMessageNumber

*ProductQualityMessageNumber is mandatory. A single instance is required.*

A unique identifier assigned to each e-Document for identification purposes. Subsequent ProductQuality e-Documents with updates or cancellations will use this same ProductQualityMessageNumber.

##### RequestNumber

*RequestNumber is optional. A single instance might exist.*

A unique tracking number specifically identifying the InfoRequest e-Document to the originator. The tracking number is returned with the "information", the answer, to help match the answer to the request.

##### TransactionHistoryNumber

*TransactionHistoryNumber is optional. A single instance might exist.*


A sequential number that keeps track of the version of a document being sent by the document originator except in the case where TransactionHistoryConfirmation is used, in which case the TransactionHistoryNumber refers to the trigger transaction for which the confirmation is being sent.

##### SenderParty

*SenderParty is mandatory. A single instance is required.*

The business entity issuing the business document, the source of the document.

- The entity responsible for the content. If the sender party has out sourced the message service to a third party the SenderParty is the issuer of the e-Document and not the party performing the transmission service of the electronic message.



# ProductQuality

## papiNet Standard - Version 2.31

---

### **ReceiverParty**

*ReceiverParty is optional. Multiple instances might exist.*

The business entity for whom the business document is intended, the destination of the document.

- The entity interested in the content. If the receiver party has outsourced the message service to a third party the ReceiverParty is the intended party for the e-Document and not the party performing the receiving service of the electronic message.

### **BuyerParty**

*BuyerParty is optional. A single instance might exist.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

### **SupplierParty**

*SupplierParty is optional. A single instance might exist.*

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

### **OtherParty**

*OtherParty is optional. Multiple instances might exist.*

An organisation or business entity other than those specifically detailed within a business document.

### **ProductQualityReference**

*ProductQualityReference is optional. Multiple instances might exist.*

An element detailing relevant references pertaining to the ProductQuality.

### **AdditionalText**

*AdditionalText is optional. Multiple instances might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

### **TermsAndDisclaimers**

*TermsAndDisclaimers is optional. Multiple instances might exist.*

An element that contains legal information with an indication of what the Language is.

# ProductQuality

## papiNet Standard - Version 2.31

### ProductQualityPeriod

ProductQualityPeriod

**(sequence)**

*The sequence of items below is mandatory. A single instance is required.*

#### TimePeriod

*TimePeriod is mandatory. A single instance is required.*

The TimePeriod element is used to communicate a duration period of time as indicated in PeriodType.

#### Product

*Product is mandatory. A single instance is required.*

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and



Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.

**(sequence)**

*The sequence of items below is optional. Multiple instances might exist.*


#### PurchaseOrderInformation

*PurchaseOrderInformation is mandatory. A single instance is required.*

A group item containing information unique to this purchase order, which is provided by the buyer. PurchaseOrderInformation can be optional in the supply chain. Invoices are created without having a Purchase Order in Vendor Managed Inventory. Freight invoices also will not have a Purchase Order number.

#### PurchaseOrderLineItemNumber

*PurchaseOrderLineItemNumber is optional. A single instance might exist.*



# ProductQuality

## papiNet Standard - Version 2.31

---

The sequential number that uniquely identifies the purchase order line item.

### (sequence)

*The sequence of items below is optional. A single instance might exist.*

#### **LocationParty**

*LocationParty is mandatory. A single instance is required.*

The organization or business entity where the business event took place or will take place.

#### **MachineID**

*MachineID is optional. A single instance might exist.*

An identifier assigned to the particular machine being referenced. For example, a machine could be a paper machine, an off-line coater, a sheeter, or a printing press. The particular machine being referenced will be determined by the business event being supported.

#### **ShipToParty**

*ShipToParty is optional. A single instance might exist.*

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

#### **EndUserParty**

*EndUserParty is optional. A single instance might exist.*

The party using, consuming, or converting the product. For example, a printer using paper reels for a print job for a publisher. The final ShipTo destination for a product is normally to the end user's facilities.

#### **ProductQualityReference**

*ProductQualityReference is optional. Multiple instances might exist.*

An element detailing relevant references pertaining to the ProductQuality.

#### **Quantity**

*Quantity is optional. A single instance might exist.*

The Quantity element contains attributes that provide information about the type of quantity that is being communicated, the context in which the particular quantity is to be viewed, and (if the quantity represents an adjustment) an adjustment type.

The Quantity element contains three child elements that enable you to communicate a range of values for the quantity and a target or actual value. It is at this level (Value, RangeMin, and RangeMax) that the unit of measure is specified. This permits the range to be specified in a different unit of measure than the target.

#### **InformationalQuantity**

*InformationalQuantity is optional. Multiple instances might exist.*

A quantity given in a valid UOM used for information purposes only (not for calculation). For example, an ordered quantity was 100 reels as opposed to the invoice quantity of 20,000 pounds.

### (sequence)

*The sequence of items below is optional. A single instance might exist.*

#### **StartIdentifierRange**

# ProductQuality

## papiNet Standard - Version 2.31

---

*StartIdentifierRange is mandatory. A single instance is required.*

An element that identifies the starting item identifier in the range of items that contributed to the aggregated measurements for the range.

### **EndIdentifierRange**

*EndIdentifierRange is mandatory. A single instance is required.*

A group element that identifies the ending item identifier in the range of items that contributed to the aggregated measurements for the range.

### **(choice)**

*[choice] is optional because of choice construct.*

### **PaperCharacteristics**

*PaperCharacteristics is optional because of choice construct.*

The identifying characteristics of paper most important to the ordering of the item. These are the characteristics that, when associated with a given grade, allow the manufacturer to produce but not convert or package, the paper.

### **PulpCharacteristics**

*PulpCharacteristics is optional because of choice construct.*

The physical and chemical characteristics of the pulp product regardless of the form that it is taking.

### **RecoveredPaperAttributes**

*RecoveredPaperAttributes is optional because of choice construct.*

The attributes of Recovered Paper.

### **ItemDetails**

*ItemDetails is optional. Multiple instances might exist.*

A group element that identifies a specific item and measured attribute values for that item.

### **AdditionalText**

*AdditionalText is optional. Multiple instances might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

# ProductQuality

## papiNet Standard - Version 2.31

### ProductQualityPurchaseOrder


Multiple instances of purchase order information is allowed to support a list of purchase orders manufactured during the indicated period. Alternatively, ProductQualityPeriod may be repeated with the same TimePeriod for each purchase order if the quality data is available at this level of detail.

**(sequence)**

*The sequence of items below is mandatory. A single instance is required.*

**PurchaseOrderInformation**

*PurchaseOrderInformation is mandatory. A single instance is required.*



A group item containing information unique to this purchase order, which is provided by the buyer. PurchaseOrderInformation can be optional in the supply chain. Invoices are created without having a Purchase Order in Vendor Managed Inventory. Freight invoices also will not have a Purchase Order number.

**PurchaseOrderLineItemNumber**


*PurchaseOrderLineItemNumber is optional. A single instance might exist.*

The sequential number that uniquely identifies the purchase order line item.

**Product**

*Product is mandatory. A single instance is required.*

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.



# ProductQuality

## papiNet Standard - Version 2.31

---

### (sequence)

*The sequence of items below is optional. A single instance might exist.*

#### **LocationParty**

*LocationParty is mandatory. A single instance is required.*

The organization or business entity where the business event took place or will take place.

#### **MachineID**

*MachineID is optional. A single instance might exist.*

An identifier assigned to the particular machine being referenced. For example, a machine could be a paper machine, an off-line coater, a sheeter, or a printing press. The particular machine being referenced will be determined by the business event being supported.

#### **ShipToParty**

*ShipToParty is optional. A single instance might exist.*

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

#### **EndUserParty**

*EndUserParty is optional. A single instance might exist.*

The party using, consuming, or converting the product. For example, a printer using paper reels for a print job for a publisher. The final ShipTo destination for a product is normally to the end user's facilities.

#### **TimePeriod**

*TimePeriod is optional. A single instance might exist.*

The TimePeriod element is used to communicate a duration period of time as indicated in PeriodType.

#### **ProductQualityReference**

*ProductQualityReference is optional. Multiple instances might exist.*

An element detailing relevant references pertaining to the ProductQuality.

#### **Quantity**

*Quantity is optional. A single instance might exist.*

The Quantity element contains attributes that provide information about the type of quantity that is being communicated, the context in which the particular quantity is to be viewed, and (if the quantity represents an adjustment) an adjustment type.

The Quantity element contains three child elements that enable you to communicate a range of values for the quantity and a target or actual value. It is at this level (Value, RangeMin, and RangeMax) that the unit of measure is specified. This permits the range to be specified in a different unit of measure than the target.

#### **InformationalQuantity**

*InformationalQuantity is optional. Multiple instances might exist.*

A quantity given in a valid UOM used for information purposes only (not for calculation). For example, an ordered quantity was 100 reels as opposed to the invoice quantity of 20,000 pounds.

### (choice)

# ProductQuality

## papiNet Standard - Version 2.31

---

*[choice] is optional because of choice construct.*

### **PaperCharacteristics**

*PaperCharacteristics is optional because of choice construct.*

The identifying characteristics of paper most important to the ordering of the item. These are the characteristics that, when associated with a given grade, allow the manufacturer to produce but not convert or package, the paper.

### **PulpCharacteristics**

*PulpCharacteristics is optional because of choice construct.*

The physical and chemical characteristics of the pulp product regardless of the form that it is taking.

### **RecoveredPaperAttributes**

*RecoveredPaperAttributes is optional because of choice construct.*

The attributes of Recovered Paper.

### **ItemDetails**

*ItemDetails is optional. Multiple instances might exist.*

A group element that identifies a specific item and measured attribute values for that item.

### **AdditionalText**

*AdditionalText is optional. Multiple instances might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

# ProductQuality

## papiNet Standard - Version 2.31

### ProductQualityShipment

ProductQuality information communicated by shipment.

**(sequence)**

*The sequence of items below is mandatory. A single instance is required.*

**DeliveryMessageNumber**

*DeliveryMessageNumber is mandatory. A single instance is required.*

A unique delivery identifier assigned to each DeliveryMessage as agreed between the trading partners.

**DeliveryMessageLineItemNumber**

*DeliveryMessageLineItemNumber is optional. A single instance might exist.*

The sequential number that uniquely identifies the delivery line item.

**TransportVehicleCharacteristics**

*TransportVehicleCharacteristics is optional. A single instance might exist.*

A group item defining the primary means of transporting the goods, such as a side port vessel. In some instances, the transport unit and vehicle are the same.

**TransportUnitCharacteristics**

*TransportUnitCharacteristics is optional. A single instance might exist.*

A group item defining and identifying the primary means of containing the goods. In some instances, the transport unit and vehicle are the same.


**Product**

*Product is mandatory. A single instance is required.*

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.

**(sequence)**

*The sequence of items below is optional. A single instance might exist.*



# ProductQuality

## papiNet Standard - Version 2.31

---

### **PurchaseOrderInformation**

*PurchaseOrderInformation is mandatory. A single instance is required.*

A group item containing information unique to this purchase order, which is provided by the buyer. PurchaseOrderInformation can be optional in the supply chain. Invoices are created without having a Purchase Order in Vendor Managed Inventory. Freight invoices also will not have a Purchase Order number.

### **PurchaseOrderLineItemNumber**

*PurchaseOrderLineItemNumber is optional. A single instance might exist.*

The sequential number that uniquely identifies the purchase order line item.

### **(sequence)**

*The sequence of items below is optional. A single instance might exist.*

### **LocationParty**

*LocationParty is mandatory. A single instance is required.*

The organization or business entity where the business event took place or will take place.

### **MachineID**

*MachineID is optional. A single instance might exist.*

An identifier assigned to the particular machine being referenced. For example, a machine could be a paper machine, an off-line coater, a sheeter, or a printing press. The particular machine being referenced will be determined by the business event being supported.

### **ShipToParty**

*ShipToParty is optional. A single instance might exist.*

The name and/or address to which the goods should be delivered with the party type indicated by the PartyType attribute.

### **EndUserParty**

*EndUserParty is optional. A single instance might exist.*

The party using, consuming, or converting the product. For example, a printer using paper reels for a print job for a publisher. The final ShipTo destination for a product is normally to the end user's facilities.

### **TimePeriod**

*TimePeriod is optional. A single instance might exist.*

The TimePeriod element is used to communicate a duration period of time as indicated in PeriodType.

### **ProductQualityReference**

*ProductQualityReference is optional. Multiple instances might exist.*

An element detailing relevant references pertaining to the ProductQuality.

### **Quantity**

*Quantity is optional. A single instance might exist.*

The Quantity element contains attributes that provide information about the type of quantity that is being communicated, the context in which the particular quantity is to be viewed, and (if the quantity represents an adjustment) an adjustment type.

The Quantity element contains three child elements that enable you to

# ProductQuality

## papiNet Standard - Version 2.31

---

communicate a range of values for the quantity and a target or actual value. It is at this level (Value, RangeMin, and RangeMax) that the unit of measure is specified. This permits the range to be specified in a different unit of measure than the target.

### **InformationalQuantity**

*InformationalQuantity is optional. Multiple instances might exist.*

A quantity given in a valid UOM used for information purposes only (not for calculation). For example, an ordered quantity was 100 reels as opposed to the invoice quantity of 20,000 pounds.

### **(choice)**

*[choice] is optional because of choice construct.*

### **PaperCharacteristics**

*PaperCharacteristics is optional because of choice construct.*

The identifying characteristics of paper most important to the ordering of the item. These are the characteristics that, when associated with a given grade, allow the manufacturer to produce but not convert or package, the paper.

### **PulpCharacteristics**

*PulpCharacteristics is optional because of choice construct.*

The physical and chemical characteristics of the pulp product regardless of the form that it is taking.

### **RecoveredPaperAttributes**

*RecoveredPaperAttributes is optional because of choice construct.*

The attributes of Recovered Paper.

### **ItemDetails**

*ItemDetails is optional. Multiple instances might exist.*

A group element that identifies a specific item and measured attribute values for that item.

### **AdditionalText**

*AdditionalText is optional. Multiple instances might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

# ProductQuality

## papiNet Standard - Version 2.31

### ProductQuality Business Scenarios

#### ProductQuality Scenario Listing

<b>Scenario A</b>	ProductQuality e-Document sent from a Supplier to an EndUser for paper reels in a single rail car. <ul style="list-style-type: none"> <li>Data aggregated at the shipment level, and individual reel data required.</li> </ul>
<b>Scenario B</b>	ProductQuality e-Document sent from the Supplier to the Buyer for paper reels supplied against a single PurchaseOrder. <ul style="list-style-type: none"> <li>Data aggregated at the purchase order level for each ShipToParty, no individual reel data required.</li> <li>A Replaced e-Document is sent.</li> </ul>
<b>Scenario C</b>	ProductQuality e-Document sent from the Supplier to the ShipToParty for pulp units shipped during one month. <ul style="list-style-type: none"> <li>Data aggregated at the period level by LotIdentifier, no individual pulp unit data required.</li> </ul>
<b>Scenario D</b>	ProductQuality e-Document sent from a Supplier to a Publisher data on a Period basis, for two products, aggregated at the Tambour level, reel item details required.

#### Scenario A

<b>e-Document</b>	ProductQuality
<b>Scenario</b>	ProductQuality e-Document sent from a Supplier to an EndUser for paper reels in a single rail car. Data aggregated at the shipment level, and individual reel data required.
<b>Outcome</b>	ProductQuality data for reels in the shipment are updated into the EndUser(s) system.
<b>Initiator</b>	Supplier
<b>Receiver</b>	EndUser
<b>Preconditions</b>	This Use Case assumes the Customer and Supplier have previously agreed the context and content of the e-Document: <ul style="list-style-type: none"> <li>context of the data is for a single load shipped to the Customer</li> <li>content includes aggregated paper test</li> </ul>

## ProductQuality papiNet Standard - Version 2.31

	information for the shipment, detail paper test information for each item shipped, statistical properties of the paper tests (e.g. standard deviation is included or not?), imperial or metric units of measure and so on.
<b>XML File</b>	ProductQuality_ScenarioA.xml
<b>Trigger</b>	A shipment for this EndUser is despatched from the Suppliers mill.
<b>Step 1.</b>	Supplier sends a ProductQuality e-Document to the EndUser customer.  Statuses sent within the e-Document: <ul style="list-style-type: none"> <li>• ProductQualityStatusType = "Original"</li> </ul>
<b>Step 2.</b>	Customer processes the data contained in the e-Document into their information systems.
<b>Step 3.</b>	The Customer may respond to the Supplier with a BusinessAcknowledgement e-Document informing the Supplier that the ProductQuality e-Document was successfully processed.

### Scenario B

<b>e-Document</b>	ProductQuality
<b>Scenario</b>	ProductQuality e-Document sent from the Supplier to the Buyer for paper reels supplied against a single PurchaseOrder that was specified in an InfoRequest e-Document. Data aggregated at the purchase order level for each ShipToParty, no individual reel data required.  A Replaced e-Document is sent.
<b>Outcome</b>	Product test data averaged at the PurchaseOrder and ShipTo level is processed into the Buyer's system.
<b>Initiator</b>	Supplier
<b>Receiver</b>	Buyer
<b>Preconditions</b>	This Use Case assumes the Buyer and Supplier have previously agreed the context and content of the e-Document. That is, context of the data is for all products shipped against the Buyer's PurchaseOrderNumber, and summarised by each ShipTo. In addition, the Supplier and Buyer will

## ProductQuality papiNet Standard - Version 2.31

	have agreed on which paper test attributes and statistical properties of the paper tests will be exchanged. (That is, StandardDeviation is included or not, imperial or metric UOM(s) and so on.)
<b>XML File</b>	ProductQuality_ScenarioB.xml <ul style="list-style-type: none"> <li>• For Step 4.</li> </ul>
<b>Trigger</b>	An InfoRequest e-Document is received by the Supplier from the Buyer that requests a ProductQuality e-Document for the specified PurchaseOrderNumber and all ShipTo(s).
<b>Step 1.</b>	Supplier sends a ProductQuality e-Document to the Buyer.  Statuses sent within the e-Document: <ul style="list-style-type: none"> <li>• ProductQualityStatusType = "Original"</li> </ul>
<b>Step 2.</b>	Buyer processes the data contained in the e-Document into their information systems.
<b>Step 3.</b>	The Buyer may respond to the Supplier with a BusinessAcknowledgement e-Document informing the Supplier that the ProductQuality e-Document was successfully processed.
<b>Trigger</b>	The Supplier discovers an error in the source data for the e-Document.  The Supplier issues a replacement e-Document with the correct data.  The same e-Document number is used in the replacement e-Document.
<b>Step 4.</b>	Supplier sends a replacement ProductQuality e-Document to the Buyer.  Statuses sent within the e-Document: <ul style="list-style-type: none"> <li>• ProductQualityStatusType = "Replaced"</li> </ul>
<b>Step 5.</b>	Buyer deletes the data associated with the OriginalProductQualityMessageNumber. processes the data contained in the e-Document into their information systems.
<b>Step 6.</b>	The Buyer processes the new data into their information system.
<b>Step 7.</b>	Supplier responds to Customer with a

## ProductQuality papiNet Standard - Version 2.31

	BusinessAcknowledgement e-Document informing the Customer that the ProductQuality e-Document was successfully processed.
--	--

### Scenario C

<b>e-Document</b>	ProductQuality
<b>Scenario</b>	<p>A ProductQuality e-Document is sent from the Supplier to the ShipToParty for pulp units shipped during one month.</p> <p>Data aggregated at the period level by LotIdentifier, no individual pulp unit data required.</p>
<b>Outcome</b>	Product test data averaged at the PurchaseOrder and ShipTo level is processed into the Buyers system.
<b>Initiator</b>	Supplier
<b>Receiver</b>	Ship To
<b>Preconditions</b>	<p>This Use Case assumes the ShipTo and Supplier have previously agreed the context and content of the e-Document:</p> <ul style="list-style-type: none"> <li>• context of the data is for all product shipped in periods of 1 month and summarised by each LotIdentifier.</li> </ul> <p>In addition, the Supplier and Buyer will have agreed on which pulp test attributes and statistical properties of the pulp tests will be exchanged. (That is, StandardDeviation is included or not, imperial or metric UOM and so on.)</p>
<b>XML File</b>	ProductQuality_ScenarioC.xml <ul style="list-style-type: none"> <li>• For Step 2.</li> </ul>
<b>Trigger</b>	Either an automatic or a manual timer causes a ProductQuality e-Document to be sent to the Ship To.
<b>Step 1.</b>	<p>Supplier sends a ProductQuality e-Document to the Ship To.</p> <p>Statuses sent within the e-Document:</p> <ul style="list-style-type: none"> <li>• ProductQualityStatusType = "Original"</li> <li>• Significant data:</li> </ul>

## ProductQuality papiNet Standard - Version 2.31

	<ul style="list-style-type: none"> <li>ProductQualityReference for LotIdentifier(s).</li> </ul>
<b>Step 2.</b>	Ship To processes the data contained in the e-Document into their information systems.
<b>Step 3.</b>	The ShipTo may respond to the Supplier with a BusinessAcknowledgement e-Document informing the Supplier that the ProductQuality e-Document was successfully processed.

### Scenario D

<b>e-Document</b>	ProductQuality
<b>Scenario</b>	ProductQuality e-Document sent from a Supplier to a Publisher with data on a Period basis, for two products, aggregated at the Tambour level.
<b>Outcome</b>	Product test data at the Tambour level is processed into the Publishers system for the period concerned..
<b>Initiator</b>	Supplier
<b>Receiver</b>	Publisher
<b>Preconditions</b>	<p>This Use Case assumes the Publisher and Supplier have previously agreed the context and content of the e-Document:</p> <ul style="list-style-type: none"> <li>context of the data is for all products shipped in periods of 1 week and reported at the Tambour level.</li> </ul> <p>In addition, the Supplier and Publisher will have agreed on which paper test attributes and statistical properties of the paper tests will be exchanged. (That is, StandardDeviation is included or not, imperial or metric UOM(s) and so on.)</p>
<b>XML File</b>	ProductQuality_ScenarioD.xml <ul style="list-style-type: none"> <li>For Step 2.</li> </ul>
<b>Trigger</b>	Either an automatic or a manual timer causes a ProductQuality e-Document to be sent to the Publisher.
<b>Step 1.</b>	Supplier sends a ProductQuality e-Document to the Publisher. <p>Statuses sent within the e-Document:</p> <ul style="list-style-type: none"> <li>ProductQualityStatusType = "Original"</li> </ul>

**ProductQuality**  
**papiNet Standard - Version 2.31**

	<ul style="list-style-type: none"><li>• Significant data:</li><li>• TimePeriod</li><li>• Product Definition</li><li>• ItemType="Tambour"</li></ul>
<b>Step 2.</b>	Publisher processes the data contained in the e-Document into their information systems.
<b>Step 3.</b>	The Publisher may respond to the Supplier with a BusinessAcknowledgement e-Document informing the Supplier that the ProductQuality e-Document was successfully processed.