



**papiNet**

**Invoice**

**papiNet Standard - Version 2.31**

**Documentation**

**Global Standard for the Paper and Forest  
Products Supply Chain**

**Build V2R31\_20100415**

**Date 2010-04-26**

**Production Release**

# Invoice

## papiNet Standard - Version 2.31

---

---

### Copyright

Copyright 2000 – 2010 papiNet G.I.E (“papiNet”), International Digital Enterprise Alliance, Inc. (“IDEAlliance”), and American Forest & Paper Association, Inc. (“AF&PA”), collectively “Copyright Owner”. All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the papiNet specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

papiNet (formerly known as the European Paper Consortium for e-business - EPC), IDEAlliance (formerly known as the Graphic Communications Association - GCA), the parent organisation of IDEAlliance the Printing Industries of America (PIA), the American Forest and Paper Association (AF&PA), and the members of the papiNet Working Group (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

---

### Use of Documents in papiNet Implementations

Documents may be used as templates for a papiNet implementation. The Presenters grant the right to modify and edit them to fit an actual

---

# Invoice

## papiNet Standard - Version 2.31

---

---

implementation project provided all copies display the copyright and any other proprietary notices contained in this document. Such modified documents must not be distributed beyond the trading partners implementing or maintaining a papiNet connection.

---

### **Additional Copyright Information**

Additional copyrights may be referenced throughout this document in the appropriate section.

# Invoice

## papiNet Standard - Version 2.31

---

---

### Table of Contents

Copyright.....	2
Use of Documents in papiNet Implementations.....	2
Additional Copyright Information.....	3
Table of Contents.....	4
Invoice Documentation.....	5
An Overview of the Invoice.....	5
The Scope of Invoice.....	5
InvoiceType [attribute].....	6
Business Rules for Invoice.....	8
Processing the Invoice.....	9
Invoice Structure.....	10
Understanding the Diagrams and Content.....	10
Invoice Root Element.....	12
Invoice.....	12
Primary Elements.....	15
InvoiceHeader.....	15
InvoiceLineItem.....	17
MonetaryAdjustment.....	21
InvoiceSummary.....	27
Invoice Business Scenarios.....	30
Invoice Scenario Listing.....	30
Scenario A.....	30
Scenario B.....	31
Scenario C.....	32
Scenario D.....	32
Scenario E.....	33
Scenario F.....	34
Scenario G.....	35
Scenario H.....	35
Scenario I.....	36
Scenario J.....	36
Scenario K.....	37

# Invoice

## papiNet Standard - Version 2.31

---

---

### Invoice Documentation

---

#### **An Overview of the Invoice**

An Invoice e-business document can handle both debits and credits. Typically a seller sends an invoice to a buyer after delivering the products or services specified in a purchase order or as part of an automatic replenishment agreement. Alternatively, an invoice can be prepared by the buyer as part of a self-billing process. The invoice is a list of the goods shipped and their quantities, or services rendered, indicating the price, terms of sale, supplemental charges, allowances, and communicates the payment required for the indicated items.

There are a variety of invoice types designed to fulfil different payment or documentation requirements. Sellers can use invoices described in this standard to claim payment for goods supplied (a "regular" invoice), resend an invoice that the buyer misplaced or never received, request payment in advance of delivery, or provide information (usually to a third party) without claiming payment.

Invoice types CreditNote and DebitNote are generally used by the Seller to compensate or charge the trading parties (ShipToParty, BuyerParty, OtherParty, etc.) for matters outside the scope of the invoice. Typically these matters include commercial claims, logistics claims, technical claims, invoice corrections, commissions, and rebates.

The Invoice has been checked and found compliant with the EU Council Directive 2001/115/EC in force from 1 January 2004 in existing EU Member States and from 1 May 2004 in the Accession Countries. Directive 2001/115/EC harmonises, simplifies and modernises invoicing obligations on traders when they sell products or services that are subject to Value Added Tax (VAT). It also creates an EU legal framework for electronic transmission and storage of invoices. Refer to [http://www.eic.ie/legislation/vat\\_invoicing.htm](http://www.eic.ie/legislation/vat_invoicing.htm) for additional information.

---

#### **The Scope of Invoice**

The invoice can include:

- Details drawn from the purchase order, delivery message, and/or usage reporting
- Seller's general operating procedures, bank account information, and payment terms
- Specific contractual and legal information
- Details, such as general ledger distribution information, provided as a service to the buyer
- Taxes
- Information to support custom requirements, though there may be

# Invoice

## papiNet Standard - Version 2.31

---

- custom duty requirements that are not supported by the invoice
- Any charges associated with the products or services provided
  - Any compensation or charge associated with credits or debits for services, claims, or corrections
  - The reason for a debit or credit
  - An invoice assumes that a previous agreement between buyer and seller has taken place.

Each implementation must check and confirm that legal requirements are met for your specific environment. The papiNet invoice is designed to support the information required to achieve legal status by a governmental authority.

---

### InvoiceType [attribute]

Defines the various types of invoices. The Invoice has been checked and found compliant with the EU Council Directive 2001/115/EC in force from 1 January 2004 in existing EU Member States and from 1 May 2004 in the Accession Countries. Directive 2001/115/EC harmonises, simplifies and modernises invoicing obligations on traders when they sell products or services that are subject to Value Added Tax (VAT). It also creates an EU legal framework for electronic transmission and storage of invoices. Use [http://www.eic.ie/legislation/vat\\_invoicing.htm](http://www.eic.ie/legislation/vat_invoicing.htm) for additional information.



Types of invoices not covered in this standard include:

- Delcredere – An invoice sent to the party paying for a number of buyers
- Factored – An invoice assigned to a third party for collection

*This item is restricted to the following list.*

#### **Approximate**

An invoice that is created to record ownership transfer without the material physically being moved. Typically what occurs is that the buyer has agreed to take ownership of the item at a certain point in time but has not arranged for transportation. Approximate invoices are invoices that are claiming payment.

#### **CreditNote**

Credits that are provided for amount reductions and complaints. A CreditNote will normally have a reference to an earlier issued Invoice.

#### **DebitNote**

A DebitNote claims payment for additional charges. A DebitNote normally has a reference to an earlier issued invoice.

#### **Duplicate**

To be removed in a future version. When an invoice is reissued as a duplicate

# Invoice

## papiNet Standard - Version 2.31

---

---

the invoice type should be the same as on the original invoice. Use attribute Reissued = Yes to indicate a duplicate.

### **Invoice**

A regular invoice (referred to as an invoice) claims payment for products, services, and charges supplied under conditions agreed to between seller and buyer. The invoice communicates, among other things, payment terms, payment method, and the payment amount required for one or more deliveries.

### **PrePayment**

A prepayment invoice is used as a notification of amounts to be paid in advance. It is not a legal invoice claiming payment for provided products or services.

### **ProForma**

A pro-forma invoice is not a legal invoice claiming payment. A pro-forma invoice is a document/message serving as a preliminary invoice, containing on the whole the same information as the final invoice, but not actually claiming payment. Pro-forma invoices are typically used in a cross-border shipment for customs purposes. Can travel with the product or be sent to a broker.

### **SelfBillingStatement**

A SelfBillingStatement is an invoice that is prepared by the buyer of the product (or the consumer of the service) for the provider of the product or service. The preparer will pay the invoice.

Typically logistics costs charges are the service that are communicated. They are incurred during a certain period of time between the party who provides the logistics services (typically the party with a LogisticsRole of "LogisticsProvider") and the requestor of such services (typically the party with a LogisticsRole of "Consignor").

Raw materials, maintenance, repair, and operating supplies are examples of products that can be entered on a self billing statement for products. This type of invoice is also referred to as an invoice for "evaluated receipts" because it developed from the receiving department's evaluation of their receipts and from that creating the invoice.

The SelfBillingStatement process exists when there is a great deal of trust between the trading partners that permits this cost savings business process.

# Invoice

## papiNet Standard - Version 2.31

### Business Rules for Invoice

#### General Business Rules

The following table lists the business rules that apply to all invoice types.

Identifier	Business Rule
<b>ICD001</b>	Invoice corrections are handled by indicating an InvoiceType attribute of CreditNote or DebitNote.
<b>ICD002</b>	Invoice cancellation is handled by issuing a CreditNote for invoiced debits or a DebitNote for invoiced credits.
<b>ICD003</b>	At least one instance of the Product, ChargeInformation or, ChargeAllowance elements is required.
<b>ICD004</b>	Adjustments that apply to all invoice lines, the entire invoice, are handled by using the MonetaryAdjustment at the Invoice root level.
<b>ICD005</b>	LocationParty(s) at the LineItem level override the ones at the header.
<b>ICD006</b>	Corrections or cancellations for the non-claiming-payment invoices (ProForma and PrePayment) are handled by issuing a new Invoice e-business document.
<b>ICD007</b>	TermsOfPayment is mandatory for invoice types that are claiming payment. When there are multiple mandatory payment terms for the goods being invoiced, then multiple invoices should be generated.
<b>ICD008</b>	The LocationParty types permitted in a SelfBillingStatement, at header and line level, are "PlaceOfLoading" and "PlaceOfFinalDestination"
<b>ICD009</b>	InvoiceTypes of CreditNote and DebitNote must contain a reason for the transaction.
<b>ICD010</b>	Invoiced amounts are positive for all invoice types, that is, credited amounts in CreditNote and debit amounts in all other invoices. Adjustment values should always be given as negative or positive adjustments even if the AdjustmentType infers the sign. (For example, a rebate of 1% should be given as an adjustment percentage of -1)



# Invoice

## papiNet Standard - Version 2.31

Identifier	Business Rule
ICD011	TotalTermsDiscountTaxAmount in TotalNetOfTermsDiscount is mandatory when tax is specified for prompt payment discount.

### Processing the Invoice

For the invoice, all message types are processed in the same way.

The Invoice has an attributed, Reissued, with two values that are used when processing the invoice.

- No - Indicates that this is the first, the original generation of the invoice.
- Yes - Indicates that this is a copy of the invoice. It can be sent by the issuing party based upon a request from the originally intended receiver of the Invoice. If the original invoice is located after the issuing party sends a copy, the receiver can decide whether to process the original invoice or the copy. In addition it indicates that the invoice was sent previously.

When the InvoiceType is "SelfBillingStatement", the sender is providing the receiver (typically the supplier but possibly a logistics provider) a statement of the products or services that have been provided to the sender (typically the buyer) during an agreed period of time. Any reconciliation process between the two business partners will be handled outside the e-transaction environment. Confirmation of the SelfBillingStatement is achieved by means of the papiNet BusinessAcceptance.

### Status Values Used When Processing the Invoice Message


- No special status values are used to communicate acceptance of the invoice message. Use the papiNet BusinessAcceptance and BusinessAcknowledgement to confirm invoice receipt.
- No amendment of the invoice is permitted. All invoice changes are currently completed through the invoice types CreditNote and DebitNote.
- The seller is responsible for ensuring that the combination of InvoiceNumber and InvoiceLineNumber are unique and refer to the same BuyerParty throughout the life of the invoice. The buyer may reject an Invoice that includes a previously received combination of InvoiceNumber and InvoiceLineNumber. The buyer communicates that rejection to the seller via an agreed-to process. If no process is specified, the buyer uses phone or email.

# Invoice

## papiNet Standard - Version 2.31

---

### Invoice Structure



---

### Understanding the Diagrams and Content

This section provides a graphical view of the schema structures, a discussion of the item's children. You can find additional information about papiNet and the standard at [www.papiNet.org](http://www.papiNet.org).

The graphics contain content model indicators, cardinality indicators, and data type information.

Associated with each graphic are the definitions for the parent item and any associated child items. All attributes are listed first, followed by the elements.

The following information should help you interpret and understand this standard. Please note the following:

- Content Model and Cardinality operate together to determine if the element or attribute are required in the instance document.
- The same attribute can never appear multiple times in the same element so, you will never see a multiple cardinality indicator.

#### Content model indicators:

There are three possible types of content: "sequence", "choice", and "all". The papiNet standard currently does not use the "all" construct.

- (sequence)

The sequence of the items to the right of the graphic (or below the text) is

# Invoice

## papiNet Standard - Version 2.31

---

---

- required.
- (choice)  
A choice of the items to the right of the graphic (or below the text) is permitted.
- (all)  
All the items to the right of the graphic are required.

### **Cardinality indicators:**

- Dotted line around element or attribute.  
A single instance of the item can optionally exist.
- Dotted line around item with range indicated below.  
Multiple instances of the item can optionally exist.
- Solid line around item.  
A single instance of the item must exist.
- Solid line around item with range indicated below  
At least one instance must exist; multiple instances can optionally exist.

### **Datatype indication:**

When a data type is assigned to an element (either a simple type or complex type) the name of the data type is presented beneath the item name in the graphic.

- In some cases additional information about the data type is presented (the default value).

Elements can either have content that is textual/numeric in nature or content that is made up of additional elements and/or attributes.

- When the content is textual/numeric in nature “three straight horizontal lines” will appear in the upper left-hand corner of the graphic. Pay attention to these elements because they are where you will be entering your information.
- When the content is made up of additional elements and/or attributes a “gray-box” will appear on the right-hand side of the graphic.
- If the graphic shows both the horizontal lines and the gray-box then, in the papiNet standard, the content below the element are attributes.

# Invoice

## papiNet Standard - Version 2.31

### Invoice Root Element


#### Invoice

The root element of the Invoice message.

##### InvoiceType [attribute]

*InvoiceType is mandatory. A single instance is required.*

Defines the various types of invoices. The Invoice has been checked and found compliant with the EU Council Directive 2001/115/EC in force from 1 January 2004 in existing EU Member States and from 1 May 2004 in the Accession Countries. Directive 2001/115/EC harmonises, simplifies and modernises invoicing obligations on traders when they sell products or services that are subject to Value Added Tax (VAT). It also creates an EU legal framework for electronic transmission and storage of invoices. Use [http://www.eic.ie/legislation/vat\\_invoicing.htm](http://www.eic.ie/legislation/vat_invoicing.htm) for additional information.



Types of invoices not covered in this standard include:

- Delcredere – An invoice sent to the party paying for a number of buyers
- Factored – An invoice assigned to a third party for collection

*This item is restricted to the following list.*

##### Approximate

An invoice that is created to record ownership transfer without the material physically being moved. Typically what occurs is that the buyer has agreed to take ownership of the item at a certain point in time but has not arranged for transportation. Approximate invoices are invoices that are claiming payment.

##### CreditNote

Credits that are provided for amount reductions and complaints. A CreditNote will normally have a reference to an earlier issued Invoice.

##### DebitNote

A DebitNote claims payment for additional charges. A DebitNote normally has a reference to an earlier issued invoice.

##### Duplicate

To be removed in a future version. When an invoice is reissued as a duplicate the invoice type should be the same as on the original invoice. Use attribute Reissued = Yes to indicate a duplicate.

# Invoice

## papiNet Standard - Version 2.31

---

---

### **Invoice**

A regular invoice (referred to as an invoice) claiming payment for products, services and charges supplied under conditions agreed to between seller and buyer. The invoice communicates, among other things, payment terms, payment method, and the payment amount required for one or more deliveries.

### **PrePayment**

A prepayment invoice is used as a notification of amounts to be paid in advance. It is not a legal invoice claiming payment for provided products or services.

### **ProForma**

A pro-forma invoice is not a legal invoice claiming payment. A pro-forma invoice is a document/message serving as a preliminary invoice, containing on the whole the same information as the final invoice, but not actually claiming payment. Pro-forma invoices are typically used in a cross-border shipment for customs purposes. Can travel with the product or be sent to a broker.

### **SelfBillingStatement**

A SelfBillingStatement is an invoice that is prepared by the buyer of the product (or the consumer of the service) for the provider of the product or service. The preparer will pay the invoice.

Typically logistics costs charges are the service that are communicated. They are incurred during a certain period of time between the party who provides the logistics services (typically the party with a LogisticsRole of "LogisticsProvider") and the requestor of such services (typically the party with a LogisticsRole of "Consignor").

Raw materials, maintenance, repair, and operating supplies are examples of products that can be entered on a self billing statement for products. This type of invoice is also referred to as an invoice for "evaluated receipts" because it developed from the receiving department's evaluation of their receipts and from that creating the invoice.

The SelfBillingStatement process exists when there is a great deal of trust between the trading partners that permits this cost savings business process.

### **InvoiceContextType [attribute]**

*InvoiceContextType is optional. A single instance might exist.*

Indicates the nature of what is included in the invoice.

*This item is restricted to the following list.*

#### **LogisticsService**

The invoice is exclusively for logistics services.

#### **Product**

The invoice includes product with optional logistics charges.

### **Language [attribute]**

*Language is optional. A single instance might exist.*

XML has embraced 2 and 3 digit language codes through the application of an addendum to the standard.

# Invoice

## papiNet Standard - Version 2.31

---

---

Information on the content of this attribute is available at <http://www.loc.gov/standards/iso639-2/> this is the official site of the ISO 639-2 Registration Authority.

- <http://www.w3.org/International/O-HTML-tags.html> provides an explanation of the errata updating XML.
- <http://www.ietf.org/rfc/rfc3066.txt> is the key document that is referenced in the above errata.

### **Reissued [attribute]**

*Reissued is optional. A single instance might exist.*

Either "Yes" or "No".

*This item is restricted to the following list.*

**Yes**

**No**

### **(sequence)**

*The contents of (sequence) are mandatory. A single instance is required.*

#### **InvoiceHeader**

*InvoiceHeader is mandatory. A single instance is required.*

Information that applies to all items on the Invoice.

#### **InvoiceLineItem**

*InvoiceLineItem is mandatory. One instance is required, multiple instances might exist.*

Information for each item on an Invoice.

- Note Business Rule INV008: At least one instance of either the Product, ChargeInformation or ChargeOrAllowance elements is required.

#### **MonetaryAdjustment**

*MonetaryAdjustment is optional. Multiple instances might exist.*

The element containing the information necessary for the understanding, calculation, and treatment of an adjustment to a currency amount. MonetaryAdjustment contains an attribute that indicates they type of adjustment being communicated.

#### **InvoiceSummary**

*InvoiceSummary is mandatory. A single instance is required.*

Summary information for all items on an invoice.

# Invoice

## papiNet Standard - Version 2.31

### Primary Elements

#### InvoiceHeader

Information that applies to all items on the Invoice.

**(sequence)**

*The contents of (sequence) are mandatory. A single instance is required.*

**InvoiceNumber**

*InvoiceNumber is mandatory. A single instance is required.*

The identification number of the papiNet e-document Invoice. This number uniquely identifies documents for all InvoiceType such as Invoice, DebitNote, CreditNote, Approximate, SelfBillingStatement etc.

**InvoiceDate**

*InvoiceDate is mandatory. A single instance is required.*

A date that is qualifying the invoicing period. This date often drives payment terms. Note that this date is not necessarily the same as the issue date of the invoice.

**InvoiceReference**

*InvoiceReference is optional. Multiple instances might exist.*

A group item detailing relevant references pertaining to the invoice message. InvoiceReferenceType describes the content.

**DocumentReferenceInformation**

*DocumentReferenceInformation is optional. Multiple instances might exist.*

A group item containing reference information applicable to a document.


**BillToParty**

*BillToParty is mandatory. A single instance is required.*

The address where the invoice is to be sent.

**SupplierParty**

*SupplierParty is mandatory. A single instance is required.*



# Invoice

## papiNet Standard - Version 2.31

---

---

The organisation or business entity responsible for providing the product. SupplierParty is also the seller of the product, if Seller is not specified as OtherParty = Seller.

### **BuyerParty**

*BuyerParty is mandatory. A single instance is required.*

The legal entity to which the product is sold. Also commonly referred to as the sold-to party or customer. If no OtherParty is defined as the Payer, the Buyer is the Payer.

### **RemitToParty**

*RemitToParty is optional. A single instance might exist.*

A group item containing details of the party to whom payment will be made. The RemitToParty contains all information related to remittance.

### **ShipToCharacteristics**

*ShipToCharacteristics is optional. A single instance might exist.*

A group item that provides information important for the Ship-To Party.

A group item that provides information important for the Ship-To Party. ShipToCharacteristics may be referenced at both the header and line item level. The reference at the header is required and acts as a default for the value at the line level, unless overridden at the line level.

### **OtherParty**

*OtherParty is optional. Multiple instances might exist.*

An organisation or business entity other than those specifically detailed within a business document.

### **SenderParty**

*SenderParty is optional. A single instance might exist.*

The business entity issuing the business document, the source of the document.

- This is the same entity as the "From" party in the ebXML message service envelope. The entity responsible for the content. If the sender party has outsourced the transmission function to a third party the sender party is the original party not the party performing the transmission service.

### **ReceiverParty**

*ReceiverParty is optional. Multiple instances might exist.*

The business entity for whom the business document is intended, the destination of the document.

- This is the same entity as the "To" party in the ebXML message service envelop. The entity interested in the content. If the receiver party has outsourced the message receipt function to a third party the receiver party is the intended party not the party performing the receiving process.

### **LocationParty**

*LocationParty is optional.*

The organization or business entity where the business event took place or will take place.



# Invoice

## papiNet Standard - Version 2.31

---

---

### **CountryOfOrigin**

*CountryOfOrigin is optional. A single instance might exist.*

The country of origin for the material.

### **CountryOfDestination**

*CountryOfDestination is optional. A single instance might exist.*

The country where the goods will be, or were, shipped to.

### **CountryOfConsumption**

*CountryOfConsumption is optional. A single instance might exist.*

The country of consumption for the material.

### **CreditDebitNoteReason**

*CreditDebitNoteReason is optional. A single instance might exist.*

A group item containing the reason for the entire CreditDebitNote.

### **AdditionalText**

*AdditionalText is optional. Multiple instances might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

---

## **InvoiceLineItem**

Information for each item on an Invoice.

### **IsFinalInvoice [attribute]**

*IsFinalInvoice is optional. A single instance might exist.*

Communicates to the receiver that this is the last invoice so that the customer can "close out" the associated PO as completely invoiced.

*This item is restricted to the following list.*

**Yes**

**No**

### **(sequence)**

*The sequence of items below is mandatory. A single instance is required.*

### **InvoiceLineNumber**

*InvoiceLineNumber is mandatory. A single instance is required.*

The sequential number that uniquely identifies the invoice line item. It may enable the invoice to be printed, viewed, or discussed in a common order.

### **PurchaseOrderInformation**

*PurchaseOrderInformation is optional. A single instance might exist.*

A group item containing information unique to this purchase order, which is provided by the buyer. PurchaseOrderInformation can be optional in the supply

# Invoice

## papiNet Standard - Version 2.31

chain. Invoices are created without having a Purchase Order in Vendor Managed Inventory. Freight invoices also will not have a Purchase Order number.

### PurchaseOrderLineItemNumber

*PurchaseOrderLineItemNumber is optional. A single instance might exist.*

The sequential number that uniquely identifies the purchase order line item.

### ChargeOrAllowance

*ChargeOrAllowance is optional. A single instance might exist.*

The description of the charge or allowance; such as freight, special handling, and stop-off handling.

### Product

*Product is optional. A single instance might exist.*

Product is a group item defining the article and its characteristics. Product is used to specify product characteristics organized by ProductIdentifier, ProductDescription, and Classification. Book Manufacturing, Label Stock, Paper, Pulp, Recovered Paper, Wood Products, and Virgin Fibre market segments have defined their product characteristics and conversion features for implementation in papiNet.

### Quantity

*Quantity is mandatory. A single instance is required.*

The Quantity element contains attributes that provide information about the type of quantity that is being communicated, the context in which the particular quantity is to be viewed, and (if the quantity represents an adjustment) an adjustment type.


The Quantity element contains three child elements that enable you to communicate a range of values for the quantity and a target or actual value. It is at this level (Value, RangeMin, and RangeMax) that the unit of measure is specified. This permits the range to be specified in a different unit of measure than the target.

### InformationalQuantity

*InformationalQuantity is optional. Multiple instances might exist.*

A quantity given in a valid UOM used for information purposes only (not for calculation). For example, an ordered quantity was 100 reels as opposed to the invoice quantity of 20,000 pounds.

### InvoiceLineBaseAmountInformation



# Invoice

## papiNet Standard - Version 2.31

---

---

*InvoiceLineBaseAmountInformation is optional. A single instance might exist.*

A group item containing the price per unit and the invoice price amount subtotal.

### **MonetaryAdjustment**

*MonetaryAdjustment is optional. Multiple instances might exist.*

The element containing the information necessary for the understanding, calculation, and treatment of an adjustment to a currency amount. MonetaryAdjustment contains an attribute that indicates they type of adjustment being communicated.

### **ChargeInformation**

*ChargeInformation is optional. Multiple instances might exist.*

A group element that contains elements that describe a charge.

### **InvoiceLineAmount**

*InvoiceLineAmount is mandatory. A single instance is required.*

The total invoice amount per line (includes adjustments and tax).

- InvoiceLineAmount is equal to the InvoiceLineBaseAmount plus the sum of the signed values of the MonetaryAdjustmentAmount for all instances of MonetaryAdjustment.

### **InvoiceDeliveryInformation**

*InvoiceDeliveryInformation is optional. Multiple instances might exist.*

A group item that contains delivery information for invoice purposes. The delivery information that is contained will be similar to that on the DeliveryMessage.

### **InvoiceReference**

*InvoiceReference is optional. Multiple instances might exist.*

A group item detailing relevant references pertaining to the invoice message. InvoiceReferenceType describes the content.

### **DocumentReferenceInformation**

*DocumentReferenceInformation is optional. Multiple instances might exist.*

A group item containing reference information applicable to a document.

### **GeneralLedgerAccount**

*GeneralLedgerAccount is optional. A single instance might exist.*

The general ledger account to be referenced for the item.

### **AdditionalText**

*AdditionalText is optional. Multiple instances might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

### **ShipToCharacteristics**

*ShipToCharacteristics is optional. A single instance might exist.*

A group item that provides information important for the Ship-To Party.

# Invoice

## papiNet Standard - Version 2.31

---

---

A group item that provides information important for the Ship-To Party. ShipToCharacteristics may be referenced at both the header and line item level. The reference at the header is required and acts as a default for the value at the line level, unless overridden at the line level.

### **MillCharacteristics**

*MillCharacteristics is optional. A single instance might exist.*

A group item defining the mill party and machine identifier where a product is or was produced.

### **ItemInformation**

*ItemInformation is optional. Multiple instances might exist.*

The purpose of the ItemInformation structure is to clearly identify physical items. The attribute ItemType defines the type of physical item. Physical items can be handling units like packages as well as items contained in packages.

### **TransportModeCharacteristics**

*TransportModeCharacteristics is optional. Multiple instances might exist.*

A group item defining the primary mode of transport.

### **TransportUnitCharacteristics**

*TransportUnitCharacteristics is optional. Multiple instances might exist.*

A group item defining and identifying the primary means of containing the goods. In some instances, the transport unit and vehicle are the same.

### **TransportVehicleCharacteristics**

*TransportVehicleCharacteristics is optional. A single instance might exist.*

A group item defining the primary means of transporting the goods, such as a side port vessel. In some instances, the transport unit and vehicle are the same.

### **CountryOfOrigin**

*CountryOfOrigin is optional. A single instance might exist.*

The country of origin for the material.

### **CountryOfDestination**

*CountryOfDestination is optional. A single instance might exist.*

The country where the goods will be, or were, shipped to.

### **CountryOfConsumption**

*CountryOfConsumption is optional. A single instance might exist.*

The country of consumption for the material.

### **LocationParty**

*LocationParty is optional. Multiple instances might exist.*

The organization or business entity where the business event took place or will take place.

### **DeliveryDateWindow**

*DeliveryDateWindow is optional. A single instance might exist.*

# Invoice

## papiNet Standard - Version 2.31

A group item defining the date/time interval for delivery to take place. An element which may contain the estimated date for which delivery is expected. This date is not absolute.

### TaxStatement

*TaxStatement is optional. A single instance might exist.*

A group element for declaration of exception from normal charges of tax and the reason for tax exemption.

### SafetyAndEnvironmentalInformation

*SafetyAndEnvironmentalInformation is optional. Multiple instances might exist.*

Name of certification type, if any, on the goods (For example, FSC, PEFC). SafetyAndEnvironmental needs a value or measurement to communicate the percentage of the product is certified (for example, 75% is certified by the indicated agency).

## MonetaryAdjustment

The element containing the information necessary for the understanding, calculation, and treatment of an adjustment to a currency amount.

MonetaryAdjustment contains an attribute that indicates they type of adjustment being communicated.

### AdjustmentType [attribute]

*AdjustmentType is mandatory. A single instance is required.*

Describes the type of adjustment applied to a monetary oriented element. Adjustments values should always be given as negative or positive adjustments even if AdjustmentType indicates the sign. For example, a rebate of 1% on an invoice should be given as an adjustment percentage of -1%.


*This item is restricted to the following list.*

#### BillOfLadingCharge

An extra charge for creating a Bill of Lading.

#### CancellationCharge

A charge applied because a cancellation was late (after the last date of change) and all or part of the ordered product has already been



# Invoice

## papiNet Standard - Version 2.31

---

---

made.

### **CashDiscount**

A reduction due to a discount applied.

### **CertificateCharge**

An extra charge for creating a certificate. Some countries requires Certificates in which different characteristics of the delivery, transport unit, route, product, and others must be proved.

There are certificates for gasen pallets, for the place of production, for the age of the ship/vessel, for not departing from one country's harbour when delivering to another.

### **ChargesForward**

A pending invoice amount brought forward from a previous invoice.

### **ClaimAdjustment**

An adjustment related to a filed complaint.

### **Commission**

Commission costs paid to the trading agency or trader.

### **CompetitiveAllowance**

An allowance provided for competitive reasons.

### **CongestionCharge**

An extra fee from ports for waiting time of ships in ports, railcars on a siding, trucks at a dock. (Synonym: Demurrage.)

### **ConsigneeUnloadCharge**

An unloading charge that is the responsibility of the consignee.

### **ContractAllowance**

An allowance for a volume discount, usually because the agreed amount has been exceeded.

### **CurrencyAdjustmentCharge**

An extra fee to adjust for currency variations.

### **DecimalRounding**

Adjustments for rounding of total amounts to fit the business agreement or national monetary legislation.

For example, Finland does not use smaller than 5 cent coins. All cash payments are rounded to a 5 cent divisible amount according to national legislation. Alternatively, certain market segments prefer to remove all decimals.

### **DefectiveAllowance**

An allowance provided for defective material.

### **DeliveryCharge**

The charge for delivering the product.

### **DeliveryNonConformanceAllowance**

# Invoice

## papiNet Standard - Version 2.31

---

---

An allowance due to non-conformance with the purchase agreement regarding a delivery.

### **DeliveryTimeBonus**

A bonus given for deliveries of products within a certain time period.

### **EarlyShipAllowance**

An allowance due to a delivery that took place earlier than planned. The seller may be charged a penalty. If this is found before issuing the invoice, it can be handled through this allowance. If found later, it will be handled through a credit note.

### **EnergySurcharge**

A charge related to increases in the cost of energy.

### **Environmental**

An allowance applied due to environmental regulations.

### **ExpeditedShipmentCharge**

An extra cost charged due to unexpected or emergency requirements (for example, breaking off a run in the mill to reach the production date for a rush order).

### **ExportClearanceCharge**

An extra fee for customs administration.

### **FlatRateCharge**

A general flat charge.

### **FreightAllowance**

The freight cost allowed by the mill. This amount is negative, and will be deducted from the invoice (U.S. business practice, in the European Union (EU), use only Freight Charge).

### **FreightCharge**

The actual cost incurred to deliver the product. This amount is positive, and will be added to the invoice.

### **FuelAdjustmentCharge**

An extra fee, usually from shipping companies, to adjust fuel prices.

### **HandlingCharge**

A charge related to the handling of the product.

### **Inspection**

The cost associated with performing an inspection of the product.

### **InterestCharge**

A charge applied for interest on overdue payments.

### **LabourAllowance**

An allowance due to additional labour required in the use or acceptance of the product.

### **LabourCharge**

# Invoice

## papiNet Standard - Version 2.31

---

---

A charge due to additional labour required in the use or acceptance of the product.

### **LoggingDamage**

An adjustment caused by logging damages on Forest Wood products. Logging damages normally cause a reduction of the product price.

### **LotCharge**

A charge applied to the lot of material.

### **MetalDetection**

A charge for additional metal detection applied to the goods.

### **ModelHomeDiscount**

A discount associated with the building of the model home.

### **NewStoreCouponDiscount**

A discount associated with entry into a new store.

### **OrderQuantity**

A charge or allowance for small/big ordered quantities.

### **PalletCharge**

A charge that represents the cost or rental of the pallet.

### **PickUpAllowance**

An allowance provided to compensate for the cost of picking up the product.

### **PromotionalAllowance**

An allowance provided for the promotion of the product.

### **PromotionalCharge**

A charge associated with the promotion of the product.

### **PriceCorrection**

An adjustment associated with a correction of the product's price.

### **ProductionSetUpCharge**

A special charge applied due to specific buyer requests.

### **Provision**

The act of making ready or equipping for use.

### **Rebate**

A rebate accepted by the buyer and seller based on the agreed price and volume.

### **ReelDiscount**

An allowance for purchasing reels instead of sheets.

### **ReturnedLoadAllowance**

An allowance applied due to the return of the load.

### **ReturnLoadCharge**

A charge applied due to the return of the load.



# Invoice

## papiNet Standard - Version 2.31

---

---

### **RoadFeeCharge**

A freight charge for a special tax applied to road transports in some countries, e.g. Germany

### **ScrapAndDunnageCharge**

A charge that represents the scrapping of the material and its removal.

### **ServiceCharge**

A charge associated with a miscellaneous service.

### **SpecialConversionCharge**

Additional charge for a special conversion of the product.

### **SpecialDeliveryCharge**

A special charge for delivering the product differently from the usual or agreed-to method.

### **SpecialHandlingCharge**

A special charge for handling the product differently from the usual or agreed-to method.

### **SpecialPackagingCharge**

A special charge for packaging the product differently from the usual or agreed-to method, or if packaging as requested is out of spec.

### **StopOffAllowance**

An allowance for a delivery stop-off.

### **StopOffCharge**

A charge for a delivery stop-off.

### **StorageAllowance**

An allowance for storing the product.

### **StorageCharge**

An extra cost charged for storing the product on location (in the plant).

### **Tax**

An adjustment that reflects a tax item.

### **TestingCharge**

A charge related to testing a paper grade.

### **TradeDiscount**

A discount based on the terms of the trade given on the agreed price. Usually a percentage.

### **TrialDiscount**

A discount applied for a trial run of a new or improved product.

### **TransferCharge**

A freight charge incurred by the goods transfer from one location to another location not previously agreed upon.

# Invoice

## papiNet Standard - Version 2.31

---

---

### **UnloadingAllowance**

An allowance to compensate for the unloading the product.

### **UnloadingCharge**

A charge for the unloading the product.

### **VolumeDiscount**

A rebate accepted by the buyer and the seller based on the agreed volume

### **WarRiskCharge**

An extra fee from transport companies for transport units that cross war zones.

### **Other**

Any other adjustment not covered by the attribute list.

### **(sequence)**

*The contents of (sequence) are mandatory. A single instance is required.*

### **MonetaryAdjustmentLine**

*MonetaryAdjustmentLine is mandatory. A single instance is required.*

A sequence number indicating the order of printing or the sequence in which a group of adjustments are to be considered.

### **MonetaryAdjustmentStartAmount**

*MonetaryAdjustmentStartAmount is optional. A single instance might exist.*

The beginning currency amount used in the calculation of a monetary adjustment.

### **MonetaryAdjustmentStartQuantity**

*MonetaryAdjustmentStartQuantity is optional. A single instance might exist.*

The beginning quantity used in the calculation of a monetary adjustment.

### **(choice)**

*The contents of (choice) are mandatory. A single instance is required.*

### **PriceAdjustment**

*PriceAdjustment is mandatory. A single instance is required.*

A group item defining a deviation from the PricePerUnit.

### **FlatAmountAdjustment**

*FlatAmountAdjustment is mandatory. A single instance is required.*

A group item that contains flat adjustment amount information.

### **TaxAdjustment**

*TaxAdjustment is mandatory. A single instance is required.*

This content element contains the necessary information to describe, calculate, and handle a tax adjustment.

### **InformationalAmount**

*InformationalAmount is optional. A single instance might exist.*

# Invoice

## papiNet Standard - Version 2.31

---

---

A monetary amount used for information purposes only (not for calculation). For example, the invoice price adjustment subtotal is expressed in sterling pounds, and the buyer wants this information expressed in U.S. dollars.

- CreditDebitNote and Invoice - The TaxAmount is displayed in the currency that is applicable throughout the message. When a TaxAmount needs to be displayed in a different national currency, this field is used.

### **MonetaryAdjustmentReferenceLine**

*MonetaryAdjustmentReferenceLine is optional. A single instance might exist.*

A link to a previously defined MonetaryAdjustmentLine upon which this adjustment is based.

### **AdditionalText**

*AdditionalText is optional. Multiple instances might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

### **GeneralLedgerAccount**

*GeneralLedgerAccount is optional. A single instance might exist.*

The general ledger account to be referenced for the item.

### **MonetaryAdjustmentAmount**

*MonetaryAdjustmentAmount is optional. A single instance might exist.*

The actual amount of the monetary adjustment.

### **AdjustmentTypeReason**

*AdjustmentTypeReason is optional. A single instance might exist.*

Provides additional information about the type of adjustment. Can be viewed as a sub-classification of the adjustment type attribute or as a textual explanation.

---

## **InvoiceSummary**

Summary information for all items on an invoice.

### **(sequence)**

*The contents of (sequence) are mandatory. A single instance is required.*

### **TotalNumberOfLineItems**

*TotalNumberOfLineItems is optional. A single instance might exist.*

The total number of individual line items in the document, regardless of the status or type.

### **(sequence)**

*The contents of (sequence) are mandatory. One instance is required, multiple instances might exist.*

### **TotalQuantity**

*TotalQuantity is mandatory. A single instance is required.*

# Invoice

## papiNet Standard - Version 2.31

The total quantity of similar items in the business document. TotalQuantity is primarily used in the summary section of documents where it is repeatable to permit totaling for different units of measure.

### TotalInformationalQuantity

*TotalInformationalQuantity is optional. Multiple instances might exist.*

A quantity that is used to communicate related information about the parent element. This element represents a total that is derived from individual line items.

### LineItemSubTotal


*LineItemSubTotal is optional. A single instance might exist.*

The total amount of all message LineBaseAmount(s) line items without any monetary adjustments that may occur after the message line items.

### TotalAdjustments

*TotalAdjustments is optional. A single instance might exist.*

The CurrencyValue of TotalAdjustments contains the total of all MonetaryAdjustmentAmount for all instances of



PriceAdjustment and FlatAmountAdjustment in the document (it excludes TaxAdjustments).

### TotalTaxAmount

*TotalTaxAmount is optional. A single instance might exist.*

The CurrencyValue of TotalTaxAmount contains the sum of all instances of TaxAdjustment in the document. TotalTaxAmount contains the sum of all instances of the MonetaryAdjustmentAmount for tax adjustments.

### TotalNetAmount


*TotalNetAmount is optional. A single instance might exist.*

A field containing total amount excluding tax. For example, in the Invoice TotalNetAmount is equal to the sum of LineItemSubTotal plus TotalAdjustments. TotalNetAmount encapsulates CurrencyValue.

### TotalAmount

*TotalAmount is mandatory. A single instance is required.*

A field containing the total amount including tax.



# Invoice

## papiNet Standard - Version 2.31

---

---

- **PurchaseOrder:** The total amount, using a valid unit of measure of all the items in the message. Multiple total amounts are allowed so different units of measure or grade sub-totals can be communicated.
- **CreditDebitNote and Invoice:** TotalAmount is equal to TotalNetAmount plus TotalTaxAmount. In certain countries this is the amount that is due for payment based upon the terms of payment.

### **InformationalAmount**

*InformationalAmount is optional. Multiple instances might exist.*

A monetary amount used for information purposes only (not for calculation). For example, the invoice price adjustment subtotal is expressed in sterling pounds, and the buyer wants this information expressed in U.S. dollars.

- **CreditDebitNote and Invoice -** The TaxAmount is displayed in the currency that is applicable throughout the message. When a TaxAmount needs to be displayed in a different national currency, this field is used.

### **(sequence)**

*The contents of (sequence) are optional. Multiple instances might exist.*

### **TermsOfPayment**

*TermsOfPayment is mandatory. A single instance is required.*

A group item that contains agreed-to terms defining when, how, and under what conditions the payment is to be made.

When TermsOfPayment is optional; if omitted, TermsOfPayment is controlled through previous negotiation.

### **TotalNetOfTermsDiscount**

*TotalNetOfTermsDiscount is optional. A single instance might exist.*

The components of the amount to be paid if payment terms are met, including the amount that is subject to the payment terms discount, the discount amount, and the net amount due.

### **AdditionalText**

*AdditionalText is optional. Multiple instances might exist.*

A text field that is used to communicate information not previously defined or for special instructions. To be used only for circumstances not covered by specific elements.

### **TermsAndDisclaimers**

*TermsAndDisclaimers is optional. Multiple instances might exist.*

An element that contains legal information with an indication of what the Language is.

### **TaxStatement**

*TaxStatement is optional. A single instance might exist.*

A group element for declaration of exception from normal charges of tax and the reason for tax exemption.

# Invoice

## papiNet Standard - Version 2.31

### Invoice Business Scenarios

#### Invoice Scenario Listing

<b>Scenario A</b>	Regular invoice sent to Buyer with payment directly to Supplier. The Supplier is also the Seller.
<b>Scenario B</b>	Regular invoice sent to Buyer with payment to the Supplier's bank account. The Supplier is also the Seller.
<b>Scenario C</b>	Delivery cancelled after invoice is communicated to the buyer. Alternatively, the invoice was created in error.
<b>Scenario D</b>	Invoice for a call-off
<b>Scenario E</b>	Self-Billing Invoice
<b>Scenario F</b>	A DebitNote is sent with one or more InvoiceLineItem(s) due to unforeseen costs upon delivery of the goods.
<b>Scenario G</b>	A DebitNote is sent that corrects an erroneous CreditNote
<b>Scenario H</b>	A CreditNote is sent that cancels an erroneous DebitNote
<b>Scenario I</b>	A CreditNote is sent to compensate or charge one of the trading partners for damage that occurred during goods transport
<b>Scenario J</b>	A CreditNote is sent to compensate for an invoice that was erroneously issued by the seller
<b>Scenario K</b>	A quarterly CreditNote is sent as a rebate to a customer for having reached a pre-agreed target volume

#### Scenario A

<b>Message</b>	Invoice
<b>Type</b>	Invoice
<b>Scenario</b>	Regular invoice sent to Buyer with payment directly to the Supplier. The Supplier is also the Seller.
<b>Outcome</b>	Invoice is entered into the Buyer's system.

## Invoice

### papiNet Standard - Version 2.31

	Payment is made directly to Supplier, for example, by sending a check.
<b>Initiator</b>	Supplier
<b>Receiver</b>	Buyer
<b>Preconditions</b>	This Use Case assumes the Supplier has previously sent material to the Buyer.
<b>Trigger</b>	Material shipment
<b>Step 1.</b>	Supplier sends a regular invoice to the Buyer. The Invoice does not contain any statuses. The following information that is included in the Invoice is particular to this Use Case. <ul style="list-style-type: none"> <li>• InvoiceType = "Invoice"</li> <li>• SupplierParty <ul style="list-style-type: none"> <li>• PartyIdentifier = the code itself</li> </ul> </li> <li>• RemitToParty <ul style="list-style-type: none"> <li>• Not included in message</li> </ul> </li> </ul>

#### Scenario B

<b>Message</b>	Invoice
<b>Type</b>	Invoice
<b>Scenario</b>	Regular invoice sent to Buyer with payment to the Supplier's bank account. The Supplier is also the Seller
<b>Outcome</b>	Invoice is entered into the Supplier's system. Payment is made to the Supplier's bank account.
<b>Initiator</b>	Supplier
<b>Receiver</b>	Buyer
<b>Preconditions</b>	This Use Case assumes the Supplier has previously sent material to the Buyer.
<b>Trigger</b>	Material shipment
<b>Step 1.</b>	Supplier sends a regular invoice to the Buyer. The Invoice does not contain any statuses.

## Invoice

### papiNet Standard - Version 2.31

	<p>Additional information sent with message.</p> <ul style="list-style-type: none"> <li>• InvoiceType = "Invoice"</li> <li>• SupplierParty <ul style="list-style-type: none"> <li>• contains normal address information for the supplier. RemitToParty</li> </ul> </li> <li>• PartyIdentifierType(1) = "BankIdentificationCode" <ul style="list-style-type: none"> <li>• PartyIdentifier(1) = the code itself</li> </ul> </li> <li>• PartyIdentifierType(2) = "PayeeAccountNumber" <ul style="list-style-type: none"> <li>• PartyIdentifier(2) = the code itself</li> </ul> </li> </ul>
--	---

#### Scenario C

<b>Message</b>	Invoice
<b>Type</b>	Invoice
<b>Scenario</b>	Delivery cancelled after invoice is communicated to buyer. An alternative could be that the invoice is created in error.
<b>Outcome</b>	Invoice is entered into the Buyer's system and a Credit Note is required to offset it.
<b>Initiator</b>	Supplier
<b>Receiver</b>	Buyer
<b>Step 1.</b>	Supplier sends an Invoice to the Buyer the exact nature of the invoice is not relevant
<b>Step 2.</b>	Supplier sends a new invoice with type equal to "CreditNote" to the Buyer.

#### Scenario D

<b>Message</b>	Invoice
<b>Type</b>	Invoice
<b>Scenario</b>	Invoice is referenced in the CallOff. The Supplier is also the Seller.
<b>Outcome</b>	Invoice is entered into the Buyer's system.
<b>Initiator</b>	Supplier
<b>Receiver</b>	Buyer



## Invoice papiNet Standard - Version 2.31

<b>Preconditions</b>	A CallOff initiated shipment
<b>Trigger</b>	Delivery Message
<b>Step 1.</b>	Buyer sends a CallOff to the Supplier.
<b>Step 2.</b>	Supplier responds with a CallOffConfirmation.
<b>Step 3.</b>	Supplier sends the delivery along with a DeliveryMessage.
<b>Step 4.</b>	Supplier sends a regular invoice to the Buyer. The Invoice does not contain any statuses. Additional information sent with message. <ul style="list-style-type: none"> <li>• InvoiceType = "Invoice"</li> <li>• SupplierParty contains normal address information for the supplier</li> <li>• RemitToParty is supplied if payments will be made to an associated Seller's bank account</li> <li>• PurchaseOrderInformation indicates the purchase order against which the material was shipped.</li> <li>• InvoiceReference contains references to CallOffNumber and CallOffLineItemNumber.</li> </ul>

### Scenario E

<b>Message</b>	Invoice
<b>Type</b>	SelfBillingStatement
<b>Scenario</b>	When sending a SelfBillingStatement to the supplier of the logistics services.
<b>Outcome</b>	SelfBillingStatement is entered into the logistics supplier's system.
<b>Initiator</b>	Buyer of the logistics services
<b>Receiver</b>	Supplier of the logistics services
<b>Preconditions</b>	A previous agreement between the two parties
<b>Trigger</b>	Services are rendered
<b>XML File</b>	Invoice_ScenarioE.xml <ul style="list-style-type: none"> <li>• Focus on InvoiceLineItem</li> </ul>

## Invoice papiNet Standard - Version 2.31

<b>Step 1.</b>	Buyer of the logistics services sends an Invoice (InvoiceType = "SelfBillingStatement" and InvoiceContextType = "LogisticsService").
<b>Step 2.</b>	Supplier of the logistics services checks to see that the data are correct. The supplier responds with a BusinessAcceptance indicating Accepted or Rejected.  If the data are not correct and the SelfBillingStatement is Rejected, then reconciliation will occur outside of the e-transaction process.
<b>Step 3.</b>	Buyer of the logistics services will selfbill.
<b>Step 4.</b>	Additional information sent with SelfBillingStatement could be: <ul style="list-style-type: none"> <li>• ChargeInformation</li> <li>• Reference to CostComponents</li> </ul>

### Scenario F

<b>Message</b>	Invoice
<b>Type</b>	DebitNote
<b>Scenario</b>	A DebitNote is sent with one or more InvoiceLineItem(s) referring to multiple Delivery Messages
<b>Outcome</b>	ShipToParty and SupplierParty systems are updated with DebitNote information
<b>Initiator</b>	ShipToParty
<b>Receiver</b>	SupplierParty
<b>Trigger</b>	Unforeseen costs upon delivery of the goods occurred.

## Invoice papiNet Standard - Version 2.31

<b>Example</b>	ShipToParty is issuing a DebitNote.
----------------	-------------------------------------

### Scenario G

<b>Message</b>	Invoice
<b>Type</b>	DebitNote
<b>Scenario</b>	A DebitNote is sent that corrects an erroneous CreditNote.
<b>Outcome</b>	SupplierParty and BillToParty systems are updated according to the DebitNote information
<b>Initiator</b>	SupplierParty
<b>Receiver</b>	BillToParty
<b>Trigger</b>	The CreditNote has an error and needs to be corrected
<b>Step 1</b>	SupplierParty send a CreditNote
<b>Step 2</b>	An error in the CreditNote amount is detected. Note: This type of error would not normally be communicated via the BusinessAcknowledgement but would take place through another means.
<b>Step 3</b>	SupplierParty sends a DebitNote correcting the amount

### Scenario H

<b>Message</b>	Invoice
<b>Type</b>	CreditNote
<b>Scenario</b>	A CreditNote is sent that cancels an erroneous DebitNote
<b>Outcome</b>	SupplierParty and ShipToParty systems are updated according to the CreditNote information
<b>Initiator</b>	SupplierParty
<b>Receiver</b>	ShipToParty
<b>Trigger</b>	The DebitNote has an error and should be cancelled
<b>Step 1</b>	SupplierParty sends a DebitNote

## Invoice papiNet Standard - Version 2.31

<b>Step 2</b>	An error in the DebitNote is detected. Note: This type of error would not normally be communicated via the BusinessAcknowledgement but would take place through other means.
<b>Step 3</b>	SupplierParty sends a CreditNote cancelling the DebitNote amount

### Scenario I

<b>Message</b>	Invoice
<b>Type</b>	CreditNote
<b>Scenario</b>	A CreditNote is sent to compensate or charge one of the trading partners for damage that occurred during goods transport
<b>Outcome</b>	SupplierParty and ShipToParty or BuyerParty systems are updated with CreditNote information
<b>Initiator</b>	SupplierParty
<b>Receiver</b>	ShipToParty or BuyerParty
<b>Preconditions</b>	Terms of sales preclude that the transport is paid by the SupplierParty
<b>Trigger</b>	Unforeseen costs upon delivery of the goods has occurred
<b>Example</b>	The SupplierParty delivers a load of reels to the ShipToParty. During transport, the paper gets wet because of water infiltration through a leak in the transport vehicle.

### Scenario J

<b>Message</b>	Invoice
<b>Type</b>	CreditNote
<b>Scenario</b>	A CreditNote is sent to compensate for an invoice that was erroneously issued by the seller
<b>Outcome</b>	SupplierParty and BillToParty or BuyerParty systems are updated with the CreditNote information
<b>Initiator</b>	SupplierParty
<b>Receiver</b>	BillToParty or BuyerParty
<b>Trigger</b>	Unforeseen invoice error

## Invoice

### papiNet Standard - Version 2.31

---

---

<b>Example</b>	An invoice has been sent to the BillToParty or BuyerParty by mistake
----------------	--

#### Scenario K

<b>Message</b>	Invoice
<b>Type</b>	CreditNote
<b>Scenario</b>	A quarterly CreditNote is sent as a rebate to the buyer for having reached a pre-agreed to target volume
<b>Outcome</b>	SupplierParty and BuyerParty systems are updated with CreditNote information
<b>Initiator</b>	SupplierParty
<b>Receiver</b>	BuyerParty
<b>Trigger</b>	Rebate/Bonus analysis
<b>Example</b>	A rebate/bonus agreement is fulfilled by the buyer